Transnational Trauma: Mental Health Effects of War on Expatriates*

Mounir Karadja† Akib Khan‡ Linna Martén§ Jimena Romero Pinto¶

January 31, 2025

Preliminary – please do not cite without the authors' permission.

Abstract

We investigate the impact of the 2022 Russian invasion of Ukraine on the mental health of Ukrainian migrants living abroad, leveraging comprehensive administrative data on medical prescriptions in Sweden. Despite the physical distance from danger, expatriates may still be affected by home-country conflict through the social, economic, or national ties they have to their homeland. To isolate the causal effect of indirect war exposure, we use the synthetic control method, comparing the outcomes of Ukrainians to a weighted average of other migrant groups in Sweden. Our results indicate an immediate deterioration in the mental health of Ukrainian expatriates following the invasion, with a marked increase in the take-up of medication for anxiety and insomnia. Furthermore, the uptake of anti-depressants rises significantly in the third quarter of 2022, indicating a potential shift towards medications for more long-term conditions. These effects are driven by women, although it is possible that men face mental health challenges without seeking medical care. We find little evidence that family situation, legal status, or economic conditions are important mediators of the effect.

*We are thankful for useful comments and suggestions from seminar participants at King's College London, Copenhagen University, Stockholm University, and Uppsala University. Vincent Karlberg Hauge provided excellent research assistance. We gratefully acknowledge financial support from the Swedish Research Council for Health, Working Life and Welfare (dnr 2018-01011).

†Uppsala University, mounir.karadja@nek.uu.se

‡Stockholm School of Economics, akib.khan@hhs.se

§Swedish Institute for Social Research, Stockholm University, linna.marten@sofi.su.se

¶Stockholm University, jimena.romero-pinto@su.se

1 Introduction

I am a poet of the periodic table of ruins
of a broken army and a forfeited land
shot-through like the heart of a soldier
it shakes like an uncatchable feather
trembling lightly on a stem.

On War by *Vasyl Makhno* (American-Ukrainian poet, NYC)[1]

Wars cost lives, traumatize survivors, and destroy countries' physical and human capital (Abadie and Gardeazabal, 2003; Johnson and Thompson, 2008; Blattman and Miguel, 2010). The costs of war may also spread across country borders as they disrupt global trade (Glick and Taylor, 2010), force military investments (Nordhaus et al., 2012), and displace war-afflicted populations (Becker and Ferrara, 2019). Nations, however, comprise not only the individuals residing within their physical borders but also their diaspora – citizens living abroad who maintain significant social, cultural, and economic connections to their homeland (see e.g. Gould, 1994; Yarkin, 2025). In an increasingly globalized world, millions of migrants live abroad as violent conflicts erupt in their countries of origin. Despite being physically distant from the epicenter of violence, these expatriates are unlikely to be immune to the effects of conflict.

There are several reasons migrants' health may be affected by conflicts in their home countries. First and foremost, they are likely to be concerned about the safety of their family and friends (Kristensen et al., 2012). Second, although they are now at a safe distance from the conflict, some may only reside abroad on a temporary visa, meaning that they are expected to return to their home country in a near future. Third, some individuals may be working for a company operating from their home country, which may be forced to implement lay-offs in response to the conflict, thereby potentially affecting the workers' wellbeing (Schaller and Stevens, 2015). Besides these more direct channels, simply being exposed to violent events from individuals' home countries through the media may cause stress. In psychology, *secondary trauma* refers to situations where individuals do not experience a traumatic event themselves but learn about it from another source, such as family or friends, or by watching the news (Cieslak et al., 2013). Those sharing the social identity of victims may be particularly prone to follow the media coverage of traumatic events (Relihan et al., 2023), but exposure to this type of media coverage may further increase their distress (Neria and Sullivan, 2011).

[1] Translated from Ukrainian by Uilleam Blacker.

This paper studies how indirect exposure to war affects the mental health of expatriates. Specifically, we focus on how the Russian invasion of Ukraine in February 2022 impacted the mental health of Ukrainians living outside of their home country. Before the invasion, millions of Ukrainians and individuals with Ukrainian ancestry lived in countries such as the United States, Canada, Poland, and Russia.[2] News articles written after the invasion describe Ukrainian expatriates' intense stress and anxiety in the immediate aftermath of the invasion, with reports of how they indirectly experience the war through close and regular contact with family members still in Ukraine.[3]

We focus on Sweden, where more than 10,000 Ukrainians resided before the invasion. To proxy for the mental health status of Ukrainian expatriates, we use comprehensive administrative data covering all medical prescriptions for anxiety, insomnia, and depression. A key advantage with the Swedish setting is that the Swedish healthcare system provides universal health coverage for residents regardless of their nationality. To identify the causal effect of indirect exposure to war in the home country, we use the synthetic control method, comparing Ukrainians to other migrant groups living in Sweden (Abadie and Gardeazabal, 2003; Abadie et al., 2010). This method compares the average outcome of Ukrainian migrants to a weighted average of migrants from other countries, selected and weighted to match pre-invasion trends in mental health prescriptions. Given the possibility of immigration from Ukraine in response to the invasion or selective migration in anticipation of the war, we restrict attention to migrants residing in Sweden for at least three years before the invasion. For all practical purposes, however, the invasion was sudden and unexpected. Despite the significant deployment of troops near Ukraine in the months leading up to February 2022, there was significant uncertainty about whether an invasion would in fact take place. Section 2 provides a more detailed discussion of the discourse and expectations that preceded Russia's invasion.

We find that Ukrainian expatriates in Sweden experience an immediate deterioration of mental health upon Russia's invasion. In the first quarter of 2022, the probability of filling a prescription for any mental health drug increases by 1.6 percentage points, a 30 percent increase over the pre-invasion mean among Ukrainians. The increase is driven by a rise in the take-up of prescriptions for anxiety and insomnia, which are often used to treat sudden and acute symptoms of mental stress. The uptick in prescriptions for these medications remains significant in the second quarter of 2022, albeit at a lower level. Prescriptions of

[2]In 2020, around 6.1 million individuals born in Ukraine lived abroad (UN, 2020). Extending the group to individuals with Ukrainian ancestry, the number is notably higher. In the US alone, there are 1 million Americans of Ukrainian descent (Rodriguez and Batalova, 2009).

[3]Appendix Figure A.1 displays a selection of newspaper headlines written about Ukrainians living abroad.

anti-depressants, on the other hand, do not change during the two first quarters of the invasion. However, they display a statistically significant increase in the third quarter. This delay indicates a possible substitution away from medications used to treat acute symptoms to those that are used for more severe and long-term mental health conditions (National Board of Health and Welfare, 2021).[4]

We next split our sample along different dimensions to investigate heterogeneities in responses to the invasion. Partitioning the sample by gender, we first find that women account for most of our estimated effects. This finding is in line with prior literature on mental health effects of war, which regularly finds women to display a greater incidence of mental health challenges following a conflict (Murthy and Lakshminarayana, 2006). However, women are also more likely to seek medical help, increasing the likelihood that they receive diagnoses and treatment (Sundbom et al., 2017). This raises the possibility that Ukrainian men in Sweden remain untreated despite worsening mental health. Furthermore, we find that those without prior medical leave have more pronounced effects than individuals who had been on leave, suggesting that the effects are not driven by individuals who already had health issues. To investigate the mechanism, we split the sample based on family situation, visa status, and employment and largely find small differences between these groups. This suggests that the effects are not driven by Ukrainians who were more directly affected through their links to Ukraine, but rather that the events had a general effect on Ukrainians abroad.

Finally, we explore whether there are effects on migrants who come from countries neighboring the conflict. We focus on Russians and migrants from European countries sharing borders with either Russia or Ukraine. We find significant positive effects on mental health prescriptions for Russia in the first and second quarters, but the effect is smaller than the effect on Ukraine in both absolute and relative terms. We also observe marginally significant or null effects on other neighboring countries.

This paper is related to a large literature in psychology that examines the mental health effects of events such as conflicts or natural disasters, including those who are indirectly exposed (Kristensen et al., 2012). We contribute by providing rigorous causal evidence using panel data and a synthetic control group to take general trends into account. We also contribute by showing that such effects are not confined to the country where the event takes place, but may travel across national borders.

We also add to a nascent literature in economics and political science that studies the

[4]As of this draft, our data end in the third quarter of 2022, but new drafts will include data until the end of 2023. The new data will allow us to further investigate the persistence in the take-up of mental health prescriptions over time.

impact of home-country shocks on emigrants. Previous studies have found that violent events in migrants' home countries affect their educational investments and return plans (Bassetto and Freitas Monteiro, 2024; Aksoy et al., 2024). A few studies have also examined how immigrants' well-being is affected by home country events, such as macroeconomic volatility (Akay et al., 2017; Nguyen and Connelly, 2018) and natural disasters (Bharadwaj et al., 2024). Closest to our study, Sønderskov et al. (2021) find that prescriptions for mental health issues increase for refugees in Denmark following terrorist attacks in their home countries. The authors argue that part of the effect is driven by the re-activation of past trauma. Similarly, Keita and Schewe (2021) show that the self-reported life satisfaction of refugees living in Germany decreases following terror fatalities in their country of origin. Relative to this literature, we focus on emigrants rather than refugees. Refugees may be particularly vulnerable to violent events given the high incidence of pre-existing health issues (Steel et al., 2009; Morina et al., 2018). Moreover, we study the onset of a war at a much larger scale than individual terror attacks. The invasion was also sudden, making claims of causality stronger. In addition, we use high-frequency and high-quality data on prescriptions to identify effects.

Finally, we contribute to the recent findings on the mental health of Ukrainians following the Russian invasion. Studies show high levels of anxiety, PTSD, and depression among individuals still in Ukraine (Kurapov et al., 2023; Chudzicka-Czupała et al., 2023) as well as among war-refugees now living in other countries (Długosz, 2023; Lushchak et al., 2024). These studies consistently find higher levels of mental health disorders among women. We show that these adverse effects also extend to Ukrainians living abroad, who were indirectly affected by the war.

2 Background: The Russian Invasion of Ukraine

The ties between Ukraine and Russia go back for centuries. Following the dissolution of the Soviet Union in 1991, Ukraine declared its independence and in the following years developed a relationship with Russia that had elements of both cooperation and tension. The relationship took a dramatic turn with Russia's annexation of Crimea in 2014, a move that was widely condemned by the international community and considered illegal under international law. This was followed by the conflict in the Donbass region, where Russian-backed separatists declared independence, leading to an ongoing conflict with Ukrainian forces.

Starting in March of 2021, Russia led a significant buildup of military forces along the

Ukrainian border. Despite these signs, there was considerable uncertainty and debate among international observers and governments about whether Russia would indeed proceed with an invasion (Zwack et al., 2021; Astrov et al., 2022; Driedger and Polianskii, 2023). This uncertainty was partly due to mixed messages from the Russian government, which consistently denied any intention to invade, while simultaneously engaging in aggressive rhetoric and military posturing (Kiely and Farley, 2022).

According to Russia, a significant motivation for the military buildup was the desire to prevent Ukraine from moving closer to Western institutions, primarily NATO. Russia issued several demands to the West in the months preceding the invasion, wanting guarantees that Ukraine would not join NATO. This period saw intense efforts of diplomacy attempting to dissuade an invasion. Despite the accumulating evidence of imminent military action, the exact intentions of the Kremlin remained difficult to ascertain (Fox and Isachenkov, 2022). This ambiguity was a deliberate component of Russia's strategy, exploiting the uncertainty to keep both Ukraine and the international community off balance and unprepared for the eventual full-scale military offensive. On February 11, 2022, thirteen days before Russia's invasion, US national-security advisor Jake Sullivan declared that there was an "immediate" threat of invasion, and several Western embassies began to evacuate from Kyiv in the following days (Walker, 2022).

The Russian invasion on February 24, 2022, unfolded rapidly, with Russian forces launching a multi-pronged offensive that aimed to seize key Ukrainian cities and military installations. The initial phase of the invasion saw a combination of air strikes, missile attacks, and ground operations, targeting military facilities as well as critical infrastructure. The immediate results of the warfare were devastating. Urban areas, especially in the east and south of Ukraine, witnessed severe destruction, with civilian infrastructure including homes, hospitals, and schools being damaged or destroyed. The port city of Mariupol became emblematic of the humanitarian disaster, enduring a prolonged siege that resulted in thousands of civilian casualties and widespread destruction.

The conflict had a profound humanitarian impact, triggering one of the largest refugee crises in Europe since World War II. Neighboring countries, including Poland, Slovakia, Hungary, Romania, and Moldova, opened their borders to Ukrainian refugees, who sought safety and shelter. The EU activated the Temporary Protection Directive for the first time since its establishment, providing immediate and collective protection measures for displaced people fleeing from Ukraine (IOM, 2024). Civilians remaining in conflict zones faced dire circumstances, with access to food, water, medical care, and electricity severely limited. Reports of human rights abuses, including indiscriminate bombings, forced disappearances,

and other violations, added to the atrocities of the conflict (Roy, 2023). According to the latest estimates, there are 6.5 million Ukrainian refugees and 3.7 million internally displaced individuals in Ukraine (UNHCR, 2024).

The war has had a staggering human toll. Thousands of Ukrainian civilians have been killed (Radford et al., 2023), and 28,000 have been claimed to be held captive by Russia against their will (Kyiv Post, 2023). Military casualties have been estimated at upwards of 500,000 on both sides according to US officials, with approximately 100,000 deaths of Ukrainian forces (Roth, 2023). It is important to note that there is significant uncertainty in these estimates, as estimates vary widely by source (see also Figure A.2). The invasion also inflicted severe damage on Ukraine's economy, leading to a significant GDP contraction of 29% in 2022, as well as destruction of infrastructure and exports (Reuters, 2023).

3 Data and Sample

Our study is based on full-population Swedish administrative data, covering information on demographics and annual labor market outcomes spanning years 2000–2021, which we use to create our sample and estimate heterogeneous effects by subgroups. Importantly, the data includes information about individuals' country of birth. Countries with small expatriate populations in Sweden are aggregated into groups. For example, individuals from Ukraine and Moldova constitute one group in our dataset, but we expect 90% of them to be from Ukraine.[5] We therefore refer to this group simply as Ukraine or Ukrainians.

Mental health outcomes are estimated using comprehensive data on all medical prescriptions made in the Swedish healthcare system from January 2005 to October 2022. Physicians follow national guidelines on how to treat patients with anxiety and depression (National Board of Health and Welfare, 2021). The Swedish healthcare system provides universal health coverage for residents regardless of their nationality, meaning that foreign nationals are covered as long as they have formal residency. A price subsidy ensures that a patient pays at most 2,850 SEK (≈$270) for medication over a 12 month period. After reaching this limit the patient gets all additional medication at no out-of-pocket expense. Thus, access to medications is less likely to be mediated by socioeconomic status than in other settings.

Our analysis focuses on prescriptions for three types of mental health medications: those treating anxiety, insomnia, and depression. Medications for insomnia and anxiety can have an instant effect and are usually prescribed for short-term or need-based usage. Anti-

[5] Aggregated national statistics indicate that, in 2019, there were 11,000 Ukrainians and 1,300 Moldovans living in Sweden. Thus, 90% of individuals from these two countries are from Ukraine.

depressants, on the other hand, are given to individuals with persistent issues and may take months to have full effect (Harmer et al., 2017; WHO, 2009). Table A.1 lists all medications included in our analysis, which comprise the most commonly used drugs for each respective condition. The prescriptions data include information on the date that a medical drug was prescribed by a doctor and when it was picked up by the patient from the pharmacy. Our primary outcome measure, "filled prescription", is a dummy variable indicating whether an individual picks up any mental health prescription during a given quarter. We also analyze the take-up of prescriptions for anxiety, insomnia, and depression separately.

In Sweden, doctors provide prescriptions that enable the patient to pick up the same medication on multiple occasions, with the restriction that they can not pick up more than a 90-day supply at one time.[6] Consequently, an outcome value of 1 indicates that the patient is actively undergoing treatment within the specified quarter.

We restrict our sample to immigrants in Sweden who are above the age of 16 and include all origin countries that have at least 30 people per quarter in the administrative data. We further restrict attention to individuals residing in Sweden since at least the first quarter of 2019, three years before the Russian invasion, and who remained in the country until the end of 2021. We exclude migrants from Russia and other European conflict-adjacent countries (countries that share borders with either Ukraine or Russia) from our main sample, and instead include them in our "spillover sample".

The final main sample consists of 11,202 individuals from Ukraine and 1,428,425 individuals from the rest of the world, while the spillover-sample includes 363,404 individuals. The sample comprises a total of 97 countries of origin, out of which 12 are adjacent to the conflict. Table A.3 details the size of each country in our sample. Table A.4 provides summary statistics from our sample, separately for Ukrainians and migrants from countries that are not war-adjacent. Ukrainians are generally younger and more likely to be female, but relatively similar in terms of marriage and having children. They are less likely to be Swedish citizens, consistent with them having been in Sweden for a shorter period of time. A larger share of Ukrainians have completed higher education and are employed. They also have significantly higher monthly incomes. In terms of health care usage, Ukrainians are less likely to have been prescribed any of the mental health medications studied in this paper, and have lower expenses.

[6]Moreover, to be eligible for the price subsidy, patients can only pick up a new box once they have used two-thirds of the last one.

4 Empirical Strategy

To identify the causal effect of Russia's invasion on Ukrainian expatriates, we must assess what the counterfactual outcomes of Ukrainians would have been in the absence of war. The key challenge is that we only have one treatment unit and a diverse set of potential control units, i.e., migrants from other countries than Ukraine that are also residing in Sweden. As displayed in Table A.4, there are a number of differences between Ukrainians and the raw average of remaining countries that make this comparison method unlikely to yield a credible counterfactual outcome. Instead of using the raw average of non-treated countries as controls, we therefore employ the synthetic control method of (Abadie et al., 2010). By using information from the pre-treatment period, this method constructs a counterfactual, *synthetic* Ukraine as a weighted average of outcomes in a set of control units. These weights, which may be zero, are chosen so as to minimize the deviation between the actual and synthetic Ukraines in the pre-treatment window. In our set of potential control units, we do not include Russia or European countries bordering Russia or Ukraine as they can also be indirectly exposed to the conflict and confound post-treatment estimates. In a separate analysis, we consider them as treated and investigate the effects on their mental health outcomes.

An alternative approach to the synthetic control method in our setting could have been to rely on a difference-in-differences design and two-way fixed effects estimation. An advantage of the synthetic control method, however, is that it relaxes the parallel trends assumption inherent in difference-in-differences, as it explicitly minimizes deviations between treatment and control units prior to treatment. As such, it may improve the reliability of the counterfactual estimate. The reasoning behind this is that if we can construct a synthetic Ukraine that closely follows the actual path of mental health outcomes in Ukraine in the pre-period, the synthetic counterfactual would also be a good estimate of what would have occurred in the absence of an invasion. Nevertheless, to complement our main results and assess the robustness of our results, we also employ a two-way fixed effects event study, described in Section A.1.3.

We next describe the synthetic control approach in detail. For each country of origin k, we aggregate data at the quarter level t. There are K countries: $K-1$ control countries of origin, and one *treated* country, which is Ukraine ($k=1$). The *treatment* for Ukrainian migrants starts in period T_0, or Q1 of 2022. As this method requires a long pre-treatment period to fit and estimate the synthetic control, we extend the pre-treatment period to start in Q1 of 2015.

Let Y_{kt}^N be the outcome for country of origin k at time t in the absence of treatment and Y_{kt}^1 is the outcome when *treated*. Following Abadie et al. (2010) and the setup of Jones and Marinescu (2022), we define:

$$Y_{kt}^N = \delta_t + \theta_t \mathbf{Z}_k + \lambda_t \mu_k + \epsilon_{kt} \tag{1}$$

$$Y_{kt}^1 = \alpha_{kt} + Y_{kt}^N, \tag{2}$$

where δ_t is a common time-varying factor, $\mathbf{Z}_k$ is an observable $(r \times 1)$ vector of r covariates, θ_t is a $(1 \times r)$ vector of time-varying coefficients, μ_k is an unobservable $(m \times 1)$ vector of factor loadings, and λ_t is a $(1 \times m)$ vector of time-varying factors that are common across k. The error terms ϵ_{kt} are unobserved transitory shocks at the country of origin level with mean zero. Our parameter of interest is the treatment effect for the treated group in the post-intervention period, i.e., $\alpha_{1,t}$, where $t \in \{T_0, ..., T\}$. To estimate this parameter, the synthetic control method seeks to identify a set of $K-1$ weights $\mathbf{w} = (w_2, ..., w_K)$ such that when applied to the corresponding control units, the resulting weighted average can approximate the counterfactual outcome for $Y_{1,t}^N$ over $t \in \{T_0, ..., T\}$. Following Abadie et al. (2010), these weights are estimated as follows:

$$\mathbf{w}^*(V) = \arg_{\mathbf{w}}\min \left(\mathbf{X_1} - \sum_{k=2}^{K} \cdot \mathbf{X_k} \right) \mathbf{V} \left(\mathbf{X_1} - \sum_{k=2}^{K} \cdot \mathbf{X_k} \right), \tag{3}$$

where $\mathbf{X_k}$ is a $(J \times 1)$ vector consisting of covariates and/or outcomes in the pre-treatment period. In our case, this is the vector of lagged outcomes $Y_{k,1}, ..., Y_{k,T_0-1}$.[7] The diagonal elements v_j of the diagonal matrix $\mathbf{V}$ are estimated using a regression-based approach. For each pre-treatment period, the outcome variable Y_{kt} is regressed on the vector $\mathbf{X_k}$, yielding j coefficients α_{jt} for every period t. These coefficients are used to construct v_j as:

$$v_j = \frac{\sum_t \alpha_{jt}^2}{\sum_j \sum_t \alpha_{jt}^2} \tag{4}$$

Once the set of weights $\mathbf{w}^*(V^*)$ is estimated, the estimator for the parameter of interest is $\hat{\alpha}_{1t} \equiv Y_{1t} - \sum_{k=2}^{K} w_k^*(\mathbf{V}^*) \cdot Y_{kt}$ for $t \in \{T_0, ..., T\}$. We implement the synthetic control using the "synth_runner" package in Stata introduced by Galiani and Quistorff (2017). Treatment

[7] For similar examples, see Billmeier and Nannicini (2013); Stearns (2015); Friedson et al. (2020). Our results are robust to alternative choices of predictors.

effect coefficients are estimated as the difference between the outcomes of Ukraine and the synthetic Ukraine.


For inference, we employ the permutation method by Abadie et al. (2010), which compares the synthetic control estimate to a distribution of placebo estimates. Placebo estimates are gathered by assigning treatment status to each of the control units, and recalculating the synthetic counterfactual for the placebo treatment. We generate a placebo estimate for each control unit and post-intervention period. This allows us to calculate p-values by measuring the share of placebo effects that are larger in absolute value than that of Ukraine.

The reliability of placebo comparisons and associated p-values depends on whether or not we are able to create good synthetic counterfactuals for each placebo unit. If the method is unable to find a convex combination of other units to create a synthetic outcome with a good pre-treatment fit, such placebos become uninformative for inference. One way to quantify the quality of synthetic outcomes is to estimate their pre-period root mean squared prediction error (RMSPE). We follow Abadie et al. (2010) and Andersson (2019) and display results using the full placebo sample as well as when successively removing high RMPSE placebo units from the sample. We also report the *standardized* p-values that automatically take into account the quality of the pre-treatment fit in order to weight the placebo estimates.

5 Results

We start by plotting raw data on filled prescriptions by country of origin for our sample of individuals residing in Sweden. Prior to the invasion in Q1 2022, the plots show considerable seasonality for both Ukrainian migrants and migrants from the other countries. After 2020 we also note an increase in usage, which is likely related to the Covid-19 pandemic. Although the levels differ, these raw numbers suggest that migrants from other countries may work well as a control group for Ukraine, as these countries generally mimic its trend. At the same time, the pre-treatment match between the two lines is far from perfect, indicating that potential improvements can be made with a synthetic control group. In the first quarter of 2022, at the onset of Russia's invasion, Figure 1 shows that mental health prescriptions for Ukrainians increase sharply relative to the same quarter in 2021. By contrast, there are much smaller increases observed for the remaining set of origin countries.

FIGURE 1: PRESCRIPTIONS FILLED




Notes: This figure shows the quarterly level of filled prescriptions of any mental health drug by country group using Swedish administrative data. The dashed red line indicates when the Russian invasion started.

5.1 Synthetic Control Estimates

In order to investigate the trends in the raw data more rigorously, we next apply the synthetic control method as detailed in Section 4. Our specification uses a set of 97 potential control countries that are not adjacent to the conflict in order to match the pre-invasion trend in outcome for Ukraine from 2015 to 2021. Table A.5 displays the weights assigned to donor countries when matching on the outcome *Any mental health prescription*. The majority of the donor countries belong to Europe or Central Asia. The top three countries, accounting for approximately 50 percent of the weight, are Albania, the group comprising Uzbekistan, Tajikistan, and Kazakhstan, as well as Greece. The following 3 countries, which account for another 30 percent, are Montenegro and Serbia (grouped), Ireland, and Azerbaijan.

Figure 2 presents path plots with the evolution of prescriptions for Ukrainians and the synthetic control group. Compared to the raw-data plot of Figure 1, the synthetic control method achieves a much closer match between actual and synthetic Ukraine. Both groups display a somewhat declining trend in drug prescriptions until 2020, after which usage begins to increase, possibly due to the COVID-19 pandemic. However, a clear divergence emerges starting in Q1 of 2022, coinciding with the Russian invasion of Ukraine. Similar to what we saw in the raw data, the initial effect is driven by anti-anxiety and insomnia prescriptions, while there is an increase in prescriptions for anti-depressants in the third quarter. This may indicate a substitution from medications that treat acute and sudden symptoms towards longer-term treatments for persistent depression.

FIGURE 2: SYNTHETIC CONTROL PATH PLOTS



(A) ANY MENTAL HEALTH PRESCRIPTION

(B) ANTI-ANXIETY PRESCRIPTION

(C) ANTI-DEPRESSANT PRESCRIPTION

(D) INSOMNIA PRESCRIPTION

Notes: This figure shows synthetic control path plots of the evolution of filled prescriptions for migrants from Ukraine and for a synthetic Ukraine constructed using countries that are not directly adjacent to Ukraine or Russia. The outcome is a dummy for filling a prescription of the specified drug in a given quarter. In Panel A, the outcome is a dummy for filling a prescription of any mental health drug in a given quarter; in Panel B the outcome is anti-anxiety filled prescriptions; in Panel C is anti-depressant filled prescriptions; and Panel D shows insomnia prescriptions.


Figure 3, Panel A reports the effect plots for our main outcomes, showing the dynamics in the difference between Ukraine and its synthetic control. The series displays a flat and stable trend before Q1 of 2022, in which we see a sharp increase in prescriptions for any mental health drug. The difference decreases and remains stable for the next two quarters.

Panel A of Figure 3 also displays the results of placebo estimations in which each country in the control group is counterfactually assigned treatment status. We then use the synthetic control method to estimate the placebo treatment effects for each country, which are displayed in solid white lines. Reassuringly, the placebo estimates are centered around zero both in the pre- and post-treatment periods, with the estimate for Ukraine consistently at

the tails of the distribution.

The placebo effects in Figure 3 can be used for inference. P-values are calculated by measuring the fraction of countries that display effects that are at least as large as the one obtained for Ukrainians. However, placebos that are consistently noisy (both before and after the invasion) are less informative for inference as large post-invasion values are likely to be spurious. To avoid making inferences based on noisy estimates rather than true large effects, we can drop countries that have a high pre-treatment root mean squared prediction error (RMSPE) relative to Ukraine. Panel B displays our preferred choice, in which we keep countries whose pre-treatment RMSPE is at most twice as high as that of Ukraine. As is clear from the figure, this drastically reduces noise among placebos in the pre-period. Figure A.3 reports effect plots for our main outcomes using this sample restriction.[8]

Figure 3: Synthetic Control by Dropping Placebos



(a) All Placebos (b) Ratio of 2

Notes: This figure displays the synthetic control effect plot for Ukraine (solid black line) and placebo effect plots for all other countries (solid white lines). Panel A displays placebo effects for the full set of control countries. Panels B drops countries that have a poor pre-treatment synthetic control, as measured by the ratio of its pre-treatment RMSPE over Ukraines pre-treatment RMSPE. Panel B is our preferred model, which drops all countries whose pre-treatment RMSPE is more than twice as high as that of Ukraine. Note that we only drop countries for inference, while the full set of countries is used to construct Ukraine's synthetic control.

Table 1 reports the corresponding synthetic control estimates for each post-treatment quarter, along with p-values and standardized p-values using the restriction on pre-RMSPE. Column 1 shows that the take-up of prescriptions for any mental health drug increases by

[8]Table A.6 displays the point estimates for any drug for each post-treatment quarter, using either the full set of placebo countries or removing those with high pre-treatment RMSPE. Table A.7 instead displays estimates and p-values for each drug when all countries are included in the control group, regardless of pre-treatment RMSPE.

1.64 percentage points in Q1 of 2022. From a pre-treatment baseline mean of 5.35 percent among Ukrainians, this represents a considerable increase of 30 percent. The estimate is significant at the 1 percent level using both regular and standardized p-values. In the subsequent two quarters, the effect declines to 0.71 and 0.63 percentage points, respectively, a relative increase of 12–13 percent that is statistically significant at the 5 percent level in both periods. As a comparison, Bharadwaj et al. (2024) study migrants in Australia and find that their take-up of mental health prescriptions increases by 7 percent in the months following a natural disaster in their home countries, while Sønderskov et al. (2021) find that prescriptions for mental health issues increase by 15-25 % for refugees in Denmark in years with large terrorist attacks in their home countries. It is not surprising that our effect sizes are larger considering the scale of the Russian invasion.

Table 1: Synthetic Control Effect on Filled Prescriptions

	Any drug	Depression	Anxiety	Insomnia
$\beta(t=1)$	1.64	0.12	1.27	0.77
	(0.000)	(0.491)	(0.000)	(0.000)
	[0.000]	[0.418]	[0.000]	[0.000]
$\beta(t=2)$	0.71	-0.08	0.60	0.29
	(0.000)	(0.709)	(0.000)	(0.063)
	[0.015]	[0.655]	[0.013]	[0.016]
$\beta(t=3)$	0.64	0.44	0.07	0.11
	(0.015)	(0.018)	(0.605)	(0.429)
	[0.029]	[0.036]	[0.605]	[0.397]
Baseline Mean	5.350	3.259	1.294	2.170
Number of Placebos	68	55	76	63

Notes: This table shows the coefficients from the synthetic control method, or the difference between Ukraine and Synthetic Ukraine. Each column corresponds to a different dependent variable: In Column 1, the outcome is a dummy for filling a prescription of any mental health drug in a given quarter; in Column 2 is anti-depressant filled prescriptions; in Column 3 the outcome is anti-anxiety filled prescriptions; and Column 4 shows insomnia prescriptions. The population corresponds to migrants in Sweden over 16 years old. The numbers in parentheses "()" show the p-values which measure the share of placebo effects that are larger in absolute value than that of Ukrainian migrants. The numbers in brackets "[]" show the *standardized* p-values, which are estimated by weighting the placebo estimations by the quality of their pre-treatment matches. The joint p-value is the share of placebos with a posttreatment root mean squared percentage error (RMSPE) at least as large as the average for Ukraine. The standardized joint p-value measures the share of placebos that have a ratio of posttreatment RMSPE over pretreatment RMSPE at least as large as the average ratio for Ukraine. The mean corresponds to the dependent variable and is estimated for Ukrainian migrants from 2019 to 2021. Placebos are the number of countries used for inference, which have a ratio or pre-treatment RMSPE over Ukraine's pre-treatment RMSPE less than 2. The percentile pre RMSPE measures the percentile in which Ukraine's pretreatment RMSPE is with respect to placebos' pre RMSPE. The closer the number is to 1, the worse is the relative fit of Ukraine.

Next, we look at the different types of prescriptions. We see a significant increase in quarter one for both medication for anxiety and insomnia. The effect of anxiety medications is 1.27 percentage points and indicates a doubling relative to the pre-invasion baseline among

Ukrainians. This effect remains significant in quarter two, before decreasing to smaller and statistically insignificant levels in quarter three. The pattern is similar for insomnia medications, with a spike in the first quarter that decreases in subsequent periods. For antidepressants, we do not observe an economically or statistically significant change during the first two quarters of 2022. In the third quarter, there is an increase of 0.44 percentage points, a relative increase of 13 percent compared to the baseline of 3.26 percent. This result is statistically significant at the 5 percent level using either p-value method.

5.1.1 Robustness

In table A.9 we add the adjacent countries (excluding Russia) to the control group and re-estimate the effect on mental health prescriptions. The results are almost exactly the same as before, suggesting that the impact on adjacent countries is small, but we examine this more thoroughly in section 5.2.

As an alternative method of inference, we estimate the ratio of post-treatment RMSPE to pre-treatment RMSPE for each country. Since the synthetic control method creates a control group using pre-treatment data only, the idea is that the post-treatment period should have a large RMSPE only if there is a true effect. By contrast, if there was no effect, the model should have low RMSPE as it should be able to accurately predict outcomes in the post-period. Thus, a larger ratio of post-treatment RMSPE to pre-treatment RMSPE is indicative of a causal effect from the treatment. This method has the advantage of including all countries for inference, avoiding the potentially arbitrary choice of dropping countries with high pre-treatment RMSPE. Figure A.4 shows the ratio test for the outcome *Any mental health prescription* using all three post-invasion quarters. Ukraine is at the extreme right of the distribution, with a ratio of 68. The bulk of ratios for other countries are clustered around one, with a handful of larger estimates around 20. We also estimate an event study model using individual level data in Figure A.6, and obtain estimates similar to our main results.

As an additional test, we estimate the impact of the invasion on prescriptions that are not directly related to anxiety, insomnia, or depression. Separating medications by how common they are, we test whether we see any change in the take-up of such unrelated prescriptions, which would indicate that there may be other shocks occurring at the same time. Figure A.5 displays our results for major and minor drug categories, including placebo estimates for control countries. We find that neither drug type displays any statistically significant change, in any quarter after the invasion, whether using regular or standardized p-values. Table A.8 displays the corresponding estimates and p-values in table form.

5.1.2 Mechanism

As mentioned in the introduction we expect that individuals may react due to concerns about friends and family members in Ukraine, their own return prospects, or their job security. To examine the importance of these factors we divide the sample into sub-categories that tries to capture these dimensions.

To look at family situation split the sample based on marital status, and whether a person is married to a Swede. We assume that individuals married to a Swede are more likely to have a larger part of their closest family members in Sweden. The results in table A.10 indicate that both single individuals as well as married ones, irrespective of if they are married to a Swede or non-Swede, react. We observe significant effects in both the first and second quarter for both groups, although the point estimates are larger (both the absolute and relative size) for individuals who are married to a non-Swede. It is possible that these individuals have a more extended network still in Ukraine. Ideally, we would have used data that indicate whether and to what extent individuals' friends and family members still live in Ukraine and are at risk, but such data are not available to us. We still conclude that even Ukrainians married to Swedes react to the Russian invasion.

Next, we look at legal (visa) status in table A.11. Individuals who are on temporary work or student visas may be more likely to return home to a war-torn and potentially dangerous environment, which may cause distress. In order to investigate the influence of legal status, we separately estimate treatment effects for Ukrainians who are Swedish citizens, or in Sweden on a visa (either for family reunion purposes, work, or something else). We see larger effects for individuals who are citizens or here on a family visa, which speaks against temporary visa status being a driver of the effects we observe.

Another potential mechanism that can explain our result is the economic reliance on Ukraine. It is possible that Ukrainian migrants experience large economic losses if they work for firms that are active in or trade with Ukraine, potentially causing mental stress. Unfortunately we can not observe if individuals are working for foreign companies, but we split the sample based on employment status instead in table A.10. We observe effects for both individuals who are employed and those not working. While we do not directly test the reliance on Ukrainian economic ties, this result does indicate that economic status was not an important mediator of the overall effect.

Together, these tests indicate that our main results of increased mental health prescriptions, are not driven only by concerns for family, visa status or economic ties. This suggests that there is also a more general effects, or a *secondary trauma*, affecting the Ukrainian

migrants.

5.1.3 Differences by gender and past health issues

In this section we study two heterogeneities, gender and previous medical leave. Women have much higher rates of mental health conditions than men in general. This is also true in our sample of Ukrainians, where 6.7 percent of women have any drug prescription in a given quarter, compared to 2.9 percent of men. Women have also been found to display greater symptoms of mental health issues following conflict exposure (Murthy and Lakshminarayana, 2006). Consistent with the previous literature, Table A.13 shows that our results are almost fully driven by women. Their drug prescriptions increase by 2.2 percentage points in the first quarter, a relative increase of 33 percent. By comparison, men's prescriptions increase by a statistically insignificant 0.38, a 13 percent relative increase. A test of the joint hypothesis that all three post-invasion effects are zero is strongly rejected for women, but not for men. An important caveat is that men have been argued to be under-diagnosed and under-treated for depression, in part because they manifest different symptoms than women (Sundbom et al., 2017). It is therefore entirely possible that male Ukrainian migrants also experienced significant mental health shocks following the Russian invasion, but these are not reflected mental health prescriptions.

It is possible that our results are primarily driven by individuals with past health issues, as they may be more sensitive to external stressors. We investigate this by estimating separate models for individuals who have been on sick leave in the past compared to those who have not. Comparing means in Table A.14 indicates that this distinction also captures differences in past mental health prescriptions. Individuals without medical leave have an incidence of 4.1 percent, while those with past medical leave have an incidence of 13.7. Despite this large difference, those with no prior medical leave have the most pronounced effects, which are both larger in magnitude (except quarter one) and more precisely estimated. This suggests that our effects are not driven by a re-activation of past health issues, but rather capture the onset new diagnoses.

5.2 Effects on Migrants from Russia and Conflict-Adjacent Countries

Lastly, we estimate the synthetic control for Russia and all countries defined as war-adjacent, i.e. European countries that border either Russia or Ukraine. For Russians, the prospects of seeing their family or returning home changed drastically. Men were faced with the increased

likelihood of having to join the army if they returned, while anyone with a male relative in Russia could be faced with their relative being endangered in war. In addition, relatives could no longer obtain visas after the European Union decided to fully suspend its visa facilitation agreement with Russia in September 2022.[9] During the last year, the number of Ukrainian attacks on Russian territory has also increased. While the adjacent countries were not under direct attack, missiles have entered the Polish territory on numerous occasions, and the military presence along the border has increased in many countries. Moreover, several countries that border Russia face an increased risk of invasion. Hence, individuals from these countries may also have experienced increasing levels of stress and anxiety.

Table A.15 displays our results. Column 1 reproduces our estimates for Ukraine as a point of comparison. Interestingly, Column 2 indicates that Russians also experienced statistically significant mental shocks following the invasion. In terms of magnitude, the effect is only one-third of the effect on Ukrainians during the first quarter of the invasion, but it increases somewhat in the second quarter, almost matching the effect exhibited by Ukrainians. The joint test for all three quarters is significant at either the 5 or 10 percent level, depending on whether one uses regular or standardized p-values.

Turning to the war-adjacent countries, we list results by countries' pre-invasion synthetic control RMSPE, from lowest (best fit) to highest. Among countries that have a relatively good fit, we only find one (weakly) significant effect, for the Baltic countries during the first quarter of 2022. Norway and Finland display large positive effects, but these are driven by the fact that these countries have very high pre-treatment mean usage of mental health medications. Thus, the synthetic control method is unable to create a good fit for these countries, as evidenced by the very high pre-treatment RMSPE, and the large difference between regular and standardized p-values.

6 Conclusion

In this study, we demonstrate the ripple effects of war across borders and its consequences for expatriates who are not directly exposed to the dangers of conflict. In particular, we study the impact on mental health outcomes of Ukrainians living in Sweden during the Russian invasion of Ukraine in February 2022. Our findings reveal a statistically significant increase in mental health prescription uptake of 1.6 percentage points in the quarter of the invasion. Given the pre-treatment baseline, this represents a relative increase of 30 percent. These

[9]The age limit for conscription in Russia increased from 27 to 30 in July 2022. One year later, the age limit to serve increased by five years for individuals who had already completed their compulsory service, now reaching the age of 40, 50 or 55, depending on the category.

findings provide evidence that events occurring outside the boundaries of a host country can influence the well-being of migrant communities across large distances, and that conflicts and their associated traumas are thus not confined within the geographical limits of a country or to those directly exposed to the dangers and atrocities that war may bring.

Given that we rely on medical prescription data, it is important to recognize that we are only able to identify cases in which individuals were willing and able to seek out treatment. We are likely to underestimate the full effect of the Russian invasion on mental health issues, as a substantial number of individuals experience mental distress without seeking medical care (Andrade et al., 2014)

Studying the mental health of immigrants is important as many studies point to a link between mental health and labor market outcomes (e.g. Lundborg et al., 2014; Banerjee et al., 2017). Migrants' exposure to events abroad can thereby be an additional factor contributing to the observed differences in labor market outcomes between natives and immigrants (Brell et al., 2020). Future versions of the draft will examine whether the Ukrainians' labor market outcomes were affected by the Russian invasion.

Our findings serve as a reminder of how global events are interconnected, which is particularly relevant in countries such as Sweden, where migrants make up 20% of the population, with many originating from regions experiencing ongoing conflicts. Therefore, these results call for healthcare and labor market policies to consider the external factors that may hinder the integration and progress of migrant communities, and to consider populations more vulnerable within these communities.

References

Abadie, Alberto, Alexis Diamond, and Jens Hainmueller, "Synthetic control methods for comparative case studies: Estimating the effect of California's tobacco control program," *Journal of the American statistical Association*, 2010, *105* (490), 493–505.

___ **and Javier Gardeazabal**, "The economic costs of conflict: A case study of the Basque Country," *American economic review*, 2003, *93* (1), 113–132.

Akay, Alpaslan, Olivier Bargain, and Klaus F Zimmermann, "Home sweet home?: Macroeconomic conditions in home countries and the well-being of migrants," *Journal of Human Resources*, 2017, *52* (2), 351–373.

Aksoy, Cevat Giray, Gaurav Khanna, Victoria Marino, and Semih Tumen, "Hometown Conflict and Refugees' Integration Efforts," *Available at SSRN 4758122*, 2024.

Andersson, Julius J, "Carbon taxes and CO2 emissions: Sweden as a case study," *American Economic Journal: Economic Policy*, 2019, *11* (4), 1–30.

Andrade, Laura Helena, J Alonso, Z Mneimneh, JE Wells, A Al-Hamzawi, G Borges, E Bromet, Ronny Bruffaerts, G De Girolamo, R De Graaf et al., "Barriers to mental health treatment: results from the WHO World Mental Health surveys," *Psychological medicine*, 2014, *44* (6), 1303–1317.

Astrov, Vasily, Richard Grieveson, Artem Kochnev, Michael Landesmann, and Olga Pindyuk, "Possible Russian invasion of Ukraine, scenarios for sanctions, and likely economic impact on Russia, Ukraine and the EU," Technical Report, Policy Notes and Reports 2022.

Banerjee, Souvik, Pinka Chatterji, and Kajal Lahiri, "Effects of psychiatric disorders on labor market outcomes: a latent variable approach using multiple clinical indicators," *Health economics*, 2017, *26* (2), 184–205.

Bassetto, Jacopo and Teresa Freitas Monteiro, "Immigrants' Returns Intentions and Job Search Behavior-When the Home Country Is Unsafe," 2024.

Becker, Sascha O. and Andreas Ferrara, "Consequences of forced migration: A survey of recent findings," *Labour Economics*, 2019, *59*, 1–16. Special Issue on "European Association of Labour Economists, 30th annual conference, Lyon, France, 13-15 September 2018.

Bharadwaj, Prashant, Denise Doiron, Denzil G Fiebig, and Agne Suziedelyte, "Home-Country Natural Disasters and Mental Health of Migrants," *Oxford Bulletin of Economics and Statistics*, 2024.

Billmeier, Andreas and Tommaso Nannicini, "Assessing economic liberalization episodes: A synthetic control approach," *Review of Economics and Statistics*, 2013,

95 (3), 983–1001.

Blattman, Christopher and Edward Miguel, "Civil War," *Journal of economic literature*, 2010, *48* (1), 3–57.

Brell, Courtney, Christian Dustmann, and Ian Preston, "The labor market integration of refugee migrants in high-income countries," *Journal of Economic Perspectives*, 2020, *34* (1), 94–121.

Chudzicka-Czupała, Agata, Nadiya Hapon, Soon-Kiat Chiang, Marta Żywiołek-Szeja, Liudmyla Karamushka, Charlotte T Lee, Damian Grabowski, Mateusz Paliga, Joshua D Rosenblat, Roger Ho et al., "Depression, anxiety and post-traumatic stress during the 2022 Russo-Ukrainian war, a comparison between populations in Poland, Ukraine, and Taiwan," *Scientific Reports*, 2023, *13* (1), 3602.

Cieslak, Roman, Kotaro Shoji, Aleksandra Luszczynska, Sandra Taylor, Anna Rogala, and Charles C Benight, "Secondary trauma self-efficacy: concept and its measurement.," *Psychological Assessment*, 2013, *25* (3), 917.

Długosz, Piotr, "War trauma and strategies for coping with stress among Ukrainian refugees staying in Poland," *Journal of migration and health*, 2023, *8*, 100196.

Driedger, Jonas J and Mikhail Polianskii, "Utility-based predictions of military escalation: Why experts forecasted Russia would not invade Ukraine," *Contemporary Security Policy*, 2023, *44* (4), 544–560.

Fox, Ben and Vladimir Isachenkov, "Russia denies it plans to invade Ukraine. Putin's remaining options are still risky," *Global News, Associated Press*, 2022. Retrieved on 2024-03-25 from: https://globalnews.ca/news/8580055/russia-ukraine-putin-tensions/.

Friedson, Andrew I, Drew McNichols, Joseph J Sabia, and Dhaval Dave, "Did California's shelter-in-place order work? Early coronavirus-related public health effects," Technical Report, National Bureau of Economic Research 2020.

Galiani, Sebastian and Brian Quistorff, "The Synth_Runner Package: Utilities to Automate Synthetic Control Estimation Using Synth," *The Stata Journal*, December 2017, *17* (4), 834–849. Publisher: SAGE Publications.

Glick, Reuven and Alan M Taylor, "Collateral damage: Trade disruption and the economic impact of war," *The Review of Economics and Statistics*, 2010, *92* (1), 102–127.

Gould, David M, "Immigrant links to the home country: empirical implications for US bilateral trade flows," *The Review of Economics and Statistics*, 1994, pp. 302–316.

Harmer, Catherine J, Ronald S Duman, and Philip J Cowen, "How do antidepressants work? New perspectives for refining future treatment approaches," *The Lancet Psychiatry*, 2017, *4* (5), 409–418.

IOM, "Ukraine Neighbouring Countries 2022-2024 2 years of response," 2024.

Johnson, Howard and Andrew Thompson, "The development and maintenance of post-traumatic stress disorder (PTSD) in civilian adult survivors of war trauma and torture: A review," *Clinical psychology review*, 2008, *28* (1), 36–47.

Jones, Damon and Ioana Marinescu, "The Labor Market Impacts of Universal and Permanent Cash Transfers: Evidence from the Alaska Permanent Fund," *American Economic Journal: Economic Policy*, May 2022, *14* (2), 315–340.

Keita, Sekou and Paul Schewe, "Out of sight, out of mind? Terror in the home country, family reunification options, and the well-being of refugees," *World Development*, 2021, *146*, 105562.

Kiely, Eugene and Robert Farley, "Russian Rhetoric Ahead of Attack Against Ukraine: Deny, Deflect, Mislead," *FactCheck.org*, 2022. Retrieved on 2024-03-25 from: https://www.factcheck.org/2022/02/russian-rhetoric-ahead-of-attack-against-ukraine-deny-deflect-mislead/.

Kristensen, Pål, Lars Weisæth, and Trond Heir, "Bereavement and mental health after sudden and violent losses: A review," *Psychiatry: Interpersonal & Biological Processes*, 2012, *75* (1), 76–97.

Kurapov, Anton, Ivan Danyliuk, Andrii Loboda, Argyroula Kalaitzaki, Tobias Kowatsch, Tamara Klimash, and Viktoriia Predko, "Six months into the war: a first-wave study of stress, anxiety, and depression among in Ukraine," *Frontiers in psychiatry*, 2023, *14*, 1190465.

Kyiv Post, "28,000 Ukrainian Civilians in Russian Captivity, Human Rights Commissioner Says," 2023. Retrieved on 2024-03-25 from: https://www.kyivpost.com/post/25207.

Lundborg, Petter, Anton Nilsson, and Dan-Olof Rooth, "Adolescent health and adult labor market outcomes," *Journal of Health Economics*, 2014, *37*, 25–40.

Lushchak, Oleh, Mariana Velykodna, Svitlana Bolman, Olha Strilbytska, Vladyslav Berezovskyi, and Kenneth B Storey, "Prevalence of stress, anxiety, and symptoms of post-traumatic stress disorder among Ukrainians after the first year of Russian invasion: a nationwide cross-sectional study," *The Lancet Regional Health–Europe*, 2024, *36*.

Morina, Naser, Aemal Akhtar, Jürgen Barth, and Ulrich Schnyder, "Psychiatric disorders in refugees and internally displaced persons after forced displacement: a systematic review," *Frontiers in psychiatry*, 2018, *9*, 395415.

Murthy, R Srinivasa and Rashmi Lakshminarayana, "Mental health consequences of war: a brief review of research findings," *World psychiatry*, 2006, *5* (1), 25.

National Board of Health and Welfare, "Nationella riktlinjer för vård vid depression

och ångestsyndrom - Stöd för styrning och ledning," 2021.

Neria, Yuval and Gregory M Sullivan, "Understanding the mental health effects of indirect exposure to mass trauma through the media," *Jama*, 2011, *306* (12), 1374–1375.

Nguyen, Ha Trong and Luke Brian Connelly, "Out of sight but not out of mind: Home countries' macroeconomic volatilities and immigrants' mental health," *Health Economics*, 2018, *27* (1), 189–208.

Nordhaus, William, John R Oneal, and Bruce Russett, "The effects of the international security environment on national military expenditures: A multicountry study," *International Organization*, 2012, *66* (3), 491–513.

Radford, Benjamin J, Yaoyao Dai, Niklas Stoehr, Aaron Schein, Mya Fernandez, and Hanif Sajid, "Estimating conflict losses and reporting biases," *Proceedings of the National Academy of Sciences*, 2023, *120* (34), e2307372120.

Relihan, Daniel P, Nickolas M Jones, E Alison Holman, and Roxane Cohen Silver, "Shared social identity and media transmission of trauma," *Scientific reports*, 2023, *13* (1), 11609.

Reuters, "Ukraine's GDP fell 29.1 Retrieved on 2024-03-25 from: https://www.reuters.com/world/europe/ukraines-gdp-fell-291-2022-during-russias-invasion-2023-04-13/.

Rodriguez, Joshua and Jeanne Batalova, "Ukrainian Immigrants in the United States," Technical Report, Migration Policy Institute 2009.

Roth, Andrew, "Battlefield deaths in Ukraine have risen sharply this year, say US officials," *The Guardian*, 2023. Retrieved on 2024-03-25 from: https://www.theguardian.com/world/2023/aug/18/ukraine-russia-war-battlefield-deaths-rise.

Roy, Diana, "How Bad Is Ukraine's Humanitarian Crisis a Year Later?," 2023. Retrieved on 2024-03-25 from: https://www.cfr.org/in-brief/ukraine-humanitarian-crisis-refugees-aid.

Schaller, Jessamyn and Ann Huff Stevens, "Short-run effects of job loss on health conditions, health insurance, and health care utilization," *Journal of health economics*, 2015, *43*, 190–203.

Sønderskov, Kim M, Peter T Dinesen, Bertel T Hansen, Søren D Østergaard, and Bolette Danckert, "Terrorism in the country of origin is linked to deterioration in the mental health of refugees," *Nature Human Behaviour*, 2021, *5* (11), 1555–1561.

Stearns, Jenna, "The effects of paid maternity leave: Evidence from Temporary Disability Insurance," *Journal of Health Economics*, 2015, *43*, 85–102.

Steel, Zachary, Tien Chey, Derrick Silove, Claire Marnane, Richard A Bryant,

and Mark Van Ommeren, "Association of torture and other potentially traumatic events with mental health outcomes among populations exposed to mass conflict and displacement: a systematic review and meta-analysis," *Jama*, 2009, *302* (5), 537–549.

Sundbom, Lena Thunander, Kerstin Bingefors, Kerstin Hedborg, and Dag Isacson, "Are men under-treated and women over-treated with antidepressants? Findings from a cross-sectional survey in Sweden," *BJPsych bulletin*, 2017, *41* (3), 145–150.

UN, "International Migrant Stock 2020," Technical Report, United Nations Department of Economic and Social Affairs, Population Division 2020.

UNHCR, "Ukraine Situation Flash Update 67," Technical Report, UNHCR The UN Refugee Agency 2024.

Walker, Shaun, "'It is past time to leave Ukraine': western diplomats flee Kyiv," *The Guardian*, 2022. Retrieved on 2024-03-25 from: https://www.theguardian.com/world/2022/feb/13/it-is-past-time-to-leave-ukraine-western-diplomats-flee-kyiv.

WHO, "Pharmacological Treatment of Mental Disorders in Primary Health Care," Technical Report, World Health Organization 2009.

Yarkin, Alexander, "Home-country Internet and Immigrants' Well-being," *Forthcoming at American Economic Association: Papers and Proceedings*, 2025.

Zwack, Peter B., Victor Andrusiv, and Oksana Antonenko, "The Russian Military Buildup on Ukraine's Border: An Expert Analysis," *Wilson Center*, 2021. Retrieved on 2024-03-25 from: https://www.wilsoncenter.org/article/russian-military-buildup-ukraines-border-expert-analysis.

Appendix

A.1.1 Figures


FIGURE A.1: NEWSPAPER ARTICLES ON THE REACTIONS OF UKRAINIANS LIVING ABROAD



(A) NBC NEWS, FEBRUARY 28TH 2022



(B) CBC NEWS, FEBRUARY 24TH 2022



(C) THE WASHINGTON POST, APRIL 25TH 2022

FIGURE A.2: UKRAINIAN CASUALTIES







FIGURE A.3: SYNTHETIC CONTROL EFFECT PLOTS




(A) ANY MENTAL HEALTH PRESCRIPTION



(B) ANTI-ANXIETY PRESCRIPTION




(C) ANTI-DEPRESSANT PRESCRIPTION



(D) INSOMNIA PRESCRIPTION


Notes: This figure shows synthetic control effects of the evolution of mental health prescriptions for migrants from Ukraine after netting out prescriptions in a synthetic Ukraine, constructed using countries that are not directly adjacent to Ukraine or Russia. The white lines display the placebo estimations using the synthetic control method to construct synthetic counterparts for each donor country. The outcome in Panel A is a dummy for filling a prescription of any mental health drug in a given quarter; in Panel B the outcome is anti-anxiety filled prescriptions; in Panel C is anti-depressant filled prescriptions; and Panel D shows insomnia prescriptions.

FIGURE A.4: RATIO TEST: RATIOS OF POST-TREATMENT MSPE TO PRE-TREATMENT MSPE BY COUNTRY OF ORIGIN



Notes: This figure shows the distribution of the post-treatment mean square prediction error (MSPE) over the pre-treatment mean square prediction error using the synthetic control method. The outcome variable is take-up of any mental health prescription post-invasion. The MSPE is the average of the squared difference between the mental health prescriptions of each country and its synthetic country. Pre-treatment period ranges from 1Q of 2015 to 4Q of 2021. Post-treatment period starts in 1Q of 2022 and ends in 3Q of 2022.

Figure A.5: Synthetic Control: Effects on Other Prescriptions



(a) Major Drugs: Effect Plots

(b) Minor Drugs: Effect Plots

Notes: This table shows the synthetic control effects of the evolution of other health prescriptions for migrants from Ukraine after netting out prescriptions in a synthetic Ukraine, constructed using countries that are not directly adjacent to Ukraine or Russia. The white lines display the placebo estimations using the synthetic control method to construct synthetic counterparts for each donor country. The outcome in Panel A corresponds to Major health prescriptions comprised of health prescriptions with an ATC first-level code A, B, C. The outcome in Panel B corresponds to Minor health prescriptions comprised of prescriptions with ATC first-level code D, J, H, G, J, L, M, P, R, V, X. See appendix A.2 for their definition.

A.1.2 Tables

Table A.1: Medical drugs for mental health issues

Anti-Depressant	ATC	Anti-anxiety	ATC	Insomnia	ATC
Clomipramine	N06AA04	Pregabalin	N02BF02	Nitrazepam	N05CD02
Amitriptyline	N06AA09	Diazepam	N05BA01	Melatonin	N05CH01
Nortriptyline	N06AA10	Oxazepam	N05BA04	Zopiklone	N05CF01
Fluoxetine	N06AB03	Lorazepam	N05BA06	Zolpidem	N05CF02
Citalopram	N06AB04	Alprazolam	N05BA12	Propiomazine	N05CM06
Paroxetine	N06AB05	Hydroxyzine	N05BB01		
Sertraline	N06AB06				
Fluvoxamine	N06AB08				
Escitalopram	N06AB10				
Moklobemide	N06AG02				
Mianserin	N06AX03				
Mirtazapin	N06AX11				
Bupropion	N06AX12				
Venlafaxin	N06AX16				
Agomelatin	N06AX22				
Duloxetin	N06AX21				
Vortioxetin	N06AX26				

Notes: The lists include the most common medical drugs in use in Sweden for anxiety, insomnia, and depression. The Anatomical Therapeutic Chemical (ATC) codes are assigned to medicines according to the organ or system they work on and how they work.

Table A.2: Medical drugs classification

ATC 1st level	Classification
A	Alimentary tract and metabolism
B	Blood and blood forming organs
C	Cardiovascular system
D	Dermatologicals
G	Genito urinary system and sex hormones
H	Systemic hormonal preparations,
J	Antiefective for systemic use
L	Antineoplasic and immunomodulating agents
M	Musculo-skeletal system
N	Nervous system
P	Antiparasitic product, insecticides and repellents
R	Respiratory system
S	Sensory organs
V	Various

Notes: Anatomical Therapeutic Chemical (ATC) Classification by World Health Organization. Mental health drugs employed in our analysis belong to code N. https://www.who.int/tools/atc-ddd-toolkit/atc-classification.

Table A.3: Number of individuals in the sample by country of origin

Country	**Individuals**
Moldova, Ukraine	11,020
Adjacent:	363,404
Belarus	3,278
Czechia, Slovakia	7,927
Estonia	8,606
Finland	132,765
Hungary	14,877
Latvia	7,513
Lithuania	13,397
Norway	34,607
Poland	85,701
Romania	29,175
Russia	20,428
Soviet	5,130
Rest of the World (RoW):	1,428,425

Notes: This table shows the number of individuals in the analysis sample per country of origin as registered in the Swedish administrative data.

Table A.4: Descriptive statistics: Ukrainian migrants compared to non-adjacent countries

	Rest of Countries			**Ukraine**		
	N	Mean	SD	N	Mean	SD
Monthly income	1428425	1849.89	2369.55	11020	2308.48	2334.53
Is female	1428425	0.48	0.50	11020	0.65	0.48
Age	1428425	42.82	16.17	11020	38.96	12.34
Is over 40 years old	1428425	1.00	0.00	11020	1.00	0.00
Married	1428425	0.54	0.50	11020	0.57	0.50
Has children	1428425	0.53	0.50	11020	0.52	0.50
Years in Sweden	1428425	17.15	13.93	11020	9.34	7.33
Has Swedish citizenship	1428425	0.68	0.47	11020	0.56	0.50
Had relative visa	1428425	0.10	0.30	11020	0.18	0.39
Had work visa	1428425	0.04	0.18	11020	0.13	0.34
Had student visa	1428425	0.01	0.11	11020	0.02	0.12
Is refugee	1428425	0.07	0.26	11020	0.01	0.09
Has higher education	1428425	0.43	0.50	11020	0.77	0.42
Received income	1428425	0.64	0.48	11020	0.75	0.43
Received UI	1428425	0.10	0.30	11020	0.08	0.27
Any prescr. visit	1428425	7.74	26.73	11020	5.35	22.51
Insomnia prescr.	1428425	3.30	17.85	11020	2.17	14.57
Antidepressant prescr.	1428425	4.90	21.60	11020	3.26	17.76
Anti-anxiety prescr.	1428425	1.76	13.14	11020	1.29	11.30
Prescription expense	1428425	22.07	139.92	11020	16.82	137.08

Notes: This table shows descriptive statistics for migrants in Sweden, grouped by whether they originate from Ukraine or from rest of the world.

Table A.5: Synthetic control weights for any mental health prescription

Country	Weight
Albania	.244
Uzbekistan, Tajikistan, Kazakhstan	.136
Greece	.112
Montenegro, Serbia	.094
Ireland	.081
Azerbaijan	.08
Belgium	.078
Syria	.043
Mongolia	.032
Mexico	.03
United Arab Emirates	.026
Switzerland	.023
Indonesia, Malaysia	.015
Burundi, Rwanda	.006

Notes: This table shows the synthetic control weights resulting from predicting any mental health prescription based on their values pre-treatment from Q1 of 2015 to Q4 of 2021. We exclude Russia and war-adjacent countries from the pool of donor countries.

Table A.6: Synthetic Control Effect on Filled Prescriptions for any Mental Health Drug by Placebo Groups

	All	Ratio 4	Ratio 3	Ratio 2
$\beta(t=0)$	1.64	1.64	1.64	1.64
	(0.012)	(0.000)	(0.000)	(0.000)
	[0.000]	[0.000]	[0.000]	[0.000]
$\beta(t=1)$	0.71	0.71	0.71	0.71
	(0.036)	(0.012)	(0.012)	(0.000)
	[0.012]	[0.012]	[0.012]	[0.015]
$\beta(t=2)$	0.64	0.64	0.64	0.64
	(0.036)	(0.024)	(0.025)	(0.015)
	[0.024]	[0.024]	[0.025]	[0.029]
Average Effect	1.00	1.00	1.00	1.00
Joint P-val	0.012	0.000	0.000	0.000
Joint P-val (std)	0.000	0.000	0.000	0.000
Number of Placebos	84	82	81	68
Percentile (Pre RMSPE)	0.298	0.305	0.309	0.368

Notes: This table shows the synthetic control results varying placebo groups for inference. The first column displays the results with all placebos. Columns 2-4 drops countries that have a poor pre-treatment synthetic control, as measured by the ratio of its pre-treatment RMSPE over Ukraines pre-treatment RMSPE. Column 2 drops countries with a ratio larger than 4, Column 3 drops countries with a ratio larger than 3, and Column 4 drops countries with a ratio larger than 2, which is our preferred method. The statistical metrics are the same as Table 1. Placebos are the number of countries used for inference, which have a ratio or pre-treatment RMSPE over Ukraine's pre-treatment RMSPE less than 2.

Table A.7: Synthetic Control Effect on Filled Prescriptions - All Placebos

	Any drug	Anti-depressant	Anti-anxiety	Insomnia
$\beta(t=0)$	1.64	0.12	1.27	0.77
	(0.012)	(0.524)	(0.000)	(0.012)
	[0.000]	[0.333]	[0.000]	[0.000]
$\beta(t=1)$	0.71	-0.08	0.60	0.29
	(0.036)	(0.750)	(0.000)	(0.071)
	[0.012]	[0.631]	[0.012]	[0.012]
$\beta(t=2)$	0.64	0.44	0.07	0.11
	(0.036)	(0.083)	(0.619)	(0.524)
	[0.024]	[0.024]	[0.607]	[0.369]
Average Effect	1.00	0.16	0.65	0.39
Joint P-val	0.012	0.321	0.000	0.024
Joint P-val (std)	0.000	0.107	0.000	0.000
Baseline Mean	5.35	3.26	1.29	2.17
Number of Placebos	84	84	84	84
Percentile (Pre RMSPE)	0.298	0.202	0.464	0.262

Notes: This table shows the coefficients from the synthetic control method, or the difference between Ukraine and Synthetic Ukraine. The statistical metrics are the same as Table 1. Placebos are the number of countries used for inference, which have a ratio or pre-treatment RMSPE over Ukraine's pre-treatment RMSPE less than 2.

Table A.8: Synthetic Control Effect on Other Prescription Drugs

	Major drugs	Other drugs
$\beta(t=0)$	0.53	1.06
	(0.269)	(0.099)
	[0.224]	[0.127]
$\beta(t=1)$	-0.02	0.04
	(1.000)	(0.958)
	[1.000]	[0.972]
$\beta(t=2)$	0.53	0.30
	(0.418)	(0.620)
	[0.373]	[0.634]
Average Effect	0.35	0.47
Joint P-val	0.522	0.408
Joint P-val (std)	0.463	0.451
Baseline Mean	10.482	18.217
Number of Placebos	67	71
Percentile (Pre RMSPE)	0.328	0.423

Notes: This table shows the synthetic control estimates for prescription drugs that are not directly related to mental health conditions. Major health prescriptions correspond to prescriptions that comprised the majority of the observed prescriptions, and include ATC groups A, B, and C. Minor health prescriptions include the groups D, J, H, G, J, L, P, M, R, V, X. See appendix A.2 for the definition of the ATC codes. The statistical metrics are the same as Table 1. Placebos are the number of countries used for inference, which have a ratio of pre-treatment RMSPE over Ukraine's pre-treatment RMSPE that is less than 2.

Table A.9: Synthetic Control Effect varying Control Groups

	Ukraine	Ukraine complete
$\beta(t=0)$	1.64	1.64
	(0.000)	(0.000)
	[0.000]	[0.000]
$\beta(t=1)$	0.71	0.71
	(0.000)	(0.000)
	[0.015]	[0.013]
$\beta(t=2)$	0.64	0.64
	(0.015)	(0.013)
	[0.029]	[0.037]
Average Effect	1.00	1.00
Control group	RoW	RoW+Adjacent
Joint P-val	0.000	0.000
Joint P-val (std)	0.000	0.000
Baseline Mean	5.35	5.35
Number of Placebos	68	80
Percentile (Pre RMSPE)	0.368	0.375

Notes: This table shows the coefficients from the synthetic control method, or the difference between Ukraine and Synthetic Ukraine varying donor groups. Column 1 drops adjacent countries from the control group. Column 2 keep adjacent and rest of the world countries. The outcome is a dummy for filling a prescription of any mental health drug in a given quarter. The statistical metrics are the same as Table 1. Placebos are the number of countries used for inference, which have a ratio or pre-treatment RMSPE over Ukraine's pre-treatment RMSPE less than 2.

TABLE A.10: HETEROGENEOUS EFFECTS BY MARITAL STATUS

	Single	Married Other	Married Swede
$\beta(t=1)$	1.73	2.75	1.86
	(0.000)	(0.000)	(0.000)
	[0.000]	[0.000]	[0.000]
$\beta(t=2)$	0.90	2.30	0.95
	(0.000)	(0.000)	(0.028)
	[0.000]	[0.000]	[0.028]
$\beta(t=3)$	0.45	0.54	0.40
	(0.133)	(0.667)	(0.352)
	[0.067]	[0.485]	[0.437]
Baseline Mean	4.304	5.513	5.136
Share of Ukrainians	0.56	0.14	0.30
Number of Placebos	45	33	71

Notes: This table shows the coefficients from the synthetic control method, or the difference between Ukraine and Synthetic Ukraine for different treated groups: Column 1 corresponds to single migrants. Column 2 corresponds to married or cohabiting migrants with a partner that is not from Sweden. Column 3 corresponds married or cohabiting migrants with a partner that is from Sweden. Marriage or cohabiting status with partner's nationality is defined in 2020. The outcome is a dummy for filling a prescription of any mental health drug in a given quarter. The population employed are migrants in Sweden over 16 years old. The statistical metrics are the same as Table 1. The share of Ukrainians is the proportion of Ukrainian individuals in each group. Placebos are the number of countries used for inference, which have a ratio or pre-treatment RMSPE over Ukraine's pre-treatment RMSPE less than 2.

Table A.11: Heterogeneous effects by visa

	Citizen	Relative Visa	Work Visa	Other Visa
$\beta(t=1)$	2.12	1.43	0.48	0.59
	(0.000)	(0.000)	(0.385)	(0.167)
	[0.000]	[0.020]	[0.077]	[0.167]
$\beta(t=2)$	0.98	0.55	1.00	0.48
	(0.028)	(0.360)	(0.154)	(0.241)
	[0.028]	[0.380]	[0.000]	[0.278]
$\beta(t=3)$	0.71	0.45	0.05	0.08
	(0.028)	(0.420)	(1.000)	(0.852)
	[0.070]	[0.480]	[1.000]	[0.870]
Baseline Mean	7.748	2.520	1.242	2.993
Share of Ukrainians	0.56	0.19	0.13	0.12
Number of Placebos	71	50	13	54

Notes: This table shows the coefficients from the synthetic control method, or the difference between Ukraine and Synthetic Ukraine for different treated groups: Column 1 pertains to migrants born in Ukraine with Swedish citizenship. Column 2, to migrants holding a visa for relatives. Column 3, to migrants holding a work visa. Column 4, to migrants holding another type of visa. Citizenship and visa status are defined in 2021. The outcome is a dummy for filling a prescription of any mental health drug in a given quarter. The population employed are migrants in Sweden over 16 years old. The statistical metrics are the same as Table 1. The share of Ukrainians is the proportion of Ukrainian individuals in each group. Placebos are the number of countries used for inference, which have a ratio or pre-treatment RMSPE over Ukraine's pre-treatment RMSPE less than 2.

Table A.12: Heterogeneous effects by employment

	Employed	Not working
$\beta(t=1)$	1.81	1.68
	(0.000)	(0.000)
	[0.000]	[0.000]
$\beta(t=2)$	0.61	0.99
	(0.069)	(0.000)
	[0.056]	[0.038]
$\beta(t=3)$	0.42	1.09
	(0.167)	(0.000)
	[0.139]	[0.038]
Baseline Mean	4.65	5.55
Share of Ukrainians	0.70	0.30
Number of Placebos	72	26

Notes: This table shows the coefficients from the synthetic control method, or the difference between Ukraine and Synthetic Ukraine for different treated groups: Column 1 corresponds to individuals employed in 2021 and Column 2 to those not working that year. The outcome is a dummy for filling a prescription of any mental health drug in a given quarter. The population employed are migrants in Sweden over 16 years old. The statistical metrics are the same as Table 1. The share of Ukrainians is the proportion of Ukrainian individuals in each group. Placebos are the number of countries used for inference, which have a ratio or pre-treatment RMSPE over Ukraine's pre-treatment RMSPE less than 2.

TABLE A.13: HETEROGENEOUS EFFECTS BY GENDER

	Female	Male
$\beta(t=1)$	2.20	0.38
	(0.000)	(0.176)
	[0.000]	[0.191]
$\beta(t=2)$	1.15	0.14
	(0.000)	(0.574)
	[0.020]	[0.647]
$\beta(t=3)$	0.67	0.43
	(0.120)	(0.176)
	[0.080]	[0.162]
Baseline Mean	6.66	2.88
Share of Ukrainians	0.65	0.35
Number of Placebos	50	68

Notes: This table shows the coefficients from the synthetic control method, or the difference between Ukraine and Synthetic Ukraine for different treated groups: Column 1 corresponds to female migrants. Column 2 corresponds to male migrants. The outcome is a dummy for filling a prescription of any mental health drug in a given quarter. The population employed are migrants in Sweden over 16 years old. The statistical metrics are the same as Table 1. The share of Ukrainians is the proportion of Ukrainian individuals in each group. Placebos are the number of countries used for inference, which have a ratio or pre-treatment RMSPE over Ukraine's pre-treatment RMSPE less than 2.

Table A.14: Heterogeneous effects by medical leave

	No Sick Leave	Had Sick Leave
$\beta(t=1)$	1.58	2.04
	(0.000)	(0.042)
	[0.000]	[0.070]
$\beta(t=2)$	0.83	0.36
	(0.000)	(0.507)
	[0.017]	[0.606]
$\beta(t=3)$	0.71	-0.55
	(0.017)	(0.423)
	[0.000]	[0.465]
Baseline Mean	4.13	13.65
Share of Ukrainians	0.87	0.13
Number of Placebos	59	71

Notes: This table shows the coefficients from the synthetic control method, or the difference between Ukraine and Synthetic Ukraine for different treated groups: Column 1 pertains to migrants that had no medical leave before 2022. Column 2 pertains to migrants that had any medical leave before 2022. The outcome is a dummy for filling a prescription of any mental health drug in a given quarter. The population employed are migrants in Sweden over 16 years old. The statistical metrics are the same as Table 1. The share of Ukrainians is the proportion of Ukrainian individuals in each group. Placebos are the number of countries used for inference, which have a ratio or pre-treatment RMSPE over Ukraine's pre-treatment RMSPE less than 2.

Table A.15: Synthetic Control by Adjacent Countries

	Ukraine	Russia	Romania	Poland	Hungary	Baltic	Belarus	Czechia	Norway	Finland
$\beta(t=0)$	1.64	0.54	0.09	0.27	0.26	0.47	0.60	-0.04	1.64	2.17
	(0.000)	(0.040)	(0.538)	(0.235)	(0.310)	(0.082)	(0.049)	(0.817)	(0.012)	(0.000)
	[0.000]	[0.080]	[0.538]	[0.118]	[0.241]	[0.061]	[0.268]	[0.927]	[0.440]	[0.333]
$\beta(t=1)$	0.71	0.63	0.05	0.13	-0.04	-0.04	0.73	0.13	1.05	1.67
	(0.000)	(0.000)	(0.846)	(0.471)	(0.828)	(0.816)	(0.012)	(0.561)	(0.012)	(0.012)
	[0.015]	[0.027]	[0.615]	[0.176]	[0.845]	[0.816]	[0.134]	[0.756]	[0.595]	[0.476]
$\beta(t=2)$	0.64	0.40	-0.07	0.05	-0.18	0.12	0.08	0.15	1.08	1.44
	(0.015)	(0.107)	(0.538)	(0.706)	(0.517)	(0.510)	(0.707)	(0.585)	(0.012)	(0.012)
	[0.029]	[0.120]	[0.538]	[0.588]	[0.414]	[0.551]	[0.878]	[0.707]	[0.595]	[0.536]
Average Effect	1.00	0.52	0.02	0.15	0.01	0.19	0.47	0.08	1.26	1.76
Joint P-val	0.000	0.027	0.923	0.412	0.603	0.327	0.061	0.829	0.012	0.012
Joint P-val (std)	0.000	0.067	0.692	0.294	0.431	0.122	0.305	0.988	0.738	0.607
Baseline Mean	5.350	8.079	7.644	10.271	13.062	6.742	6.308	13.300	17.636	17.818
Number of Placebos	68	75	13	17	58	49	82	82	84	84
Percentile (Pre RMSPE)	0.368	0.453	0.077	0.118	0.310	0.347	0.915	0.915	0.988	1.000

Notes: This table shows the coefficients from the synthetic control method for every adjacent country. The outcome is a dummy for filling a prescription of any mental health drug in a given quarter. The statistical metrics are the same as Table 1. Placebos are the number of countries used for inference, which have a ratio or pre-treatment RMSPE over Ukraine's pre-treatment RMSPE less than 2.

A.1.3 Difference-in-Differences (Event Study)

For the corresponding event study in a difference-in-differences framework, we regress the outcome variable Y_{it} of individual i in quarter t on a series of interactions of the indicator L_t for event time t with an indicator of being in the *treated* group Ukraine_i, individual fixed effects γ_i and time fixed effects μ_t:


$$Y_{it} = \sum_{t \in (-11,+2), t \neq -1} \beta_t \times \text{Ukraine}_i + \gamma_i + \mu_t + \epsilon_{it} \tag{5}$$

We normalize the periods relative to the quarter of the start of the war, Q1 of 2022 ($t = 0$), with $t = -1$ as the reference period. $\beta_t (t \in (0, +2))$ are the parameters of interest. Considering that the *treatment* is at the level of one's country of origin, we cluster the standard errors at the country level.

The event study analysis employs a balanced sample of individuals who are present in the administrative data throughout all quarters between Q1 of 2019 and Q3 of 2022.

Figure A.6 displays the event-study plot, indicating a similar pattern as found using synthetic control. Because our setting features a single, non-staggered treatment, the standard two-way fixed effects approach is not susceptible to the issues raised in the recent literature on event-study methodology, such as issues of heterogeneous effects or using already treated units as controls.

FIGURE A.6: EVENT STUDY: FILLED PRESCRIPTIONS



Notes: The bands show the confidence intervals at the 95% level.