The Origins of the Nitrogen Revolution*

Matteo Ruzzante† Christopher W. A. Sims‡

Job Market Paper

November 20, 2025

[Click here for latest version]

Abstract

Many technologies raise productivity in locations constrained by their natural endowments yet diminish specialization across space. We show that the first commercial nitrogen fertilizers in history were one such "converging" technology. Leveraging natural variation in soil nitrogen deficiency and the sudden introduction of Peruvian guano and nitrates to 19th-century England, we provide two main empirical findings. First, locations specialized on the basis of their natural endowments before the introduction of fertilizer: nitrogen-deficient places devoted less land to nitrogen-intensive crops. Second, combining newly-digitized data and a difference-in-differences design, we show that these nitrogen-deficient places substantially reallocated toward nitrogen-intensive crops after fertilizer was introduced, indicating convergence across space. To quantify the welfare impact of this "converging" technology, we embed fertilizer into a quantitative spatial model of the English agricultural sector with realistic geography. The welfare gains from fertilizer were equivalent to two decades of annual productivity growth in agriculture. However, convergence implies a reduction in the gains from trade, which offsets up to 10% of these welfare gains under plausible trade cost regimes.

Keywords: spatial technologies, economic convergence, nitrogen, fertilizer, Second Agricultural Revolution, England.

JEL Codes: N53, O13, O33, Q15, Q55, R12.

* We would like to thank Joel Mokyr, Walker Hanlon, and Kiminori Matsuyama for their support and guidance throughout this project. This draft benefited from valuable comments from seminar participants at Northwestern, Oxford, Florida State, 2025 CLIO, the 2025 Canadian Economic Association and Economic History Association meetings, the Workshop on Technology and Long-Term Development (Valencia), and the 2025 NBER Summer Institute Development of the American Economy poster session. We also benefited from insightful feedback from Devin Bissky Dziadyk (discussant), Bruno Caprettini, Gaia Dossi, Mauricio Drelichman, Carola Frydman, Leander Heldring, Réka Juhász, Mark Koyama, Jacob Moscona, Luigi Pascali, Nancy Qian, Nico Voigtländer, and Alex Whalley. Generous financial support for this project was provided by the Center for Economic History, the EconLab and the Graduate School at Northwestern University, and the Northwestern Buffett Institute for Global Affairs. We thank Isabelle Hauf-Pisoni, Xueyan Li, Tina Qu, and Seoyeon Yoon for excellent research assistance.

† *Northwestern University*, Economics Department, 2211 Campus Drive, Evanston, Illinois 60208. Email: matteo.ruzzante@u.northwestern.edu. Website: matteo-ruzzante.com.

‡ *Northwestern University*, Economics Department. Email: christophersims2026@u.northwestern.edu. Website: sites.northwestern.edu/cse5314.

1 Introduction

Technology is neither good nor bad;
nor is it neutral.

Kranzberg's First Law of Technology

New technologies have been the major driver of the unprecedented rise in living standards in the Western world over the past two centuries (Mokyr, 1990; Aghion and Howitt, 1998). Technologies are typically thought to increase productivity in an industry everywhere, independently of a location's natural endowments. Yet many important technologies mitigate local disadvantages: air conditioning allows factories to operate in warm climates, pesticides address localized threats, and desalination purifies water in arid regions. We call these *converging* technologies since, by relaxing these binding constraints, they compress productivity gaps across locations.[1] Whether a technology is converging holds important implications for aggregate welfare: direct productivity gains could be partially offset by lower gains from trade as locations become less specialized.

In this paper, we study the tension between increased productivity and reduced specialization in the context of one of the most important technologies of the past two centuries, nitrogenous fertilizers. Historically, farmers dealt with nitrogen deficiency using a variety of imperfect coping methods including crop rotation and manuring (Leigh, 2004). By addressing this natural limitation, the usage of nitrogenous fertilizers ultimately triggered a productivity boom that supports around 40% of the world's current population (Smil, 2004). We consider the historical case of the first commercial fertilizers, guano and nitrates. These were exported from South America to England and other Western countries starting in the 1840s and continuing for decades thereafter, marking the first stage of the "Nitrogen Revolution".[2]

We show empirically that nitrogen fertilizers acted as a converging technology and evaluate their welfare implications using a quantitative spatial model. Four features make this setting ideal for examining the consequences of a converging technology. First, the timing of the arrival of nitrogen fertilizers was plausibly exogenous to conditions in English agriculture and, as we show, its effects on productivity were large.

[1] We could contrast these with *diverging* technologies, which instead can only be exploited by places with certain natural characteristics: large ships can only sail to deep ports, hydroelectricity can only be used in places near rivers, new crops require appropriate growing conditions, etc.

[2] With the term "Nitrogen Revolution", we broadly refer to the process of technological innovation and scientific advancement that increased our knowledge of the role of nitrogen in biological processes and the means of manipulating the level of nitrogen in natural ecosystems.

Second, we can leverage natural variation across two dimensions: (i) locations differ in how prone they are to nitrogen deficiency due to their underlying soil material, and (ii) crops vary based on how much soil nitrogen they require to grow. These two distinctions generate the variation – both across locations and across crops – needed to identify how fertilizers reshaped the spatial composition of economic activity. Third, these effects can be studied in a data-rich environment using detailed agricultural census data that we collected from handwritten archival records. Fourth, our period of interest also featured the expansion of the railroad network, allowing us to quantify the welfare impact of this converging technology under plausible trade cost regimes that existed in both the pre- and post-railway era.

Historical Setting and Empirical Findings. The introduction of fertilizers to Britain can be seen as one of the last stages in a centuries-long process to cultivate a capitalist, highly productive agricultural sector that in many ways mirrored the transformative impacts of the largely concurrent Industrial Revolution. While guano had been "discovered" by Europeans in the early 1800s, the timing of its introduction was a consequence of growth in the Pacific whaling industry, which resulted in a backhaul problem where many ships sailed from South America to England with spare capacity (Cushman, 2013). The widespread use of guano was a hallmark of the "high farming" era of mid-19th century British history, which saw a shift towards more input-intensive agriculture alongside an eagerness to use field experiments to understand best practices (Thompson, 1968).[3] The success of these fertilizers ultimately spurred progress in agricultural science and chemistry, culminating with the artificial synthesis of ammonia using the Haber process.

We collect several novel data sources to investigate the effects of the Nitrogen Revolution on England's agriculture. Firstly, we construct the first panel of land use in English parishes throughout the 19th century, combining previously-digitized land surveys from the early part of the century with the later annual Agricultural Censuses, which we digitized from handwritten archival materials using AI-based optical character recognition software. Secondly, we use a novel measure from soil science, the carbon-to-nitrogen (C:N) ratio, which captures the balance between two of the key nutrients necessary for plant growth, with a higher value of the ratio indicating that the soil is more deficient in nitrogen. Although soil nitrogen levels are partially anthro-

[3] At the Rothamsted estate in Hertfordshire, the first agricultural experiments demonstrating the beneficial effect of nitrogen fertilization on crop harvest were conducted by John Bennet Lawes and Joseph Henry Gilbert starting in 1843. Despite the initial resistance from concurrent theories, the results were soon embraced by the scientific community of the time and would shape the understanding of nutrient requirements in agriculture in the years to come.

pogenic, the estimates we use come from a model of this variable created by a British research center that largely uses exogenous characteristics of the soil's parent material to predict the distribution of nitrogen across space.

Our empirical analysis starts by exploring the cross-sectional patterns of land use before the introduction of fertilizers. We show that, prior to the introduction of guano, the soil C:N ratio shaped the spatial distribution of crop choices. Parishes with above-median nitrogen deficiency devoted 7.6% less land to nitrogen-intensive, more lucrative crops like wheat, barley, and turnips, and 11.1% more land to nitrogen-light crops like beans, peas, and oats. This pattern holds when using only within-county variation in the C:N ratio and when controlling for the geo-climatic suitability for major crops. In the equilibrium before fertilizers were introduced, nitrogen deficiency generated a natural form of specialization across space.

We next turn to a simple difference-in-differences (DiD) design that leverages the first imports of guano from Peru in 1841 as an exogenous event and cross-sectional variation in C:N ratio as a measure of exposure to such event. Nitrogen-deficient places change their crop mix after the arrival of guano: parishes with above-median nitrogen deficiency increased their acreage devoted to nitrogen-intensive crops by 6.1%, and reduced the acreage devoted to nitrogen-light crops by 11.7%. These changes rest on reallocation of existing cropland, rather than expansion in total acreage. Importantly for our identification argument, such reallocation is not due to differential trends prior to guano's arrival, confirming that the level difference we documented in our first finding was stable, and it robust to controlling for contemporaneous shocks in English agriculture. In effect, our results imply convergence in economic activity: nitrogen fertilizer acted as a "great equalizer", allowing regions that were heterogeneous in their natural endowments to engage in more similar types of economic activity.

We document two margins of heterogeneity that are consistent with convergence. First, our effects are largely driven by places that had low crop yields prior to the introduction of fertilizer. Second, our effects are entirely concentrated in parishes far from major urban centers, who had limited to access to urban wastes, an important source of farm nutrients before commercial fertilizers. Finally, we find similar patterns when we use a proxy of local agricultural production based on weekly grain sales data as outcome instead of land use.

Quantitative Spatial Model. Our empirical findings point to the Nitrogen Revolution as being qualitatively distinct from other momentous technological changes, including the more familiar Industrial Revolution. While many technologies create new patterns

of economic activity, fertilizers instead promoted convergence and homogenization, at least within agriculture. A natural question arises: what are the implications of the converging nature of this technology on aggregate welfare? To quantify welfare impacts, it is not sufficient to consider the direct effects of the technology on places that were more or less nitrogen-deficient; we must also account for spatial spillovers—transmitted via trade in general equilibrium–to places that were less exposed. We thus explore these welfare considerations by developing a quantitative spatial model in the tradition of Eaton and Kortum (2002). Our model extends their Ricardian framework in order to (i) explicitly incorporate nitrogen deficiency as a factor that influences local crop-specific productivity levels and (ii) embed fertilizer as an input that producers in each location can choose to purchase in order to mitigate the effects of nitrogen deficiency. The key tension inherent in converging technologies is that they increase productivity but decrease the gains from trade. In order to quantify how important the latter effect is, we consider how the technology changes welfare under counterfactual scenarios in which the initial level of gains from trade differs. Intuitively, if the gains from trade are initially low, then this offsetting force is likely to be relatively unimportant. By contrast, if the gains from trade are initially large, then the positive welfare effects of productivity increases could be more substantially offset by reductions in the gains from trade.

In our model, one way to create differences in the gains from trade is to vary the level of trade costs: when trade costs are high, for example, the gains from trade will conversely be low. Our historical setting is ideal for considering model experiments with different trade costs, because we can exploit two regimes that existed in 19th century Britain: the relatively high trade costs in 1830, before the introduction of railroads, and the relatively low trade costs that prevailed after a period of rapid network expansion that precisely coincides in timing with the "guano age". This comparison is particularly appropriate because as we noted in the historical background, the fertilizers were discovered and could in principle have been exported many decades prior to when trade flows started. As a result, we able to explicitly consider a historically plausible counterfactual: how would the welfare benefits of fertilizer have changed if it had been introduced in a high trade cost regime instead of a low trade cost one?

Using the model, we estimate that nitrogen fertilizers increased welfare by around 3%, which is equivalent to 20 years's worth of productivity gains based on conventional estimates for 19th-century England (Temin, 1997). This large effect is not surprising given the importance and novelty of the technology. More interestingly, we find the

"converging" nature of the technology had a meaningful impact on welfare, based on a comparison between the two trade cost regimes. Under the high trade costs that prevailed in 1830, i.e., before railroads, welfare gains were up to 10% higher (equivalent to two extra years of productivity growth), compared to the low trade costs that prevailed after the construction of the railroad network. This is because when trade costs are low the positive welfare effects of the technology are partially offset by the loss of gains from trade (losses that are much smaller when trade costs are high). Ignoring the converging nature of this technology would miss an important determinant of its overall welfare impact: although its direct productivity effects outweigh losses in the gains from trade, these losses are still economically meaningful and should be taken into account. This is, to our knowledge, the first quantitative estimate of the welfare consequences of a converging technology, and the first study of how these welfare benefits vary based on economic parameters like the level of trade costs.

Related Literature. A wide body of literature studies the economic effects of new technologies that are differentially deployed across space.[4] We contribute to this literature in two ways. Firstly, we demonstrate a novel channel by which technologies can change economic activity: they can change the degree of geographic *specialization*. In particular, we show that an exogenous technology, guano fertilizers, tended to reduce geographic specialization. Specialization is a qualitatively different outcome from many studied in the literature, as it relates to the *composition*, and not the level, of economic activity.[5] The importance of this distinction lies in the fact that the composition of economic activity within a sector directly relates to the importance of internal trade: all else equal, a high degree of specialization implies large internal trade as locations must acquire goods they do not themselves produce from elsewhere. Converging technologies thus feature a conceptual tension: they raise productivity, but reduce specialization and thus the gains from trade. This insight leads to our second contribution, which is to quantify the effects of this technology on welfare, using a quantitative spatial model.[6] This use of tools from trade theory allows us to quantitatively assess how important the "converging" nature of the technology was for its welfare effects. We find that ex-

[4] This literature has investigated the effects of technologies on the spatial distribution of population (Nunn and Qian, 2011; Dall Schmidt et al., 2018; Cherniwchan and Moreno-Cruz, 2019; Gollin et al., 2021; Fernihough and O'Rourke, 2021), health outcomes (Bharadwaj et al., 2020; von Der Goltz et al., 2020; Sekhri and Shastry, 2024), labor markets (Foster and Rosenzweig, 2004; Bustos et al., 2016; Moscona, 2019; Moorthy, 2025), political economy (Mayshar et al., 2022), and human capital (Bleakley, 2007).

[5] An exception is Hornbeck and Keskin (2014), who document how irrigation technology drove a divergence in the composition of crop choice.

[6] Our model draws on insights from the trade literature, namely by Samuelson (2004) and Di Giovanni et al. (2014), who find that converging productivity levels reduce the gains from trade in the cost of U.S.-China flows. The structure of our model is similar to recent work on the spatial economy of the agricultural sector, such as Costinot et al. (2016) and Farrokhi and Pellegrina (2023).

plicitly considering whether a technology is converging (or, in principle, diverging) meaningfully changes our assessment of its welfare consequences, especially in a context where trade costs change over time. Our broad overview of the economic effects of this new technology is only possible by combining reduced-form empirical evidence and quantitative estimates from a spatial model.

Our findings are relevant to a long-standing literature in development economics that studies the diffusion and benefits of agricultural technologies, in particular high-yielding crop varieties and chemical fertilizers.[7] The setting of 19th-century English agriculture – characterized by relatively large, capitalist farms subject to few credit and information constraints – offers a striking contrast to the small landholding farms found both in 19th-century continental Europe and throughout most developing countries today. In effect, we are able to observe the long-term effects of the fertilizer technology on highly productive farmers, which is difficult in modern settings because (i) adoption rates are already high among the most productive or resource-rich farmers (Foster and Rosenzweig, 1995; Suri, 2011) and (ii) data only span short period of times. Our quantitative results point to a consideration that is novel to this literature: since fertilizers act as a converging technology, their welfare effects may be attenuated in equilibrium due to offsetting reductions in the gains from trade between regions.

Finally, we contribute to the substantial and growing literature on the "Second Agricultural Revolution" of 19th-century Britain. An older literature in economic history emphasized the important changes that occurred during this period, which is sometimes overlooked in favor of the 18th-century "First Agricultural Revolution", as advances in industry and transportation overtook those of agriculture. We add to accounts on the importance of growing input use for breaking the "closed system" of nutrients, even as other fundamentals such as the crop mix remained relatively unchanged, by bringing new data and modern empirical methods to bear.[8] Recent work using modern econometric methods has emphasized the importance of institutional factors, labor scarcity, and endogenous changes in Britain's trade position in shaping outcomes in agriculture and the broader economy.[9] We supplement this body of work both by focusing instead

[7] Two main themes in this literature have been: (i) the role of multiple constraints in explaining low technology adoption in developing countries, most recently reviewed by Suri and Udry (2022); (ii) the economic impacts of improved varieties introduced during the Green Revolution (Pingali, 2012; Moscona, 2019; Gollin et al., 2021).

[8] Major works on British agrarian history in this period include Jones (1962), Mingay (1963), Thompson (1968), and Overton (1996).

[9] These recent contributions include Heldring et al. (2022) on the enclosure movement, Voth et al. (2023) on the determinants of agricultural mechanization, and Heblich et al. (2024) on the economic effects of the "grain invasion."

on the impacts of an exogenous technology that affected the supply side of agriculture and by introducing several novel data sources to study this era of history.

2 Historical Background

«God bless you – guano sea-gull,
Of the far away coast of the west:
In spite of my countryman Hegel,
The stuff which you make is the best.»

— *Guano Song*,
from *Gaudeamus! Humorous Poems*,
by Joseph Victor Scheffel, translated
by Charles Godfrey Leland, 1872.

2.1 Agricultural Progress

In 1840, the German chemist Justus von Liebig wrote his landmark textbook *Agricultural Chemistry* in which he asserted and popularized one of the most important principles of agricultural science: the "law of the minimum", which states that the growth of plants is limited by the availability of the scarcest nutrient (von Liebig, 1855). The growth of plants involves, effectively, a chemical reaction whose ingredients are not substitutable: if a certain key nutrient is lacking, then only an increase in that nutrient will allow the plant to continue to grow. For many times and places, the least abundant nutrient was nitrogen, which is essential for constructing the amino acids that comprise proteins; despite the abundance of diatomic nitrogen in the atmosphere (as N_2), the pathway to "fix" this nitrogen in a form that usable for plants is highly energy-intensive (Leigh, 2004). Nevertheless, not all soil types suffer equally from problems of nitrogen depletion; some fundamental soil characteristics like bulk density mediate nitrogen levels, and there are other constraints like excessive acidity that are binding in other cases (Henrys et al., 2012).

Without being cognizant of the scientific principles at work, the productivity of agricultural societies was thus tied to their ability to manage the nutrients available to their crops. In England and Europe, the most common system was the use of increasingly elaborate crop rotations, beginning with the two-field system (one year cultivated, one year fallow), and culminating in the Norfolk four-course system that successively planted wheat, turnips, barley, and clover on the same plot of land (Overton, 1996). Clover, along with peas and beans played an important role in crop rotations: these leguminous crops naturally fix nitrogen from the atmosphere, and thus can better recycle nutrients within the local environment. By contrast, the major grain and fodder crops like wheat and turnips require large amounts of nitrogen to grow (Leigh, 2004).

Crop rotations were not the only (partial) solution to the problem of maintaining soil nitrogen levels, however. In Southern China, the fish-rice system, where carp where raised in the midst of rice paddies, functioned in part to fertilize the rice as well as helping with weed and pest control (Kangmin, 1988). Similarly, in land-rich African societies, slash-and-burn agriculture provided a ready initial source of nutrients that then became depleted over time (Ruthenberg, 1976). Another mainstay of agricultural societies across the world was the use of animal manure as a fertilizer; although very heavy and thus impossible to transport substantial distances, manuring allowed nutrients previously used to grow crops to be partially "recycled" back into the soil (Allen, 2008). In a similar vein, human waste was also used as a fertilizer; this "night soil" was particularly valued in Edo-period Japan, where a lively trade developed (Ferguson, 2014), and was part of a package of "off-farm manures" that may have raised English crop yields by up to 20% in the first decades of the 19th century (Brunt, 2007). The problem with both of these products is that they were extremely heavy and were thus difficult to transport; as a result, manure had to be used close to where it was produced and night soil was only used by farms in close proximity to major urban centers.

Nonetheless, all of these traditional techniques have largely been replaced, at least in the most advanced agricultural producers, with the widespread use of fertilizers due to the artificial synthesis of ammonia pioneered by the Haber process (Smil, 2004). By directly importing key nutrients like nitrogen into the soil (modern fertilizers typically consist of "NPK": nitrogen, phosphorus, and potassium), fertilizers break the traditional model of agricultural where nutrients had to be carefully recycled. However, the usefulness of fertilizers from a theoretical perspective was not clear until well into the 19th century. The major text on agricultural science of the early 19th century, Humphrey Davy's 1813 *Elements of Agricultural Chemistry*, claimed that nitrogen was not essential for the growth of most plants (Davy, 1846). The picture improved once Liebig turned his attention to the subject, where as part of his work on the "law of the minimum" he recognized the importance of nitrogen; however, he falsely believed that the abundance of nitrogen in the atmosphere implied that it was not, in fact, the scarcest nutrient.[10]

2.2 The Arrival of Guano

Although nitrogen was scarce in many English soils during the 19th century, a lack of both scientific understanding and a commercially viable product meant that the situa-

[10] To that end, he promoted his own mineral-based fertilizer which, like many of his forays into commerce (including diverse products like baby formula and meat extracts), proved ineffectual (Brock, 2002).

tion remained largely unresolved throughout the first part of the century. This would change with the importing of *guano*, a form of concentrated seabird excrement that is rich in nitrogen, and which is widely considered to be the first commercial fertilizer in history (Kinsley, 2022). The story of guano fertilizer begins along the coast of Peru, where indigenous peoples have been harvesting this nitrogen-rich material for millennia to fertilize the region's marginal agricultural land (Murra, 1980)[11]; the resulting boost to agricultural productivity has been cited as a reason for the particular concentration of major pre-Columbian civilizations emanating from this region, which culminated in the rise of the Inca empire (Rodrigues and Micael, 2021; Santana-Sagredo et al., 2021). The fact that this practice arose in Peru and in few other areas of the world can be attributed to the Chincha Islands about 20 kilometres off the coast possessing both of the key criteria for the emergence of viable guano deposits: low precipitation due to cold ocean temperatures and rain shadows from the Andes mountains, and the presence of large colonies of nesting birds that feed on the rich marine life of the nearby ocean currents.[12]

Europeans first became aware of guano in the first decade of the 19th century following the South American travels of the German adventurer and naturalist Alexander von Humboldt, who remarked on its local use as a fertilizer and brought samples home (Cushman, 2013). Chemists across Europe set their minds to work analyzing the stuff, which was found to contain large quantities of ammonia (NH_3, a chemical compound of nitrogen and hydrogen).[13] The implications of this early interest were limited, though; the samples Humboldt brought back were too small for field trials, and Humboldt was under the mistaken belief that guano deposits were formed over thousands of years and could thus be rapidly depleted, dampening interest. Shortly after Humboldt's visit, the Napoleonic Wars and Latin American wars of independence resumed with increased vigor, which equally prevented the formation of a viable export industry for several decades.

[11] The first use of the word "guano" dates back to the beginning of the 17th century. It was adapted in Spanish from the Quechua "huanu", which means "dung" or "fertilizer".

[12] This lack of rainfall means that very few of the nutrients present in the guano are leached away over time, retaining highly concentrated soluble nitrates; the bird droppings, instead, become hardened in a form that is easy to mine. Concomitantly, the Humboldt Current that runs along the coast of South America is rich in nutrients, supporting huge stocks of fish and, in turn, seabird species like the guanay cormorant, Peruvian pelican, and Peruvian booby. While there are other locations around the globe that also possess these two key attributes, the Chincha Islands feature both exceptional high-quality and abundant reserves of guano.

[13] A series of small shipments to the United States followed this discovery, including the editor of the *American Farmer*, based in Baltimore, in 1824, and the governor of Maryland few years later. Tests conducted on their farm confirmed the effectiveness of guano as a fertilizer.

The impetus to begin exports in the 1840s occurred via a circuitous sequence of events: the Humboldt current that enabled the existence of the guano islands also supported large whale populations, which were prized for their skins and oils by European and American whalers. However, the trade goods these whalers brought on their ships to exchange for provisions in South American ports, such as textiles and manufactures, tended to be bulkier than the products they were shipping back, resulting in a back-haul problem where ships would sail home with spare capacity (Cushman, 2013). In November 1840, local businessman Francisco Quirós y Ampurdia negotiated with the Peruvian government and the English merchant house Antony Gibbs & Son, which had existing operations in Peru to export products like alpaca wool, to send the first shipment of twenty casks of Chincha guano to England to take advantage of these asymmetric transport costs (Maude, 1958). The timing of this event was thus essentially independent of events in Great Britain and particularly in its agricultural sector.


Antony Gibbs & Son would retain a monopoly on the export of Peruvian guano for around twenty years, a concession which proved highly financially lucrative for the firm: William Gibbs, one of the brothers who ran the firm, became among the very richest commoners in England (Dennis, 2020). Within only a few years of the start of guano exports, the Royal Navy found further sources such as Ichaboe Island off the coast of Namibia, although most of these deposits proved low-quality and were rapidly exhaused (Kinsley, 2022). Other countries considered guano to be a critical resource as well: United States passed a "Guano Islands Act" in 1856 which enabled citizens to claim for the United States any uninhabited guano islands, which resulted in the annexation of numerous remote outcroppings (Immerwahr, 2019).[14]

The result of an English company being the monopoly-holder was also that a disproportionate share of guano was ultimately used in UK – upwards of 50% of all Peruvian guano exports in the 1850s, according to Mathew (1970). The level of imports would ebb and flow over time based on the discovery and depletion of various sources of guano and the vagaries of transportation over far distances, but would remain signifi-

[14] Yet another early enthusiast of guano was Camillo Benso, Count of Cavour, the first Prime Minister of Italy. Eager to enhance the productivity of his maize and wheat fields as well as increase fodder for cattle, Cavour began importing guano through the ports of Genoa and Nice. He then experimented with its application on his several farms in the province of Vercelli, Piedmont, frequently praising its virtues in correspondence with Giacinto Corio (his farm associate) and Emile de la Rue (his financial adviser) during the 1840s. To verify the chemical contents of this novel fertilizer, he entrusted Angelo Abbene (a Turinese chemist) to analyze some samples of Peruvian guano. Convinced of the transformative potential of chemical fertilizers for Italian agriculture, he supported an early attempt to manufacture sulfuric acid and phosphorus in Piedmont (Loria, 1967). A few years later, guano's appeal attracted another Italian patriot to the coast of Peru: in 1851, Giuseppe Garibaldi visited the Chincha Islands himself as a mercant ship captain to acquire a load of guano before continuing his voyage to China (Garibaldi, 1889).

cant for the next forty years (Figure 1 – brown plot, left y-axis).

Figure 1. Sudden and rapid diffusion of guano across England



Notes: The left y-axis indicate the annual imports of guano from various issues of the annual Accounts Relating to Trade and Navigation. The right y-axis measures the total number of annual mentions of the word "guano" in England an Wales from the British Newspaper Archive.

This sudden "guano mania" is also evidenced from other sources, such as the counts of the word "guano" in British newspapers of the time. During most of the period from 1840-1880, the number of mentions of the term "guano" on the British Newspaper Archive is between 20 and 30 thousand per year (Figure 1 – orange-red line, right y-axis).[15] An opinion article in an 1854 issue of the *North British Agriculturist* is representative:

> *It is impossible to reflect upon what guano has accomplished during the past 10 years, without suggesting ideas as to the possible effects which its introduction at the period [fifty years prior] might have produced—what debates in Parliament, and what debates out of Parliament, would have been avoided, in connection with a Corn Law, which would never have been called into existence, and consequently*

[15] A similar trend arises when looking at the frequency of the work "guano" among the universe of English books available on Google Books (Appendix Figure B1).

never repealed, had this potent fertilizer been duly appreciated by the then Board of Agriculture. And what is still more important, what would have been the present position of British agriculture, and that of the British nation, as to wealth and population.[16]

It is difficult to ascertain the precise effects of guano and related fertilizers from the existing historical evidence, which largely consists of aggregated data at the county level, and even then is not available for each year. However, the timing of the introduction of fertilizer roughly aligns with a very substantial increase in wheat yields documented in Healy and Jones (1962).[17] The time series in Figure 2 shows much higher yields throughout the 1840s and 50s relative to the decades prior, with an average increase in yields of around 15 bushels per acre. This suggestive evidence accords the opinion of Lord Ernle, an authority on British agriculture during the 19th century, who claimed that the major increases in wheat yields observed in the two decades following 1840 compared to the years prior were due to increases in the intensity of input usage (cited in Jones, 1962).


More precise evidence on the effectiveness of the new fertilizer comes from field trials, which were pursued by dozens of farmers and subsequently reported in agricultural publications of the time. These typically consist of a simple experiment where one acre (or a fraction thereof) is planted with guano and comparable parcels are planted with various other fertilizers, including bones, animal manure, and a "pure control" of no additional input. These field trials are conducted of land of different qualities and growing different crops so the results are not comparable across trials; they are, however, comparable *within* trials.

In Figure 3, we show a scatter plot that displays the yield under guano fertilizer versus the comparison technology. Unsurprisingly, guano increases yields substantially relative to no input, with smaller increases in comparison to bones and animal manure. It should be noted, though, that even increases in yield on the order of 10-20% are economically significant in this context, and we see very few cases of lower yields under guano. Nonetheless, pure yield increases are not the first-order concern for farmers, who seek to maximize profits. Guano is, perhaps surprisingly, on solid ground here as

[16] This article in fact captures precisely the counterfactual analysis we are interested in: using the difference-in-differences approach, we can explicitly compare outcomes in the period after guano is introduced to the regime that existed prior to its widespread usage in England.

[17] These unique, albeit limited, data stem from the efforts of two Liverpool merchant houses to predict the English wheat harvest so as to make better-informed business decisions. A set of around 40 locations throughout England were selected and visited each year by survey teams to measure the wheat yield.

Figure 2. Wheat yields jump after guano introduction



Notes: Data from Healy and Jones (1962).

well: although of course more expensive than not employing any input, it was generally comparable in price or cheaper than bone dust or animal manure. Guano outlays were typically on the order of £2 per acre, which was roughly the same as bone manure. Farmers valued the animal manure they employed at substantially higher rates, with costs of £4 per acre being commonly reported.

Another variable of interest that can be calculated using the field trial data is the typical usage of guano per acre, averaging roughly 300 pounds per acre. Provided an annual import volume of between 200 and 300 thousand tons, approximately 1.5 million acres of land could be fertilized at the typical rate per year. Given the estimates of English arable land in Broadberry et al. (2015), this would imply that between 10-15% of all arable land in England could be fertilized per year, which is significant when we consider that crop rotations were still widely employed and so farmers would not necessarily fertilize every year.

Although guano's high nitrogen content made it an attractive fertilizer in a variety of situations, both agricultural commentators of the time and our own analysis of periodicals confirm that it was primarily used on turnips and grains. One reason for this




Figure 3. Guano outperforms alternative technologies

is the perilously low levels that turnips yields could fall in the absence of fertilization: as cited by Hall (1915), the long-running Rothamsted experiments (see Footnote 3) found that continuously unfertilized turnip plots saw yields collapse by up to 90 percent. Regarding wheat, the renowned agricultural commentator James Caird averred in 1853 how "[the] use of guano has been with me, as with many others for the last ten years, a matter of system... To apply it to the wheat crop is the rule – not to apply it, the exception." In the empirical analysis that follows, we will primarily rely on a more direct measure of soil nitrogen levels, inspired by these observations about the heterogeneous impacts of guano within England.

Although we focus primarily on guano in this paper, we note that nitrates, the main other commercial nitrogenous fertilizer during this period, were introduced at a similar time to guano and were largely sourced from nearby Chile and, to a lesser extent, from India. Although guano generally reigned supreme until around 1870, nitrates became more prominent in the following decades (Cushman, 2013). For the purpose of our empirical analysis, we do not attempt to distinguish between these two products given that they solved similar problems and were subject to similar constraints surrounding availability and cost.

2.3 English Agriculture and Economy

On the eve of the introduction of guano fertilizer in the 1840s, agriculture still occupied a privileged place in the English economy despite the major changes wrought by the Industrial Revolution starting in the mid-18th century. It remained the largest employer in the nation, boasting a one-third share by the time of the 1841 census (Crafts and Harley, 2004), and this rough share had been fairly stable over time as the agricultural work force had already fallen to less than half of the population by the 18th century (Wallis et al., 2018). The same era witnessed a substantial rise in agricultural productivity, which has been variously described as an "Agricultural Revolution", although the suddenness of this transformation has been debated (Clark, 1999). Scholars who emphasize the more gradual nature of change during this time period, such as Allen (2008), point to increasing soil nitrogen as being a key mechanism behind this increase. Yet, the essentially closed nutrient system that existed before the advent of imported fertilizers both limited the maximum extent of such a boost in nitrogen levels and rendered the process of increasing yields slow.

Progress was much faster in other agricultural domains, especially machinery and property rights. Threshing, a highly labor-intensive component of the harvesting process, was an early task to be mechanized, although this led to substantial social unrest and machine destruction during the "Swing" riots of the 1830s (Caprettini and Voth, 2020). The later part of the century saw the mechanization of further parts of the production process, embodied in reaping machines, seed drills, and other implements, as well as technologies to improve drainage such as the cylindrical clay pipe (Jones, 1962). One of the most important, yet controversial, institutional changes to affect English agriculture, the enclosure movement, was also largely complete by the mid-century (Heldring et al., 2022): this involved the transfer of common lands to freehold, a move the neoclassical economists argued would increase productivity.

Government policy towards agriculture was a major political cleavage at the time, as it pitted the landed Tories against the more commercially-oriented Whigs. The first part of the 19th century featured a succession of parliamentary acts dubbed the "Corn Laws", which levied import duties on foreign grain and thus protected British farming interests (Heblich et al., 2024). These duties were repealed in 1846 by sometime-agricultural enthusiast prime minister Robert Peel, although there was no immediate surge of imports, due both to relatively low foreign supply and the fact that the duties automatically adjusted downwards when prices became too high (Fairlie, 1965). Following the American Civil War, a "grain invasion" did take place, with import volumes

increasing and the domestic sector suffering a depression by the 1870s. This downturn marked the end of the "high farming" period that characterized mid-century Victorian agriculture, where high input usage was needed to meet high demand. The introduction and repeal of the "Corn Laws" do highlight an important tension within the agricultural sector of the age: while grain could in principle be imported and exported easily, animal products, which were in increasing demand as the country industrialized and became richer (Oddy, 1970), could not be traded until the advent of refrigeration in the closing decades of the 19th century. As a result, there was particular interest in increasing livestock counts, and in improving productivity in the major fodder crops such as turnips.

The agricultural sector also interacted with changes in other parts of the economy, particularly in transportation. By the 1830s, Britain had developed an enviable system of internal transportation, consisting of mostly-private turnpike roads, canals, ferries, and coastal shipping networks (Alvarez-Palau et al., 2025). Transportation costs within this network were already relatively low, but they would decline further with the advent of the "railway mania" in the 1830s and 1840s, which saw significant investor interest in rapidly expanding (and in some cases over-expanding) Britain's railway network (Bogart, 2014). This infrastructure transported people and goods, including agricultural goods, which were still almost entirely domestically produced until the last decades of the century.

3 Data

3.1 Agricultural Data

England has a rich, if unfortunately mixed, record of collecting agricultural statistics, and we rely on three distinct sources to compile data for our paper. We are the first to assemble these data sources into a consistent panel covering most of the 19th century, as detailed below.

Our primary data contribution is the digitization of three waves of the English Agricultural Census for 1866, 1877, and 1884.[18] Activists such as James Caird had urged the government sponsorship of agricultural censuses for some years before the measure was finally adopted (Fussell, 1944). Opposition mainly came from farmers wary that the census was aimed at increasing tax compliance, which led to the decision to only

[18] A one-time pilot agricultural census was conducted in 1853; however, the data only cover a small subset of counties and are reported at a much larger unit of analysis (poor law unions) than the rest of our data. As a result, we have elected not to incorporate them into the analysis.

inquire about land use and not crop yields. This opposition also led to the decision, in the first several years (including 1866) to separately report data that was directly measured and to data obtained by estimates, which we aggregate together. These data were previously accessible to researchers only as county-level aggregates published in the Parliamentary Papers and in compendium volumes published by the UK government (Ministry of Agriculture, Fisheries and Food, 1968). We are the first to systematically digitize the parish-level data collected by these censuses, found in the UK National Archives under series MAF 68, using advances in the machine learning-driven optimal character recognition of handwritten data using the Transkribus platform. The data for each year comprise about 1000 handwritten tables with around 30 rows and up to 30 columns, and thus are prohibitively expensive to manually transcribe.[19] With the exception of missing crop yield data, the the census records a large number of variables for the near-universe of parishes: as of 1866, data is collected on 15 crops and the presence of fallow, and on several species of livestock and their age breakdown. This only increases in the second and third waves we collect, in 1877 and 1884, to include several more crops and livestock species. Sample tables are found in Appendix Figures A2 and A3.

We also use two data sources that are already well-known to English and agricultural historians due to prior digitization efforts. The first agricultural survey that covers a wide geographic sample of England was conducted in 1801, and is referred to in the literature as the "Crop Returns" (Turner, 2005). These data are fairly extensive in terms of geographic coverage but include the smallest number of variables. They are generally thought to be reliable and are the subject of several existing analyses, culminating in the national arable estimates produced by Turner (1981). The justification for carrying out this survey stemmed from poor harvests throughout the 1790s and the economic shocks induced by the Napoleonic Wars, leading to government fears over the food security of the realm (Minchinton, 1953). The Home Office therefore distributed standard forms that were sent to local bishops and from there to the clergymen of their diocese, asking them to list the acreage sown with seven different crops: wheat, barley, oats, potatoes, beans, peas, and turnips. In the margins, some clergy also recorded acreage sown with other crops such as rye and vetches. The zeal of dioceses for collecting the requisite information varied, but in total around 50% of the land area of England is directly included in the existing data (Turner, 1981).

The second source of agricultural data comes from the Tithe Surveys conducted be-

[19] We acknowledge the efforts of Coppock (2005), who did manually transcribe part of the 1877 census for the southeastern counties of England and make these efforts available to researchers.

tween the years 1836-1841, as collected as the "Atlas of Agriculture in England and Wales" by Kain et al. (1986). These data are less extensive in geographical coverage but record more variables than the 1801 Crop Returns. In particular, the data include yield estimates for various crops, although we are not able to use these data in a panel setting as yields are not reported in other years. Grassland and other types of land use such as woodland and fallow are recorded, as are livestock in some cases.[20] The origin of these data stem from the Tithe Commutation Act of 1836, which reformed the ancient system of tithing, where farmers were required to give around ten percent of the annual produce of their farm to the church. Under the previous system, enterprising farmers who increased their output were penalized by having to pay higher taxes, which was widely viewed as unfair (Kain et al., 1986); this was replaced with a system of cash payment. We should note that parishes are not missing at random, as tithes were already commutated for parishes subject to enclosure acts (Prince, 1959); nonetheless, the sample covers a large part of the country. Additionally, some data may have been based on estimates, since a major purpose was to ascertain "typical" or long-run averages, not necessarily the precise data during the year surveyed (Cox and Dittmer, 1965). Annotations were made by the tithe commissioners to reflect some aspects of data quality, such as whether small landholdings were excluded, that we use in robustness exercises.

A table summarizing the different variables included in our distinct data sets can be found in Table 1. Together, these data for the first time enable the construction of a panel of parishes across the entire 19th century in England. Although each of the data sources are distinct and have their own strengths and shortcomings, we are fortunate that they contain many comparable variables over time.

3.2 Soil Data

Despite its relatively small geographical extent, England contains a wide variety of climatic and soil conditions. Its geological history includes major flooding during the Cambrian period, intense volcanic activity during the Ordivician period, and depositions of sandstone during the Devonian period to be among the most diverse of any country (Woods and Lee, 2018).[21] The primary soil characteristic we will use in our em-

[20] Livestock count were only recorded if a parish filled out a "pastoral return", and thus are only available in a small fraction of parishes, mostly in the southwest of England.

[21] The great variety of rock strata found in Great Britain inspired the birth of the discipline of geology, as exemplified by William Smith's pioneering geological map of the country in 1815 (Winchester, 2001). Many geological periods, including the above-mentioned Cambrian, Ordovician, and Devonian, were named for places or historical peoples of the British Isles.

Table 1. Agricultural Variables, by Data Set

Year	1801	1836-41	1866	1877-1884
Wheat Acreage	✓	✓	✓	✓
Barley Acreage	✓	✓	✓	✓
Oats Acreage	✓	✓	✓	✓
Beans and Peas Acreage	✓	✓	✓	✓
Potato Acreage	✓	✓	✓	✓
Turnips and Rapeseed Acreage	✓	✓	✓	✓
Rye Acreage	✓		✓	✓
Grassland Acreage		✓	✓	✓
Hops Acreage		✓	✓	✓
Gardens Acreage		✓		✓
Fallow Acreage		✓	✓	✓
Clover Acreage		✓	✓	✓
Orchard Acreage		✓		✓
Woodland Acreage		✓		
Heads of Cattle		✓	✓	✓
Heads of Sheep		✓	✓	✓
Heads of Horses		✓		✓
Crop Yields		✓		
Mangold Acreage			✓	✓
Carrot Acreage			✓	✓
Cabbage Acreage			✓	✓
Vetches and Lucerne Acreage			✓	✓
Beet and Sugar Beet Acreage				✓
Flax Acreage				✓
Heads of Pigs				✓

pirical analysis is novel in the economics and economic history literature: the carbon-to-nitrogen ratio (C:N ratio). This ratio captures the balance between the two main components necessary for plant growth: carbon is a necessary component of all organic compounds, and nitrogen is necessary for the synthesis of amino acids. With an ideal level at around 10, many soils possess higher values, up to a maximum of around 30. Soils which have a high C:N ratio have a large quantity of carbon relative to nitrogen and thus should benefit more strongly from the use of nitrogenous fertilizers (Brust, 2019). Farmers in 19th century England would have been unaware of this variable; however, by trial and error could have learned that their cropping and fertilizing decisions needed to vary based on the land's nitrogen deficiency.


We use data from the Countryside Survey topsoil maps, which have been developed by the Centre for Ecology and Hydrology (CEH). The CEH takes over hundreds of soil samples from across the UK, measures the C:N ratio and several other variables in each,

and then extrapolates across the country using the British Geological Survey's Soil Parent Material Model (SPMM) and broad habitat classification to maximize fit between the sample data and over 30 soil characteristics measured in the SPMM (Emmett et al., 2016). Importantly, a soil's parent material, which refers to the weathered rock from which it is formed (e.g., glacial till), is determined by external forces that are not subject to human intervention (Olson, 2005). The resulting data set provides an estimate of the C:N ratio at a 1×1 kilometer grid covering almost the entirety of Great Britain except for some urban cores. Our preferred interpretation of the data construction is that it is analogous to the predicted variables obtained from the first stage of a 2SLS design, where we are predicting a potentially endogenous variable (the C:N ratio) using the variation from an exogenous variable (the soil parent material). The primary difference between the data construction for this variable and the first stage of an IV is that the researchers collected data on the endogenous variable from only a sample of locations.

We also employ two sources of soil and climatic data that are more familiar to economists and economic historians as controls. The first of these is soil texture. A widely-cited distinction present in English soils is that between "heavy" clay-rich soils and "light" sand-rich soils. Although there are clear spatial patterns of this variable across England, there also exist many light and heavy soils in close proximity throughout the country. We take a classification developed by the British Geological Survey, which reports a five-point scale from "lightest soils" to "heaviest soils." There is little concern about this variable being influenced by human activity, as the formation of light and heavy soils is based on deep geological processes. We use this variable as a control because around the time that guano was introduced, the invention of the cylindrical clay pipe significantly improved the prospects for drainage on heavy soils, and we want to ensure that our effects are not influenced by this concurrent development (Cox et al., 1989). We should note that there is almost precisely zero correlation between our soil texture measure and the C:N ratio (see Table 2).

Finally, the most famous geographical division in English agriculture was noted by Caird (1852), who included a famous map in his seminal monograph tracing a line between the eastern "corn counties" (i.e., grain-growing counties) and western "grazing counties." A modern analogue of this distinction can be found in the Food and Agriculture Organization (FAO)'s "Global Agro-Economic Zones" (GAEZ) project, which aims to reconstruct using agronomic models which crops are most suitable to grow in a particular location. These data have been widely used in economics, and in eco-

nomic history in particular (see for instance Nunn and Qian, 2011 and Heblich et al., 2024), but are the subject of recent critiques due to a lack of transparency and, in the US context, incorrect location of the suitable growing regions for crops (Rhode, 2024). We will rely less on this data source in our paper for differences reasons: namely, that the FAO-GAEZ project predicts crop suitability at a relatively low-resolution grid of 5 arc-minutes (about 9 km $\times$ 9 km at the Equator), which is large compared to the size of the typical parish ($\approx$ 12 square km). Furthermore, there tends to be substantial spatial autocorrelation across parishes. Nonetheless, we will show some results controlling for this data source as it is a standard one in economics; the correlation between FAO-GAEZ wheat suitability and our other measures is found below in Table 2. Maps of all three variables can be found in Figure 4, where red respectively denotes high C:N ratios, heavy soils, and high suitability for wheat.



Carbon-to-nitrogen ratio | Heavy vs. light soil | FAO-GAEZ Wheat Suit.

Figure 4. Maps of soil characteristics

Table 2. Correlation Matrix

(obs=11,624)	C:N Ratio	Heavy Soil	FAO-GAEZ Wheat
C:N Ratio	1.0000		
Heavy Soil	-0.0693	1.0000	
FAO-GAEZ Wheat	-0.2855	-0.0009	1.0000

3.3 Textual Data

A wide variety of rich textual data exist in England during the 19th century that we draw upon in our empirical strategy. The first major source is the newspaper data collected at the British Newspaper Archive, who have digitized millions of pages of newspaper throughout our sample period. We measure the interest in guano by simply using the number of hits for the search term "guano" in a particular location in a particular year. Following Beach and Hanlon (2023), we also count the mentions of

a neutral word, "Monday", which allows us to adjust for changes in the extent of the available newspaper corpus across time.

The second major source is agricultural periodicals and books of the time, which are available in digital form through HathiTrust. The most relevant periodicals are the *Farmer's Magazine* (published 1834-1881), the *The Gardeners' Chronicle and Agricultural Gazette* (published 1844-1873), and the *Journal of the Royal Agriculture Society* (published 1839-2002); we also rely on accounts from several contemporary books about guano.[22] Helpfully for us, all of these publications frequently contain references to the use of guano in specific locations.[23] We have already presented some data derived from these periodicals and books in the discussion of experimental field trials and the typical usage rates of guano.

3.4 Grain Market Data

We augment our newly-constructed data panel on parish land use with data from the "Corn Averages" that were published weekly in the London Gazette between 1828-1864. The purpose of these data was to ascertain the average price of grains across the country; if this price rose too much, then the tariff rate on grain imports from the Corn Laws would be automatically lowered. Even after the abolition of the Corn Laws, these data continued to be collected for many decades due to government concerns over social unrest caused by high prices. This source, although well-known to economic historians, has not been widely used in empirical work despite the relatively high quality of the data during this time period (Vamplew, 1980).[24] For the first 14 years until 1842, these data list the real quantities sold and revenues of six grains (wheat, barley, oats, rye, beans, and peas) sold in 150 market towns across England and Wales; this sample expands to 290 towns for the remainder of the time period. Of particular note is that the grain is only *domestic* in origin: sales of imported foreign grain are not recorded. This helps with our interpretation of the sales quantities as proxies of production in the surrounding area, although of course both sales volumes and prices may be affected

[22] In order of publication: *"Guano," & its Returns* (Alexander Macdonald, 1842), *Guano: Its Analysis and Effects* (Antony Gibbs and Son, 1843), *On Guano as a Fertilizer* (Cuthbert Johnson, 1843), *Practical Instructions for using Guano as a Manure* (James Clark, 1845), *English Agriculture in 1850-51* (James Caird, 1852)

[23] A typical example, from 1842, describes how Samuel Linley, of Hackenthorpe near Sheffield, mixed 12 hundredweight of guano with sod ashes and drilled it on five acres of turnips, leaving three acres fertilized only with bones. Although the harvest had not yet concluded, his impressions were favourable, since the plants where he used guano "are looking *much better and healthier than those manured with bones*, and will, I doubt not, produce a much more abundant crop" (emphasis in original).

[24] There are more serious concerns with the data quality in earlier years, but most of these had been satisfactorily resolved by 1828 (Brunt and Cannon, 2013).

by foreign imports in equilibrium.

4 Empirical Strategy

Parish-Level Analysis. Our main analysis considers data at the level of the consistent parishes defined by the Integrated Census Microdata (I-CeM) project. Consistent parishes are designed for comparison across time, taking into account changes in parish boundaries during the 19th century. All soil and geographical variables, including the C:N ratio, are measured by taking the value of the centroid cell in the consistent parish; for robustness, we consider the median value across all cells within the parish boundary.[25]

Key to our identification strategy is a novel metric of the expected "returns to guano" in a particular geography. We define this metric based on the C:N ratio, as detailed in the data section above, and posit that places with high C:N ratio, which are nitrogen-poor due in part to exogenous soil characteristics, would disproportionately benefit from the use of nitrogen-rich fertilizers, such as guano. Depending on the specification, we use either continuous or categorical (above versus below the sample median, by quartile) versions of this variable.

We start by establishing cross-sectional patterns of agricultural activity before the introduction of guano by estimating the following fixed-effects regression on the sample of pre-guano years (i.e., $t \in \{1801, 1836\text{-}41\}$),

$$Y_{p,t} = \alpha_{c(p)} + \alpha_t + \beta \cdot Guano_p + \mathbb{X}'_p\gamma + \varepsilon_{p,t} \tag{1}$$

where Y is the outcome of interest in a parish p and a county c, $Guano$ refers to the "returns to guano", and $\mathbb{X}$ is a vector of controls at the parish level. The inclusion of county and year fixed effects (α_c and α_t) account for constant features of the agricultural economy within a certain county, overarching time shocks, and potential differences in the data collection process across counties and census waves. Importantly, we also control for soil heaviness and crop suitability, which aim to capture other land characteristics of the parish that may matter for cropping choices. Standard errors are clustered at the parish level, the unit of variation in terms of soil characteristics, throughout the analysis. For robustness, we estimate Conley (1999) standard errors with different radii to account for spatial correlation between parishes.

[25] We refrain from using a hexagonal spatial grid (c.f., Heblich et al., 2023, Voth et al., 2023) to aggregate outcomes because the variation in missing data across parishes in our agricultural panel would lead to irregular cell coverage across waves, potentially compromising comparability of spatial units over time.

Next, we leverage the panel structure of our data, which spans five time periods corresponding to the waves of agricultural land use and livestock count we assembled for this project, in an event study framework. We estimate the following two-way fixed effects specification,

$$Y_{p,t} = \alpha_p + \alpha_t + \sum_{\tau \neq 1836\text{-}41} \beta_\tau \cdot Guano_p \cdot \mathbb{1}\{t = \tau\} + \varepsilon_{p,t} \tag{2}$$

controlling for parish-specific characteristics that remain constant over time (α_p) as well as time-specific factors that affect all parishes uniformly (α_t). The wave 1836-41, the last pre-guano period, serves as the reference period, while we assess the parallel trends assumption by testing whether the coefficient β_{1801} is statistically indistinguishable from 0.[26] Provided that potential outcomes would have evolved similarly across parishes in the absence of guano, we can interpret the estimated coefficients, β_τ, as recovering the average effect of guano on our outcomes of interest after τ periods. We note that this is not a setting where treatment is staggered, so there is no concern over the two-way fixed effects specification possibly assigning observations negative weights.

Finally, we pool data to simply compare the pre-treatment periods with the post- periods in a simple DiD model,

$$Y_{p,t} = \alpha_p + \alpha_t + \beta^{DiD} \cdot Guano_p \cdot Post_t + \varepsilon_{p,t} \tag{3}$$

where $Post_t := \mathbb{1}\{t > 1836\text{-}41\}$. While still controlling for both parish and time fixed effects, we turn to this static specification as there are some variables of interest that are not reported in 1801, making it impossible to estimate pre-treatment coefficients. Assuming homogeneous effects across time, β^{DID} identifies the *average treatment effect* of guano *on the treated* parishes (ATT).

Market-Level Analysis. Data on grain sales are reported at the market-town-week level. Therefore, we replicate the empirical strategy used in Equation 3 as follows

$$Y_{m,t,w} = \alpha_m + \alpha_t + \alpha_w + \sum_{\tau \neq 1839} \beta_\tau \cdot \overline{Guano}_m \cdot \mathbb{1}\{t = \tau\} + \mathbb{X}'_{m,t}\gamma + \varepsilon_{m,t,w} \tag{4}$$

The subscripts indicate the following level of observation: m for market town, t for year, and w for week. In order to construct a cross-sectional measure of exposure, we define a market's catchment area using Voronoi polygons: our primary specification takes a simple average of the data points within a 5-kilometer radius surrounding the town,

[26] Note that, most of our analysis on agricultural outcomes will focus on logged dependent variables, implying that parallel trends should hold in percentage terms (and not necessarily in level). This is arguably more plausible if time-varying factors, such as changes in the macroeconomy, have a multiplicative impact on the regression outcomes.

but excluding any parts of that radius that are closer to a different town; for robustness, we vary the length of the radius and assign distance-specific weights to parishes.[27] We control for a rich set of geographic covariates (i.e, distance to coastline, a dummy for the six largest industrial cities in 1839,[28] and wheat suitability), all interacted with year dummies, and clustered standard errors at the market level.

Variable Transformations. Our outcome variables are typically a measure of crop acreage or livestock counts. These variables are weakly positive, which precludes us from applying a simple logarithm to transform the data. Despite their widespread use in applied work, log-like transformations, such as $\log(1+Y)$ and $\text{arcsinh}(Y) = \log\left(\sqrt{1+Y^2}+Y\right)$, have been shown to be arbitrarily sensitive to the units of the outcome variables (Aihounton and Henningsen, 2021; De Brauw and Herskowitz, 2021). In light of this concern, we follow the approach proposed by Chen and Roth (2024) for the DiD setting and estimate log-effects with calibrated extensive-margin value. Importantly, this approach focuses on a concave transformation of the outcome – therefore, less heavily influenced by observations in the tail – while explicitly weighting the extensive margin relative to the intensive margin.

We first normalize the dependent variable, $Y_{p,t}$, by dividing it by $y_{min} \equiv \min_{Y_{p,t}>0} Y_{p,t}$, so that 1 corresponds to its minimum nonzero value in the estimation sample. Then, we estimate treatment effects on the transformed outcome $m(Y)$, where $m(y) = \log(y)$ for $y > 0$ and $m(0) = -x$ for some value of x. Armed with this transformation, the choice of x allows us to directly model the weight of the extensive-margin changes: setting $x = 0$ effectively "turns off" extensive-margin changes between 0 and y_{min}, focusing solely on intensive-margin changes among parishes with positive acreage or livestock; setting $x = 1$ implies that a change between 0 and y_{min} is valued as the equivalent of a 100 log-point change along the intensive margin, and so on. In a nutshell, raising the value of x places an increasingly large weight on the extensive margin.[29] As robustness, we estimate average proportional treatment effects, i.e., the percentage change in the average outcome for the treated group in the post-treatment period, using Poisson

[27] See Appendix Figure A4 for the distribution of market towns in our sample and an example of their catchment areas at our baseline specification of 5 kilometers. Notice that the average distance between a town and its nearest neighbor is 15 kilometers, with a minimum just above 5. Therefore, using large radii would imply having disproportionately bigger catchment areas for market towns in less densely populated regions.

[28] These cities are London, Liverpool, Manchester, Birmingham, Sheffield, Leeds, and Bristol.

[29] Expanding on Footnote 26, given that we employ different transformations of Y, the parallel trends assumption for the identification of treatment effects on $m(Y)$ applies to the transformation of the potential outcome $m(Y(0))$. Besides being specific to the functional form $m(\cdot)$, such identifying assumption will also depend on the units of the outcome (Roth and Sant'Anna, 2023). Therefore, we assess the sensitivity of parallel trends to the choice of x in Appendix B.

quasi-maximum likelihood estimation (QMLE).[30]

5 Results

5.1 Motivating Evidence

To support our identification strategy based on soil variations across space and motivate our subsequent analysis on the effects of guano on agricultural outcomes, we first document that nitrogen constraints were binding on farmers before the advent of nitrogenous fertilizers. Without a ready source of nutrients for purchase, farmers in nitrogen-deficient areas were forced to adopt different farming practices from those in nitrogen-rich areas. In particular, nitrogen-light crops such as peas, beans, and clover, which were less economically lucrative, were grown at substantially higher rates in nitrogen-deficient areas according to the 1801 and 1836-41 agricultural data.

Regression estimates in Table 3 shows that a one point increase in the C:N ratio – that is roughly on a scale from 10 to 20 – corresponds to a 3-4 percent reduction in the acreage under nitrogen-intensive crops, and a similarly-sized increase in nitrogen-light crops of a similar magnitude. The coefficients remain statistically significant at the 5 percent level even after including county fixed effects and controlling for soil heaviness and suitability to those crops. The relationship between crop acreage and nitrogen deficiency in the pre-guano period is robust to using the median C:N ratio (Appendix Table B1), rather than the value at the parish centroid, and holds non-parametrically (Appendix Figures B2 and B3). The results are qualitatively similar when we instead use a binary variable based on whether the parish is above or below the median C:N ratio in the sample (Table 3, Column 5). These findings are consistent with our expectation that greater sources of nitrogen needed to be found, at an economic cost, in the nitrogen-deficient regions of the country.

[30] This method is recommended by McConnel (2024) in order to avoid Jensen bias in multiplicative DiD models, first documented by Silva and Tenreyro (2006). However, Poisson regressions do not address the possibility that average effects might be dominated by observations in the tail of the outcome distribution (e.g., due to erroneous data digitization or other sources of mismeasurement), which can be a major issue in applications with historical data. We partially address this issue by comparing crop acreage with the total area of a certain parish and, therefore, dropping observations with unreasonably high values (see Appendix A.3).

Table 3. Nitrogen deficiency shapes planting prior to the introduction of guano

	(1)	(2)	(3)	(4)	(5)
Log-acreage under nitrogen-intensive crops					
Carbon:**N**itrogen ratio (%)	-0.043***	-0.043***	-0.047***	-0.034***	
	(0.012)	(0.012)	(0.012)	(0.011)	
Carbon:**N**itrogen ratio above the sample median (0/1)					-0.076***
					(0.027)
Number of observations	7,305	7,304	7,304	7,304	7,304
Number of parishes	6,330	6,329	6,329	6,329	6,329
Adjusted *R*-squared	0.006	0.168	0.174	0.194	0.193
Log-acreage under nitrogen-light crops					
Carbon:**N**itrogen ratio (%)	0.093***	0.027**	0.036***	0.031**	
	(0.014)	(0.012)	(0.012)	(0.012)	
Carbon:**N**itrogen ratio above the sample median (0/1)					0.111**
					(0.043)
Number of observations	7,320	7,319	7,319	7,319	7,319
Number of parishes	6,347	6,346	6,346	6,346	6,346
Adjusted *R*-squared	0.190	0.295	0.302	0.305	0.305
County fixed effects		✓	✓	✓	✓
Soil heaviness fixed effects			✓	✓	✓
Crop suitability controls				✓	✓

Notes: *Significant at 10%. **Significant at 5%. ***Significant at 1%. Unit of observation: parish × year. Sample: 1801 and 1836. All regressions are least squares with fixed effects and controls (indicated in the last three rows of the table) and standard errors clustered at the parish level (in parentheses).

5.2 Where Was Guano Fertilizer Adopted?

Continuing from our motivating evidence, we ask whether guano adoption follows the patterns implied by the spatial variation in nitrogen deficiency. There are unfortunately no systematic data on guano usage in England. Nonetheless, there are a few possible ways to derive a "first-stage" where we empirically test whether the exogenous soil characteristics that we expect predict guano usage are in fact a valid measure of exposure. The first uses newspaper data from the British Newspaper Archive. In this test, we check whether the term "guano" appear more often in regions we deem to see greater "returns from guano" (i.e., regions with a high C:N ratio). It is not appropriate to estimate a DiD regression on this outcome variable, as the term "guano" appears extremely rarely everywhere before its introduction in 1840. In order to make our results easier to compare, we normalize the mentions of "guano" by the mentions of the word "Monday", in line with Beach and Hanlon (2023) who suggest using a neutral word to capture temporal trends in the size of the extant newspaper corpus.[31]


[31] For example, newspapers in Herefordshire in 1850 reported 65 mentions of the word "guano" and 1876 mentions of the word "Monday", so we would assign this observation a value of 0.035.

We compute the average value of the C:N ratio in each county, and compare the relative mentions of "guano" compared to "Monday" between either above-median and below-median counties or above-75th percentile and below-25th percentile counties, omitting the cities of London, Liverpool, Manchester, and Bristol.[32] The raw time series for each are reproduced in Figures 5a and 5b. In line with our hypothesis that nitrogen-poor areas are likely to benefit more from the use of guano and therefore be more likely to adopt it as an agricultural input, we observe more mentions of guano in above-median counties in most years, although the difference is relatively small. When comparing counties above the 75th percentile to counties below the 25th, however, the gap becomes substantial, with counties in the top quartile of C:N ratios reporting almost double mentions of guano in most years. The latter result is particularly meaningful because this is isolating a comparison between counties that are predominantly nitrogen-rich and predominantly nitrogen-poor; there are also a number of counties where there is substantial variation and where we might not expect stark differences on the aggregate level.


[32] These cities were home to national newspapers or newspapers that reported on shipping and other commercial news, such that mentions of "guano" are less likely to reflect local agricultural conditions.

Figure 5. Guano diffusion is higher in nitrogen-poor counties

(a) Above-median versus below-median



(b) Above-75th percentile versus below-25th percentile



Notes: The variable plotted on the y-axis is obtained by dividing the total number of annual mentions of the word "guano" by the total number of annual mentions of the word "Monday' from the British Newspaper Archive (after excluding the cities of Bristol, Liverpool, London, and Manchester). "Carbon-nitrogen ratios" are calculated by averaging the measure available in the Countryside Survey topsoil maps from the Centre for Ecology and Hydrology at the county level.

A more geographically disaggregated approach is to count mentions of guano usage in specific locations in England and Wales in the various agricultural magazines of the period. The advantage of this approach is that we have hard data on the particular farm or village where guano is being used. The downside, though, is that these data are unsystematic and we have little way of knowing the precise selection process into being mentioned in the magazine. To allay this concern, we compare locations where guano usage is mentioned in the years 1840-44 to locations that are mentioned in any context in the issue from 1839, before the introduction of guano. We find that parishes in England that report guano usage have higher average values of the C:N ratio than the parishes that are mentioned in the 1839 issue, which is robust to controlling for variables like distance to coastline that are themselves significant predictors of guano adoption.[33] In sum, we argue that evidence from two different types of textual sources, newspapers and agricultural periodicals, points to our measure of nitrogen deficiency as being predictive of the decision to adopt guano fertilizer.

5.3 Event Study and Differences-in-Differences

We now turn to our main empirical results, which we will report both as event study and as DiD regressions. The difference in presentation is driven largely by data constraints: in particular, there are discrepancies across years in the number of variables included in our different data sources and lingering concerns about the data quality of some observations in 1836-41. To better establish the plausibility of parallel trends of counterfactual outcomes with respect to the C:N ratio, we start by reporting results of an event study on the parish-level acreage of nitrogen-intensive crops in Figure 6.

We define nitrogen-intensive crops to be wheat, barley, potatoes, and turnips both because these are crops that we have data for in each of our five periods, and because these are crops that both modern scholarship (Sinclair et al., 2022) and contemporary sources (cf. Hall, 1915 and Caird, 1852) emphasize as benefiting from nitrogenous fertilizer. Reassuringly, the event study exhibits a clear lack of pre-trends in 1801 when comparing parishes with high and low values of the C:N ratio (as defined by being below or above the sample median, respectively). On the other hand, in the post-treatment periods we see a sizable increase in acreage of nitrogen-intensive crops, reaching 9% in 1884, in parishes with high C:N ratios.[34] The growing effect dynamics is in line

[33] The relevant regression is $Y_i = \beta_0 + \beta_1 \text{C:N Ratio}_i + \gamma X_i + \epsilon_i$, where Y_i is a dummy variable indicating whether a parish is mentioned in the 1839 sample or in the sample of guano-using places, and X_i is a possible control variable. In the regression with no controls, the p-value for the null hypothesis $\beta_{1,guano} = \beta_{1,1839}$ is 0.1039.

[34] The results are robust to varying the weight of the extensive margin as compared to the intensive margin.

with a gradual diffusion of guano over time and learning about how to change farming practices to best take advantage of the new product. These results build off our earlier evidence that farmers were indeed constrained by nitrogen levels in the early 19th century by showing more rigorously the response of acreage to these fertilizers.

Figure 6. Dynamic Effects on Nitrogen-Intensive Crop Acreage



Notes: Event-study estimates with 90 percent confidence interval based on least squares regressions as in Equation 2 with year and parish fixed effects. Standard errors clustered at the parish level. Unit of observation: parish × year. The outcomes are expressed in natural logarithm so that coefficients can be interpreted in terms of percentage change.

We next turn to estimates from DiD regressions, as reported in Table 4. Column (1) presents average treatment effects on total crop acreage. The coefficient is a precisely estimated zero for the whole sample. This would indicate that the postulate of Kinsley (2022) and others that guano fertilizer led to an expansion of cultivation to more marginal land is at the very least not differentially true when comparing more- and less-exposed parishes. (It is the case that total area under cultivation increases across the board between 1836-41 and 1866.) What we instead see, reflected in Columns (2) and (3), is a significant reallocation towards nitrogen-intensive crops and away from other crops. Furthermore, we see in Column (4) that fallow land (which we omit from our main nitrogen-intensive and nitrogen-light variables) falls sharply in places with

Appendix Figure B5 presents several estimates, assigning a value of 100 x log points to an extensive-margin change between 0 and the minimum nonzero value of nitrogen-intensive crop acreage, according to the procedure detailed in the methodology section. Overall, this robustness check suggests that the extensive margin does not play a major role in explaining our main findings.

high C:N ratio after 1840. When combined with the previous motivating evidence, we interpret these results as indicative of convergence between high- and low-nitrogen parishes: that the nature of agricultural activity has become less dependent on the particular local conditions a farmer faces.

Table 4. Introduction of guano relaxes ecological constraints on crop allocation

	(1)	(2)	(3)	(4)
Outcome:	*Total acreage*	*Nitrogen-intensive crops*	*Nitrogen-light crops*	*Fallow land*
High **C**arbon:**N**itrogen ratio × Post-1840	0.010	0.061***	-0.117***	-0.332***
	(0.022)	(0.023)	(0.042)	(0.093)
Number of observations	18,600	18,600	18,600	15,121
Number of parishes	4,927	4,927	4,927	4,889
Adjusted R-squared	0.679	0.705	0.540	0.525

Notes: *Significant at 10%. **Significant at 5%. ***Significant at 1%. Unit of observation: parish × year. All regressions are least squares as in Equation 3 with year and county fixed effects. Standard errors (in parentheses) are clustered at the parish level . 'High carbon-to-nitrogen ratio' is a binary variable equal to one if the carbon-to-nitrogen ratio of the parish is above the sample median. The outcomes are expressed in natural logarithm so that coefficients can be interpreted in terms of percentage change.

The second and third panel in Appendix Table B2 restricts the sample to parishes observed in either four census waves ("almost-balanced panel") or all five waves ('fully-balanced panel), respectively, instead of using the data on the whole sample, which is unbalanced across years. The small size of the most restrictive panel is due to an unfortunately low degree of geographical overlap between the 1801 and 1836-41 agricultural data; nonetheless, the sample is large enough to yield sufficient statistical power for nitrogen-intensive crops, and the results are quite comparable across samples.[35] Moreover, our estimates are robust to adjusting standard errors for spatial correlation (Appendix Table B2), to considering the median-based exposure (Appendix Table B3), to using a Poisson quasi-maximum likelihood regression (Appendix Table B4), to including region-by-year fixed effects (Appendix Table B5), and to controlling for wheat suitability interacted with year dummies (Appendix Table B6). The latter rules out that the effects of guano are explained by other contemporary shocks, such as the Corn Law repeal studied by Heblich et al. (2024).

[35] When focusing on the balance panel, we find a marginally significant positive effect on total acreage. However, this effect is second-order compared to the increase in nitrogen-intensive crop, which is estimated to be 9 to 14%, on average, in the two alternative estimation samples.

We conclude with results on livestock counts, which we believe may also be an important part of the story of the Nitrogen Revolution in England. In this case, there is a fairly severe degree of unrepresentativeness in the pre-period data, as many parishes in England did not report any livestock figures for 1836-41.[36] The estimates in Table 5 show that the number of cows differentially increased in the low-nitrogen parishes after the introduction of guano. This is in line with the evidence that guano was largely used on turnips, which is an animal fodder. Data on horses are unfortunately absent in 1866 so there is a significant time gap between the two waves of data, although we estimate a similarly large increase in horse populations in low-nitrogen parishes. Finally, these is little evidence of differential effects for sheep population, which is unsurprising given that sheep rearing was not an important part of "high farming" practices.[37] The results on livestock remain robust to the wide array of sensitivity checks we implemented for crop outcomes (Appendix Tables B7, B8, and B9).

Table 5. Changes in cropping are accompanied by increased rearing of livestock

Fully-balanced panel			
Outcome:	*Cows*	*Horses*	*Sheep*
High **C**arbon:**N**itrogen ratio × Post-1840	0.187*	0.284**	0.041
	(0.107)	(0.133)	(0.157)
Number of observations	1,768	13,329	1,768
Number of parishes	442	6,391	442
Adjusted R-squared	0.599	0.558	0.416

Notes: *Significant at 10%. **Significant at 5%. ***Significant at 1%. Unit of observation: parish × year. All regressions are least squares as in Equation 3 with fixed effects (indicated in the last three rows of the table) and standard errors clustered at the parish level (in parentheses). 'High carbon-to-nitrogen ratio' is a binary variable equal to one if the carbon-to-nitrogen ratio of the parish is above the sample median. The outcomes are expressed in natural logarithm so that coefficients can be interpreted in terms of percentage change.

5.4 Heterogeneity Analysis

We explore the existence of heterogeneous effects of guano that may shed light on the underlying mechanisms behind our main findings. The first heterogeneity analysis we undertake is based on the crop yield data that we uniquely have access to from the 1836-41 Tithe Surveys. The event study, reported in Figure 7a, separates parishes based

[36] As a result, our pre-period data stem mainly from the mostly southwestern counties of Somerset, Devon, and Cornwall. Nonetheless, these counties still have wide variation in soil characteristics, and we can obtain a sizable balanced panel as we have data on most of these parishes from the 1866 and 1884 census waves as well. Data on count of horses are more extensive in the pre-period.

[37] Sheep rearing became less important over the 19th century, with cotton textiles increasingly dominating woolen textiles as the Industrial Revolution progressed.

on whether the average of their 1836-41 yields for wheat, barley, and turnips is above or below the median, based on the sample where these data are present. Again, there is no evidence of differential pre-trends among high- and low-yield parishes before the introduction of guano. Then in our first post-period year, it appears that the *less* productive parishes were the ones that increased their acreage by more, although this differential effect is not persistent over time. These results provide further evidence for the existence of "convergence" along the additional dimension of crop yields.

The second heterogeneity analysis we perform is based on a parish's distance to the closest of a set of 29 major English cities.[38] Parishes close to cities may have had access to cheap fertilizers in the form of nightsoil, horse manure, and other urban waste, which Brunt (2007) estimates as being significant in the first part of the 19th century. However, these substances were extremely heavy and uneconomical to transport over any significant distance, so parishes far away from major centers were unlikely to have benefited. Furthermore, parishes that were far away from cities had worse access to output markets, which put them at a further economic disadvantage. The event study, reported in Figure 7b, separates parishes based on whether they have above or below median distance to one of the major cities. We find no evidence of pre-trends, but a sharp change in the post period, with all of our effects driven by parishes that are farther away. We also interpret this dimension as a form of convergence, since the far-away parishes were able to overcome structural disadvantages through the introduction of fertilizers.

5.5 Grain Market Analysis


Given the time gap between the last pre-period data point (in 1836-41) and the first post-period data point (in 1866), we now turn to provide evidence on dynamics during the intervening years using our data on grain sales quantities in the panel of market towns between 1828-1864. In Figure 8, we observe no evidence of a pre-trend in the years prior to the introduction of guano when comparing log sales volumes in towns with nitrogen-rich versus nitrogen-poor hinterlands. After 1840, by contrast, we observe a gradual increase in sales volumes in nitrogen-poor towns relative to nitrogen-rich towns that typically reaches a level of around 0.15 log-points, indicating a 15% increase in sales. A gradual increase is consistent with the evidence from import trade statistics, which suggest that guano imports did not reach a consistently high level until the 1850s. If we compare this to our estimates of how the introduction of guano affected

[38] We take this list of cities from Walker Hanlon's Historical British City-Industry Database.


land use patterns by 1866 (approximately the end date of these data) where we find a reallocation of 0.06 log-points towards nitrogen-intensive crops, the effects on total production as proxied by sales appear to be quantitatively larger. This would suggest that the introduction of the fertilizer increased production both by increasing the acreage devoted to nitrogen-intensive crops and by increasing productivity on inframarginal land.

Figure 7. Heterogeneous Dynamic Effects on Nitrogen-Intensive Crop Acreage

(a) By Pre-Guano Productivity




(b) By Output Market Access



Notes: Event-study estimates with 90 percent confidence interval based on least squares regressions as in Equation 2 with year and parish fixed effects. Standard errors clustered at the parish level. Unit of observation: parish × year. The outcomes are expressed in natural logarithm so that coefficients can be interpreted in terms of percentage change.

Figure 8. Overall



Notes: Event-study estimates with 90 percent confidence interval based on least squares regressions as in Equation 4 with year, week of the year and market town fixed effects; and macroregion-by-year and port city-by-year fixed effects. Standard errors clustered at the market town level. Unit of observation: town × week. The outcomes are expressed in natural logarithm so that coefficients can be interpreted in terms of percentage change.

6 Model

Nitrogenous fertilizers were a novel technology that we argue allowed places that were constrained in their choice of economic activity to converge with less-constrained parts of the country. In this way, guano and nitrates differ from other types of spatially-embedded technologies studied in the literature, such as irrigation (Hornbeck and Keskin, 2014), the introduction of New World crops (Nunn and Qian, 2011), the diffusion of GMO soybeans (Bustos et al., 2016), among many others, which tend to drive divergence between those places which can adopt these technologies and those which cannot. The question we explore in this final section of the paper is the implication of "convergent" technologies on welfare, when we account for the ability of locations to trade with one another in an integrated national market. The main theoretical finding of our model is that, like any productivity-enhancing technology, guano and nitrates increased welfare. However, this welfare gain is sensitive to the level of market integration in the economy, with the technology providing a larger relative improvement when transport costs are high. The intuition for this is straightforward: by making places that were disadvantaged more similar to places that were advantaged, gains from trade are diminished due to reduced specialization. We can therefore think of the Nitrogen Revolution as being qualitatively different from the transformational developments occurring at the same time in industry, transportation, and other sectors of the economy, which instead created or encouraged new patterns of regional economic specialization and thus complemented the increasingly integrated nature of the English economy.

Our model is in the spirit of Ricardian model proposed by Eaton and Kortum (2002), which has since been widely applied to the agricultural sector, both historically (Donaldson, 2018) and in the present day (Farrokhi and Pellegrina, 2023, Costinot et al., 2016). In particular, the Eaton–Kortum (henceforth, EK) model provides a tractable way of modeling both comparative and absolute advantage in an environment with many sectors and locations, which closely matches our historical setting. We note at the outset that this model only covers the domestic English economy, treating it in isolation from the world. Throughout much of the period we study, English agricultural imports were modest but relatively constant as a share of overall consumption; this relatively static international trade position does change towards the end of the 19th century, which may limit the applicability of our model. The model features a set of N parishes that produce K crops, each of which has a continuum of varieties indexed j. Each parish o possesses an endowment L_o of land, which is immobile and supplied

inelastically. For simplicity, we abstract from the labor market (following Donaldson, 2018). A representative consumer in each parish possesses the identical utility function that is Cobb-Douglas across crops and constant elasticity of substitution for varieties within crops:

$$U_o = \sum_{k=1}^{K} \mu_k \log \int_0^1 \left(C_o^k(j)\right)^{\epsilon} \frac{1}{\epsilon} dj$$

where μ_k is the weight placed on each crops such that $\sum_k \mu_k = 1$, $C_o^k(j)$ is the consumption level, and $\epsilon \doteq \frac{\sigma-1}{\sigma}$. We assume that σ, i.e., the elasticity of substitution, is identical for each product.

Every variety j of crop k can be produced on any plot of the parish's land L_o using a constant returns to scale production function based on a variety-specific productivity shock $z_o^k(j)$:

$$Y_o^k(j) = z_o^k(j) L_o^k(j)$$

In common with the EK literature, we model these productivity shocks using a Fréchet distribution parametrized as follows:

$$F_o^k(z) \doteq \Pr\left\{Z_o^k \leq z\right\} = \exp\left\{-f^k(N_o) z^{-\theta}\right\} \tag{5}$$

where $f^k(N_o)$ represents the crop-specific penalty associated with having a high value of the carbon-to-nitrogen ratio and θ governs how dispersed productivity draws are across varieties of the same crop within a parish (with lower values indicating more heterogeneity).[39]

We parametrize $f^k(\cdot)$ as a decreasing function whose functional form is motivated by the observations that (1) the optimal ratio of C:N is approximately 10 (NRCS, 2022) and (2) the "law of the minimum" implies that there are diminishing returns to reducing the C:N ratio as we approach the optimum, as it becomes increasingly likely that nitrogen levels cease to be the binding constraint on crop growth. We thus choose the parsimonious functional form:

$$f^k(N_o) = 1 - \gamma_k (N_o - 10)^2$$

where γ_k is a crop-specific parameter representing how quickly crop production diminishes as we stray from the optimal carbon-to-nitrogen ratio of 10.[40] In particular, $\gamma_k = 0$

[39] In extensions to the model, we consider the addition of an additional crop- and parish-specific productivity parameter to capture forces that govern agricultural productivity that are distinct from the C:N ratio.

[40] It is possible for this $f^k(N)$ to become negative for large values of N. In these cases, we censor this variable at a value just below the maximum non-negative value, although this adjustment affects only a

for a crop whose production is unaffected by soil nitrogen levels (our "nitrogen-light crops"), whereas $\gamma_k > 0$ for "nitrogen-intensive" crops.

Before the introduction of fertilizer, $N_o = \bar{N}_o$: each parish is endowed with an exogenous carbon-to-nitrogen ratio. But, the advent of fertilizers allows the option to alter this natural endowment with imported nutrients. We model each unit of fertilizer as being able to reduce nitrogen deficiency by one unit per unit of land. Furthermore, fertilizer is only applied towards the land devoted to nitrogen-intensive crops, not towards land devoted to nitrogen-light crops. Denoting the share of land devoted to nitrogen-intensive crops as α_o^N, the resulting level of nitrogen deficiency in parish o after purchasing M_o units of fertilizer is: $N_o = \bar{N}_o - \frac{M_o}{\alpha_o^N L_o}$. This captures the intuitive property that in order to achieve an equivalent reduction in the carbon-nitrogen ratio, large parishes need to purchase more fertilizer than small parishes.

In autarky, each parish must consume each variety based on its own production, at the "free-on-board" price, i.e., the price the variety sells at in the parish where it is produced, which is equal to the marginal cost. Holding the (potentially endogenous) nitrogen level constant, this price is equal to the following expression:

$$p_{oo}^k(j) = \frac{r_o}{z_o^k(j)}$$

We next turn to equilibrium price setting in the model. To start, consider the distribution of the price of varieties of crop k that could be produced in parish o and consumed in parish d, subject to an iceberg trade cost T_{od}:

$$G_{od}^k \doteq \Pr\left\{P_{od}^k \leq p\right\} = 1 - \exp\left\{-f^k(\tilde{N_o})\left(r_o T_{od}\right)^{-\theta} p^\theta\right\}$$

The final distribution of prices p_d^k depends on the realized distribution of prices G_{od}^k for each origin parish. If $p_d^k > p$, it must be the case that we do not observe a price less than p from any possible origin parish, generating the following CDF:

$$G_d^k(p) \doteq \Pr\left\{P_{od}^k \leq p\right\} = 1 - \Pi_{o=1}^D\left[1 - G_{od}^k(p)\right]$$

For any given vector of endogenous nitrogen levels $\tilde{N}_o$, the price distribution $G_d^k(p)$ is Weibull-distributed, which means we can calculate the mean price of crop k in parish d as follows:

$$p_d^k = \mathbb{E}\left[p_d^k(j)\right] = \Gamma\left(1 + \frac{1}{\theta}\right)\left[\sum_{o=1}^{D} f^k(\tilde{N_o})\left(r_o T_{od}\right)^{-\theta}\right]^{-1/\theta} \tag{6}$$

small number of parishes.

where $\Gamma(\cdot)$ represents the gamma function. By re-arranging this price-setting equation and using properties of the Fréchet distribution, we can calculate another variable of interest, the probability that parish d sources a variety of crop k from parish o:

$$\pi_{od}^{k} = \Gamma\left(1+\frac{1}{\theta}\right)^{-\theta} f^{k}(\tilde{N}_o)\left(r_o T_{od}\right)^{-\theta}\left(p_d^k\right)^{\theta}$$

In order to close the model, we finally impose market clearing conditions. The balanced trade conditions stipulate that the total revenue earned by factors in parish o (both land and fertilizer) must equal the total revenue the parish receives by selling its output X_{od}^{k} to all other parishes including itself. This in turn is a function of the probability that parish o is the lowest-cost supplier of a variety of crop k in parish d, the consumption share of crop k, and the factor revenue in parish d consisting both of the land rent and the returns to a parish's exogenous supply of fertilizer $\bar{M}_d$.[41] The total demand for the input must equal its exogenous supply $\bar{M} \equiv \sum_o \bar{M}_o$. We therefore obtain the following set of market clearing equations:

$$\forall o: \; r_o L_o + m M_o = \sum_d \sum_k X_{od}^{k} = \sum_d \sum_k \pi_{od}^{k} \mu_k \left(r_d L_d + m \bar{M}_d\right)$$

$$\sum_o M_o = \bar{M}_o$$

We also require a set of first-order conditions that capture the optimal choice of fertilizer use in the parishes that choose to augment their natural nitrogen endowment. Because it is possible for a parish to not buy any nitrogen in equilibrium, we employ complementary slackness conditions that impose that *either* parish o buys guano and so has marginal product of guano equal to marginal cost *or* does not buy guano and so has marginal product of guano less than marginal cost. These can be summarized as follows:

$$M_o \cdot (m - MRPN_o) = 0$$

where $MRPN_o$ is the negative derivative of the revenue product function $RP(N) = \sum_k \alpha_o^k p_o^k f^k(N)$ with the term α_o^k denoting the share of land that parish o devotes to crop k.[42] The condition can be satisfied either if $M_o = 0$ (corner solution) or if $m - MRPN_o = 0$ (interior solution).

The complementary slackness conditions, market clearing conditions for goods and

[41] This representation embeds the more realistic specification where one or more parishes/ports $m_1, ..., m_n$ have no supply of land ($L_{m_n} = 0$) and the entire supply of fertilizer ($\sum_{m_n} \bar{M}_{m_n} = \bar{M}$).

[42] By a property of the Fréchet distribution, the share of land devoted to any crop k is equal to the following: $\alpha_o^k = \frac{\left(p_o^k f^k(\tilde{N}_o)\right)^{\theta}}{\sum_k \left(p_o^k f^k(\tilde{N}_o)\right)^{\theta}}$

market clearing condition for fertilizer combine to create a system of $2N$ equations in $2N$ unknowns.

As is standard in EK-type models, we will define welfare to be the real agricultural income of factor owners: i.e., the income of owners of land and fertilizer divided by the price index of agricultural goods.

$$W_o = \frac{r_o L_o + m M_o}{P_o} \propto \frac{r_o L_o + m M_o}{\prod_k (p_o^k)^{\mu_k}}$$

6.1 Simulation

The rich general equilibrium forces of the model here preclude an analytic solution for the effect of input access on the gains from trade, as the relevant intermediate market clearing equations are implicit.[43] To generate model prediction, we instead consider simple simulations of our model with only two sectors and two parishes. We begin with a simulation that is implicit in the discussion of the "Nitrogen Revolution" so far: a comparison between a parish r that is rich in nitrogen, and a parish p that is poor in nitrogen, but that are otherwise identical. When fertilizer is introduced, they can both purchase fertilizer on the market at an endogenous price m. When a small amount of nitrogen becomes available for sale, the marginal revenue product of nitrogen will be higher in parish p than in parish r: as a result, all of the fertilizer will be purchased by parish p in a corner solution. This pattern will continue until the $MPN_p = MPN_r$, at which point both parishes will purchase equal amounts of additional fertilizer (note, though, that $r_p < r_r$ due to the superior endowment in parish r).

So, given any supply of fertilizer, it is possible to compute equilibrium rental prices and fertilizer prices, fertilizer usage by parish, and ultimately welfare. The first, and most basic, question is whether fertilizer does indeed raise welfare aggregate welfare, as opposed to merely redistributing welfare from the nitrogen-rich parish to the nitrogen-poor parish. Under a wide variety of configurations, the answer is an unambiguous "yes": and welfare is raised in both parishes even though prices fall. The reason for this is partly due the structure of the EK model: when each crop consists of many different varieties, all of which consumers want to consume, then any increase in productivity, anywhere, allows all other locations to gain access to a larger supply of cheap varieties. Insofar as the assumption of differentiated varieties may not be realistic in an agricultural setting that is a limitation of the present analysis; we do note, however,

[43] Many articles using the EK model, such as Di Giovanni et al. (2014), derive analytic solutions in the presence of a constant returns to scale sector that pins down factor prices. However, in this paper we are studying model experiments that may change relative land rental prices.

that the EK model has been frequently applied to agricultural settings in the literature (cf. Donaldson, 2018, Costinot et al., 2016, Farrokhi and Pellegrina, 2023, etc.).

Our second, and more nuanced, question is whether do the benefits of the technology change as we vary how integrated the markets of the two parishes are. To answer this, we consider the total welfare of both parishes under various iceberg trade cost parameters, comparing the welfare they receive with access to fertilizer with the welfare they receive without: that is, the welfare increase due to the technology. Then, we compare how these welfare gains vary across different levels of iceberg trade costs, ranging from $T_{rp} = 1$ (frictionless trade) to $T_{rp} = 3$ (near-autarky). In Figure 9, we plot on the x-axis the level of trade costs and on the y-axis the "welfare ratio"; that is, the increase in welfare relative to frictionless trade (so a ratio of 1.3 indicates 30% greater welfare increase compared to frictionless trade). The two lines represent two types of scenarios: one where the productivity gap between the two parishes is high, and one in which it is relatively low; the welfare increase responds more to the level of trade costs in the former case than in the latter. Besides validating the model predictions, the question we want to answer with our model is: where was England on these curves? After all, we can see that moving between extreme trade cost regimes in a high productivity gap scenario has a large effect on the increase in welfare, but it may not be the case that such a large effect is realistic to find in a model that hews closer to reality.




Figure 9. Simulations of a simple 2×2 economy

6.2 Model Calibration

The model, as outlined in the previous section, depends on various parameters and elasticities, which we summarize in Table 6. To begin with, we measure two key model variables with data sources we have already discussed: measures of nitrogen endowments $\bar{N}_o$ (the C:N ratio) and and land areas L_o (agricultural census and other sources).The most important new element of the model is estimates of iceberg trade costs T_{od}, which we require for each origin-destination pair and under two sets of transportation parameters (pre-railway and post-railway). We calculate transport costs for the pre-railway era using the network developed by Alvarez-Palau et al. (2025), which includes turnpike roads, canals, coastal shipping, and ferries along with associated cost parameters for each mode. For the post-railway era, we add 1861 train network shapefiles from Marti-Henneberg et al. (2018) to the 1830 network, and calculate costs for railway transport by comparing the costs used by Alvarez-Palau et al. with those used by Donaldson (2018), who deals with a similar set of modes in the context of colonial India.[44] We then include all non-urban parishes in the network, and use ArcGIS's OD Cost Matrix functionality to compute the least-cost distance between each pair of parishes under both sets of cost parameters using Dijkstra's algorithm (Esri, 2024). We then calculate the iceberg trade cost based on the following formula:

$$T_{od} = 1 + \frac{C_{od}}{P} \tag{7}$$

where C_{od} is the transport cost in monetary terms and P is an agricultural price index computed by Alvarez-Palau et al. (who also include coal as a second good in their own calculations). Since these iceberg trade costs are computed directly for each pair of locations, they are guaranteed to satisfy the important triangle inequality that for any three parishes a, b, and c: $T_{ac} \leq T_{ab}T_{bc}$.

To these we also add several elasticities which we calibrate or estimate from historical sources. A key parameter of the model is θ, which captures the dispersion of productivity draws within a crop. We calibrate a value of θ to maximize the fit between the equilibrium model rental rates and (i) parish-level "rateable values" we observe

[44] Specifically, we note that Alvarez-Palau et al. provides a cost of 0.00456 pence per meter-ton, and Donaldson finds that railway transport in India was 4.5 times cheaper than road transport. From this, we obtain our primary cost parameter of 0.00101 pence per meter-ton by railroad. We note that the two sources disagree on the relative cost of road transport vs. shipping, with Donaldson finding that shipping was only slightly cheaper than road transport, whereas Alvarez-Palau et al. find that shipping was much cheaper. If we elected to instead take the British shipping cost estimate (0.000578 pence per metre-ton) and then apply Donaldson's finding that coastal shipping was 2.25 times more expensive than rail, we would obtain implausibly low transport cost estimates for rail.

in 1843;[45] and (ii) the parish-level share of cropland devoted to "nitrogen-intensive" crops in the 1836 Tithe Surveys (which is one of the variables in our main empirical analysis). For each candidate value of θ, we estimate the standardized beta in the regression of each of these two variables on their model counterpart and choose the value where the average of these two standardized betas is highest. The maximum occurs at $\theta = 11.5$, which is relatively high but within the range of crop-specific terms that are estimated by Donaldson (2018). For robustness, we also consider a model with $\theta = 8.28$, as estimated by Eaton and Kortum (2002).[46] The average standardized beta is high and statistically significant in both cases: for our primary value $\theta = 11.5$ the average is 0.211, whereas for the literature-based value $\theta = 8.28$ the average is 0.206.

Estimates of the crop consumption shares μ_k are taken in part from the sales price and quantities data in the *London Gazette* and from a unique data set compiled by a 19th-century mayor of Manchester, William Neild, that records spending patterns for over a dozen local households (Neild, 1842). We approximate crop-specific nitrogen intensities by assuming that $f^k(N)$ reaches 0 for carbon-to-nitrogen ratios of 20 (the 95th percentile value), which yields $\gamma_k = 0.05$ for nitrogen-intensive crops and $\gamma_k = 0$ for nitrogen-light crops.

To solve for the model after the introduction of fertilizers, we adopt the following iterative approach: given the vector of baseline equilibrium rental rates $\{r\}$, we solve for the optimal fertilizer usage by parish in *partial equilibrium*. That is, we hold prices and land allocation fixed, and calculate each parish's marginal revenue of product using only variation in the last term, which captures the direct effect of nitrogen deficiency on productivity:

$$\widetilde{MRPN}_o = \sum_k \bar{\alpha}_o^k \bar{p}_o^k (-\frac{df^k}{dN})$$

Then, we calculate the equilibrium price m that would be necessary so that the demand for fertilizer equals its supply, noting that if a parish makes the extensive margin decision to use fertilizer it must be the case that in the partial equilibrium $\widetilde{MRP}_o = m$. Finally, we iterate between these two approaches, solving for the vector of solutions to $\{r\}$ and the solution for m (and thus each parish's fertilizer usage) until we have converged: that is, until a full iteration does not change any parish's extensive margin

[45] This variable measures the value of buildings and land within a parish that are taxable ("rateable") for the provision of local public goods. As such, they are not limited to only agricultural land and also include forests, mines, and the value of any buildings or structures. For more details, refer to the data appendix.

[46] In the trade literature, θ can typically be estimated using a regression on trade flows. However, we do not have access to such data in our setting, so this goodness-of-fit procedure is our chosen alternative.

decision to consume fertilizer.[47]

Parameter	Value or Range						Source
θ	11.5 [8.28]						Calibration [Eaton and Kortum (2002)]
T_{od}	1-2.2						Extension of Alvarez-Palau et al. (2025)
N_o	0-4.4 "Nitrogen Deficiency" (from C:N ratio)						Centre for Ecology and Hydrology
L_o	371-84,256 acres						GIS area from I-CeM project
	Crop-specific						
	wheat	**barley**	**oats**	**beans**	**turnips**	**potatoes**	
μ_k	0.256	0.121	0.270	0.064	0.211	0.077	London Gazette and Neild (1842)
γ_k	0.05	0.05	0	0	0.05	0.05	Nitrogen-intensity of production

Table 6. Summary of Sources of Model Parameters

6.3 Model Results

The central result from our simulation was that fertilizer raises welfare and that the increase in welfare from fertilizer diminishes as trade costs fall. We are now in a position to take our model to the data and estimate the welfare implications of various scenarios related to the introduction of guano fertilizer.

In the model with fertilizer, consider relatively levels of supply consistent with historical evidence: enough to reduce the carbon-nitrogen ratio in each parish by 0.1 on all their land, provided they have the mean parish size of around 12 square kilometers. Given that only around 2/3 of land will be used for growing nitrogen-intensive crops in equilibrium, this is equivalent to an average reduction of around 0.15. At this fertilizer endowment, around 15% of parishes use any appreciable amount of fertilizer (usage > 0.01), which roughly aligns with our back-of-the-envelope calculation based on the amount of land that could be fertilized each year at the guano import levels and typical per-acre usage rates.

Our first result is that guano raised welfare, and did so for the vast majority of parishes. On average, this endowment of fertilizer increased welfare by just under 4%, with a maximum increase of 23% and a minimum of -0.2%. The histogram of welfare changes (under 1830 transport costs) is plotted in Figure 10. This increase is concentrated in parishes that were nitrogen-deficient at baseline: a one standard deviation increase in nitrogen deficiency is associated with a 0.74 standard deviation increase in the welfare increase from fertilizer. There is a similar concentration of the benefits among the

[47] Note as well that there is a co-dependence between nitrogen deficiency N and the vector of crop shares $\{\alpha_o^k\}$. Recall that $\alpha_o^k = \frac{\left(p_o^k f^k(\tilde{N}_o)\right)^\theta}{\sum_k \left(p_o^k f^k(\tilde{N}_o)\right)^\theta}$ and $N_o = \bar{N}_o - \frac{M_o}{\alpha_o^N L_o}$ where α_o^N is the share devoted to nitrogen-intensive crops. At each step we thus need to solve the fixed-point problem: taking prices and fertilizer allocation as given, what vector $\{\alpha_o^k\}$ and level of nitrogen deficiency N_o are consistent with each other?

parishes that endogenously choose to use nitrogen fertilizer (not perfectly correlated with nitrogen deficiency due to the realistic geography of the model), and in a horse race regression both initial nitrogen deficiency and the extensive margin decision to use fertilizer have standardized coefficients of around 0.4. These welfare increases are large compared to the estimates of per annum agricultural productivity growth cited in Temin (1997), which generally agree on a range of 0.12-0.19 percentage points. The average increases in welfare that we observe would thus represent around 20 years of agricultural productivity growth.




Figure 10. Welfare Gains from Fertilizer

Turning to our main theoretical prediction from the model, we compare four situations: equilibria using 1830 trade costs (with and without fertilizer) and equilibria using 1860 (i.e. post-railway) trade costs, in each case with and without fertilizer. We summarize our results in the 2×2 matrix found in Figure 11, recalling that the historically-accurate progression was from the no fertilizer-1830 trade cost equilibrium to the fertilizer-1860 trade cost equilibrium.

There is a modest, but economically meaningful, difference in the welfare gains from guano when we compare the transport cost regime that prevailed in 1830 to the one that prevailed after the construction of the 1860 railroad network. The introduction of guano causes a welfare increase that is around ten percent larger (=0.0347/0.0306), equivalent to over one year's worth of productivity growth, under the 1830 trade costs




Figure 11. Counterfactual Welfare Increases

compared to the 1860 trade costs.[48] This is because the high trade cost environment featured relatively low gains from trade that could be potentially offset by the introduction of a converging technology. In parallel to this effect, we also find that the welfare impacts of building the railroad network fall in response to the introduction of fertilizer, with an approximately 2% lower increase in welfare. We therefore provide a novel quantification of the welfare impacts of spatial technologies: although the first-order impact is to increase welfare on aggregate, there is a meaningful second-order effect where the converging technology is more valuable when the gains from trade were low to begin with. Although these results study the welfare implications of an *exogenous* technology, they are informative as well for conceptualizing endogenous technological progress. When trade costs are high, converging technologies are relatively attractive, but as trade costs fall over time (as they have done, especially over the past seven decades) the incentives for developing converging technologies may diminish.

[48] If we consider the model with θ=8.28 (as in Eaton and Kortum, 2002), we instead obtain that the welfare increase was 5.5% greater under the 1830 trade costs compared to the 1860 trade costs.

7 Conclusion

In this paper, we have explored the effects of a new technology, guano fertilizer, on the distribution of economic activity across space. The exuberant farmers and publicists of the day were not entirely misplaced in their optimism about guano and the wave of related fertilizers that rapidly swept across the country. What they may not have realized, however, was that guano drove a substantial convergence in economic activity across space, "flattening the landscape" by making formerly heterogeneous locations more similar to each other.

Our results first document the rapid diffusion of guano and its empirical success in raising agricultural productivity through a variety of field trials. We then show that locations within England specialized on the basis of their soil nitrogen endowments in the decades prior to guano's introduction. Using a difference-in-differences design, we show that this pattern changed due to this new technology: the nitrogen-deficient places changed their land use to converge with the nitrogen-rich parts of the country. These results are largely driven by two types of places: parishes with relatively low yields, and parishes located far from major cities and thus with poor access to alternative fertilizers. Our results are similar when we instead use a different data source on weekly grain sales in a panel of market towns as our outcome variable.

Finally, we turn to a quantitative spatial model to explore the consequences of this new technology on welfare. Guano was a technology that was most beneficial in places that were disadvantaged by their natural endowments, and it is in those locations that principally benefited from the technology. However, given its nature as a "converging" technology, its welfare impacts were reduced by the major investments in transportation infrastructure that occurred in precisely the same years. Although guano fertilizers and the "Nitrogen Revolution" emerged during an era of industrialization and alongside revolutionary improvements in transportation, the impacts of this technology were qualitatively different in their effects on what economic activity was pursued across 19th century England. Whereas the technologies of the Industrial Revolution were "diverging", creating new patterns of economic activity across space and thus complementing improvements in infrastructure, fertilizers caused economic changes in the opposite direction, becoming less valuable as trade costs fell. This analysis points to an unappreciated consideration for *endogenous* technological change: the types of innovation that a social planner would choose to pursue depend on how the resulting technologies interact with natural endowments, and how easily places can trade with one another. When commentators at the time lamented that guano had not been intro-

duced decades prior to its first shipments in the 1840s, they were right in more ways than they realized.

References

Aghion, Philippe and Peter Howitt (1998) *Endogenous Growth Theory*: MIT Press.

Aihounton, Ghislain BD and Arne Henningsen (2021) "Units of Measurement and the Inverse Hyperbolic Sine Transformation," *The Econometrics Journal*, 24 (2), 334–351, 10.1093/ectj/utaa032.

Allen, Robert C (2008) "The Nitrogen Hypothesis and the English Agricultural Revolution: A Biological Analysis," *The Journal of Economic History*, 68 (1), 182–210, 10.1017/S0022050708000065.

Alvarez-Palau, Eduard J, Dan Bogart, Max Satchell, and Leigh Shaw-Taylor (2025) "Transport and Urban Growth in the First Industrial Revolution," *The Economic Journal*, 135 (668), 1191–1228, 10.1093/ej/ueae111.

Beach, Brian and W Walker Hanlon (2023) "Historical Newspaper Data: A Researcher's Guide," *Explorations in Economic History*, 90, 101541, 10.1016/j.eeh.2023.101541.

Bharadwaj, Prashant, James Fenske, Namrata Kala, and Rinchan Ali Mirza (2020) "The Green Revolution and Infant Mortality in India," *Journal of Health Economics*, 71, 102314, 10.1016/j.jhealeco.2020.102314.

Bleakley, Hoyt (2007) "Disease and Development: Evidence from Hookworm Eradication in the American South," *The Quarterly Journal of Economics*, 122 (1), 73–117, 10.1162/qjec.121.1.73.

Bogart, Dan (2014) "The transport revolution in industrialising Britain," *The Cambridge economic history of modern Britain*, 1, 368–391.

Broadberry, Stephen, Bruce MS Campbell, Alexander Klein, Mark Overton, and Bas Van Leeuwen (2015) *British Economic Growth, 1270–1870*: Cambridge University Press.

Brock, William H (2002) *Justus von Liebig: The Chemical Gatekeeper*: Cambridge University Press.

Brunt, Liam (2007) "Where There's Muck, There's Brass: The Market for Manure in the Industrial Revolution," *The Economic History Review*, 60 (2), 333–372, 10.1111/j.1468-0289.2006.00362.x.

Brunt, Liam and Edmund Cannon (2013) "The Truth, the Whole Truth, and Nothing but the Truth: the English Corn Returns as a Data Source in Economic History, 1770–1914," *European Review of Economic History*, 17 (3), 318–339, 10.1093/ereh/het010.

Brust, Gerald E (2019) "Management Strategies for Organic Vegetable Fertility," in *Safety and Practice for Organic Food*, 193–212: Elsevier, 10.1016/B978-0-12-812060-6.00009-X.

Bustos, Paula, Bruno Caprettini, and Jacopo Ponticelli (2016) "Agricultural Productivity and Structural Transformation: Evidence from Brazil," *American Economic Review*, 106 (6), 1320–1365, 10.1257/aer.20131061.

Caird, James (1852) *English Agriculture in 1850–51*: Longman, Brown, Green, and Longmans, London.

Caprettini, Bruno and Hans-Joachim Voth (2020) "Rage Against the Machines: Labor-Saving Technology and Unrest in Industrializing England," *American Economic Review: Insights*, 2 (3), 305–320, 10.1257/aeri.20190385.

Chen, Jiafeng and Jonathan Roth (2024) "Logs with Zeros? Some Problems and Solutions," *The Quarterly Journal of Economics*, 139 (2), 891–936, 10.1093/qje/qjad054.

Cherniwchan, Jevan and Juan Moreno-Cruz (2019) "Maize and Precolonial Africa," *Journal of Development Economics*, 136, 137–150, 10.1016/j.jdeveco.2018.10.008.

Clark, Gregory (1999) "Too Much Revolution: Agriculture in the Industrial Revolution, 1700-1860," in Mokyr, Joel ed. *The British Industrial Revolution*, Chap. 4, 206–240: Westview Press, Boulder, Colorado (2nd edition), 10.4324/9780429494567.

Conley, Timothy G (1999) "GMM Estimation with Cross Sectional Dependence," *Journal of econometrics*, 92 (1), 1–45, 10.1016/S0304-4076(98)00084-0.

Coppock, J. T. (2005) "Agricultural Census Parish Summaries, 1877 and 1931," 10.5255/UKDA-SN-3980-1, [data collection]. SN: 3980.

Costinot, Arnaud, Dave Donaldson, and Cory Smith (2016) "Evolving Comparative Advantage and the Impact of Climate Change in Agricultural Markets: Evidence from 1.7 Million Fields around the World," *Journal of Political Economy*, 124 (1), 205–248, 10.1086/684719.

Cox, DC, JR Edwards, RC Hill, Ann J Kettle, R Perren, Trevor Rowley, and PA Stamper (1989) *A History of the County of Shropshire: Volume 4, Agriculture*: Oxford University Press.

Cox, EA and BR Dittmer (1965) "The Tithe Files of the Mid-Nineteenth Century," *The Agricultural History Review*, 13 (1), 1–16.

Crafts, N. F. R. and C. Knick Harley (2004) "Precocious British Industrialisation: A General-Equilibrium Perspective," in de la Escosura, Leandro Prados ed. *Exceptionalism and Industrialisation: Britain and its European Rivals, 1688–1815*, Chap. 4, 86–108: Cambridge University Press, 10.1017/CBO9780511523830.005.

Cushman, Gregory T (2013) *Guano and the Opening of the Pacific World: A Global Ecological History*: Cambridge University Press, Cambridge, England, 10.1017/CBO9781139047470.

Dall Schmidt, Torben, Peter Sandholt Jensen, and Amber Naz (2018) "Agricultural Productivity and Economic Development: the Contribution of Clover to Structural Transformation in Denmark," *Journal of Economic Growth*, 23, 387–426, 10.1007/s10887-018-9159-1.

Davy, Humphry (1846) *Elements of Agricultural Chemistry*: John J. Griffin and Company.

De Brauw, Alan and Sylvan Herskowitz (2021) "Income Variability, Evolving Diets, and Elasticity Estimation of Demand for Processed Foods in Nigeria," *American Journal of Agricultural Economics*, 103 (4), 1294–1313, 10.1111/ajae.12139.

Dennis, Barbara (2020) "William Gibbs and Tyntesfield."

von Der Goltz, Jan, Aaditya Dar, Ram Fishman, Nathaniel D Mueller, Prabhat Barnwal, and Gordon C McCord (2020) "Health Impacts of the Green Revolution: Evidence from 600,000 Births across the Developing World," *Journal of Health Economics*, 74, 102373, 10.1016/j.jhealeco.2020.102373.

Di Giovanni, Julian, Andrei A Levchenko, and Jing Zhang (2014) "The Global Welfare Impact of China: Trade Integration and Technological Change," *American Economic Journal: Macroeconomics*, 6 (3), 153–183, 10.1257/mac.6.3.153.

Donaldson, Dave (2018) "Railroads of the Raj: Estimating the Impact of Transportation Infrastructure," *American Economic Review*, 108 (4-5), 899–934, 10.1257/aer.20101199.

Eaton, Jonathan and Samuel Kortum (2002) "Technology, Geography, and Trade," *Econometrica*, 70 (5), 1741–1779, 10.1111/1468-0262.00352.

Emmett, BA, Brian Reynolds, PM Chamberlain et al. (2016) "Soil physico-chemical properties 2007 [Countryside Survey]," *NERC Environmental Information Data Centre*.

Esri (2024) "Algorithms used by Network Analyst," `https://pro.arcgis.com/en/pro-app/3.4/help/analysis/networks/algorithms-used-by-network-analyst.htm`, ArcGIS Pro 3.4 Documentation.

Fairlie, Susan (1965) "The nineteenth-century Corn Law reconsidered," *The Economic History Review*, 18 (3), 562–575.

Farrokhi, Farid and Heitor S Pellegrina (2023) "Trade, Technology, and Agricultural Productivity," *Journal of Political Economy*, 131 (9), 2509–2555, 10.1086/724319.

Ferguson, Dean T (2014) "Nightsoil and the 'Great Divergence': human waste, the urban economy, and economic productivity, 1500–1900," *Journal of Global History*, 9 (3), 379–402.

Fernihough, Alan and Kevin Hjortshøj O'Rourke (2021) "Coal and the European Industrial Revolution," *The Economic Journal*, 131 (635), 1135–1149, 10.1093/ej/ueaa117.

Foster, Andrew D and Mark R Rosenzweig (1995) "Learning by Doing and Learning from Others: Human Capital and Technical Change in Agriculture," *Journal of political Economy*, 103 (6), 1176–1209, 10.1086/601447.

——— (2004) "Agricultural Productivity Growth, Rural Economic Diversity, and Economic Reforms: India, 1970–2000," *Economic Development and Cultural Change*, 52 (3), 509–542, 10.1086/420968.

Fussell, George Edwin (1944) "The Collection of Agricultural Statistics in Great Britain: Its Origin and Evolution," *Agricultural History*, 18 (4), 161–167.

Garibaldi, Giuseppe (1889) *Autobiography of Giuseppe Garibaldi*, 3: W. Smith and Innes.

Gollin, Douglas, Casper Worm Hansen, and Asger Mose Wingender (2021) "Two Blades of Grass: The Impact of the Green Revolution," *Journal of Political Economy*, 129 (8), 2344–2384, 10.1086/714444.

Hall, Daniel (1915) *Fertilizers and Manures*: E. P. Dutton (2nd edition).

Healy, MJR and Eric L Jones (1962) "Wheat Yields in England, 1815-59," *Journal of the Royal Statistical Society. Series A (General)*, 125 (4), 574–579.

Heblich, Stephan, Stephen J Redding, and Hans-Joachim Voth (2023) "Slavery and the British Industrial Revolution," Unpublished manuscript.

Heblich, Stephan, Stephen J Redding, and Yanos Zylberberg (2024) "The Distributional Consequences of Trade: Evidence from the Grain Invasion," Unpublished manuscript.

Heldring, Leander, James A Robinson, and Sebastian Vollmer (2022) "The Economic Effects of the English Parliamentary Enclosures," Unpublished manuscript.

Henrys, PA, AM Keith, DA Robinson, and BA Emmett (2012) "Model estimates of topsoil pH and bulk density [Countryside Survey]," *NERC-Environmental Information Data Centre doi*, 10.

Hornbeck, Richard and Pinar Keskin (2014) "The Historically Evolving Impact of the Ogallala Aquifer: Agricultural Adaptation to Groundwater and Drought," *American Economic Journal: Applied Economics*, 6 (1), 190–219, 10.1257/app.6.1.190.

Immerwahr, Daniel (2019) *How to Hide an Empire: A Short History of the Greater United States*: Random House.

Jones, Eric L (1962) "The Changing Basis of English Agricultural Prosperity, 1853–73," *The Agricultural History Review*, 10 (2), 102–119.

Kain, Roger JP, Rodney EJ Fry, and Harriet ME Holt (1986) *An Atlas and Index of the Tithe Files of Mid-Nineteenth-Century England and Wales*: Cambridge University Press.

Kangmin, Li (1988) "Rice-fish culture in China: A review," *Aquaculture*, 71 (3), 173–186.

Kinsley, Lesley (2022) "The Significance of Peruvian Guano in British Fertilizer History (c. 1840–1880)," *The Agricultural History Review*, 70 (2), 219–240.

Leigh, Geoffrey J (2004) *The World's Greatest Fix: A History of Nitrogen and Agriculture*: Oxford University Press.

von Liebig, Justus Freiherr (1855) *Principles of Agricultural Chemistry: With Special Reference to the Late Researches Made in England*: Walton & Maberly.

Loria, Mario (1967) "Cavour and the Development of the Fertilizer Industry in Piedmont," *Technology and Culture*, 8 (2), 159–177.

Marti-Henneberg, Jordi, Max Satchell, Xuesheng You, Leigh Shaw-Taylor, and E. A. Wrigley (2018) "1861 England, Wales and Scotland Rail Lines," 10.5255/UKDA-SN-852992, SN: 852992.

Mathew, William Mitchell (1970) "Peru and the British Guano Market, 1840-1870," *The Economic History Review*, 23 (1), 112–128, 10.1111/j.1468-0289.1970.tb01016.x.

Maude, W. (1958) *Antony Gibbs & Sons Limited: Merchants and Bankers: a Brief Record of Antony Gibbs & Sons and Its Associated Houses' Business During 150 Years, 1808-1958*: Antony Gibbs & Sons.

Mayshar, Joram, Omer Moav, and Luigi Pascali (2022) "The Origin of the State: Land Productivity or Appropriability?" *Journal of Political Economy*, 130 (4), 1091–1144, 10.1086/718372.

McConnel, Brendon (2024) "Can't See the Forest for the Logs: On the Perils of using Difference-in-Differences with a Log-Dependent Variable," Unpublished manuscript.

Minchinton, Walter E (1953) "Agricultural Returns and the Government during the Napoleonic Wars," *The Agricultural History Review*, 1 (1), 29–43.

Mingay, Gordon E (1963) "The" Agricultural Revolution" in English History: A Reconsideration," *Agricultural History*, 37 (3), 123–133.

Ministry of Agriculture, Fisheries and Food (1968) *A Century of Agricultural Statistics, Great Britain 1866-1966*: H.M. Stationery Office.

Mokyr, Joel (1990) *The Lever of Riches: Technological Creativity and Economic Progress*: Oxford University Press.

Moorthy, Vivek S (2025) "Agricultural Technological Change, Female Earnings and Fertility: Evidence from Brazil," *The Economic Journal*, 135 (665), 285–320, 10.1093/ej/ueae069.

Moscona, Jacob (2019) "Agricultural Development and Structural Change Within and Across Countries."

Murra, John Victor (1980) *The Economic Organization of the Inka State*: JAI Press Inc, Greenwich, Connecti-

cut.

Neild, William (1842) "Comparative Statement of the Income and Expenditure of Certain Families of the Working Class in Manchester and Dukinfield, in the Years 1836 and 1841," *Journal of the Statistical Society of London*, 320–334.

NRCS (2022) "Carbon : Nitrogen Ratio (C:N),"Technical report, United States Department of Agriculture, https://www.nrcs.usda.gov/sites/default/files/2022-09/SoilTechNote23A.pdf.

Nunn, Nathan and Nancy Qian (2011) "The Potato's Contribution to Population and Urbanization: Evidence from a Historical Experiment," *The Quarterly Journal of Economics*, 126 (2), 593–650, 10.1093/qje/qjr009.

Oddy, Derek J (1970) "Food in Nineteenth Century England: Nutrition in the First Urban Society," *Proceedings of the Nutrition Society*, 29 (1), 150–157, 10.1079/PNS19700034.

Olson, K.R. (2005) "Factors of Soil Formation — Parent Material," in Hillel, Daniel ed. *Encyclopedia of Soils in the Environment*, 532–535, Oxford: Elsevier, 10.1016/B0-12-348530-4/00005-9.

Overton, Mark (1996) *Agricultural Revolution in England: The Transformation of the Agrarian Economy, 1500-1850*, 23: Cambridge University Press.

Pingali, Prabhu L (2012) "Green Revolution: Impacts, Limits, and the Path Ahead," *Proceedings of the National Academy of Sciences*, 109 (31), 12302–12308, 10.1073/pnas.0912953109.

Prince, Hugh C (1959) "The Tithe Surveys of the Mid-Nineteenth Century," *The Agricultural History Review*, 7 (1), 14–26.

Rhode, Paul (2024) "How Suitable are FAO-GAEZ Crop Suitability Indices for Historical Analysis?," Unpublished manuscript.

Rodrigues, Pedro and Joana Micael (2021) "The Importance of Guano Birds to the Inca Empire and the First Conservation Measures Implemented by Humans," *IBIS*, 163 (1), 283–291, 10.1111/ibi.12867.

Roth, Jonathan and Pedro HC Sant'Anna (2023) "When Is Parallel Trends Sensitive to Functional Form?" *Econometrica*, 91 (2), 737–747, 10.3982/ECTA19402.

Ruthenberg, Hans (1976) *Farming systems in the tropics*: Oxford: Clarendon Press.

Samuelson, Paul A (2004) "Where Ricardo and Mill Rebut and Confirm Arguments of Mainstream Economists Supporting Globalization," *Journal of Economic Perspectives*, 18 (3), 135–146, 10.1257/0895330042162403.

Santana-Sagredo, Francisca, Rick J Schulting, Pablo Méndez-Quiros et al. (2021) "'White Gold' Guano Fertilizer Drove Agricultural Intensification in the Atacama Desert from AD 1000," *Nature Plants*, 7 (2), 152–158, 10.1038/s41477-020-00835-4.

Sekhri, Sheetal and Gauri Kartini Shastry (2024) "The Curse of Plenty: The Green Revolution and the Rise in Chronic Disease," *American Economic Journal: Applied Economics*, 16 (4), 1–33, 10.1257/app.20220621.

Silva, JMC Santos and Silvana Tenreyro (2006) "The Log of Gravity," *The Review of Economics and statistics*, 641–658, 10.1162/rest.88.4.641.

Sinclair, Alex, Stuart Wale, and Ian Bingham (2022) "Nitrogen Recommendations for Cereals, Oilseed Rape and Potatoes," Technical Note TN731, Scotland's Rural University College (SRUC), https://www.sruc.ac.uk/media/1dxbdyim/tn731-nitrogen-recommendations-for-cereals-oilseed-rape-and-potatoes-update-31-10-2022.pdf, Production funded by the Scottish Government as part of its Farm Advisory Service.

Smil, Vaclav (2004) *Enriching the Earth: Fritz Haber, Carl Bosch, and the Transformation of World Food Production*: MIT Press, Cambridge, Massachusetts.

Stamp, Josiah (1927) *British incomes and property: the application of official statistics to economic problems* (47): PS King & son.

Suri, Tavneet (2011) "Selection and Comparative Advantage in Technology Adoption," *Econometrica*, 79 (1), 159–209, 10.3982/ECTA7749.

Suri, Tavneet and Christopher Udry (2022) "Agricultural Technology in Africa," *Journal of Economic Perspectives*, 36 (1), 33–56, 10.1257/jep.36.1.33.

Temin, Peter (1997) "Two Views of the British Industrial Revolution," *The Journal of Economic History*, 57 (1), 63–82.

Thompson, Francis Michael L (1968) "The Second Agricultural Revolution, 1815-1880," *The Economic*

History Review, 21 (1), 62–77, 10.1111/j.1468-0289.1968.tb01002.x.

Trow-Smith, Robert (2013) *A History of British Livestock Husbandry, 1700-1900*: Routledge.

Turner, M. (1981) "Arable in England and Wales: estimates from the 1801 Crop Return," *Journal of Historical Geography*, 7 (3), 291–302, 10.1016/0305-7488(81)90005-0.

Turner, ME (2005) "Crop Returns for England, 1801."

Vamplew, Wray (1980) "A Grain of Truth: The Nineteenth-Century Corn Averages," *The Agricultural History Review*, 28 (1), 1–17.

Voth, Hans-Joachim, Bruno Caprettini, and Alex Trew (2023) "Fighting for Growth: Labor Scarcity and Technological Progress during the British Industrial Revolution," Unpublished manuscript.

Wallis, Patrick, Justin Colson, and David Chilosi (2018) "Structural Change and Economic Growth in the British Economy before the Industrial Revolution, 1500–1800," *The Journal of Economic History*, 78 (3), 862–903, 10.1017/S0022050718000396.

Winchester, Simon (2001) *The map that changed the world: The tale of William Smith and the birth of a science*: Viking.

Woods, Mark A and Jonathan R Lee (2018) "The Geology of England–critical examples of Earth History–an overview," *Proceedings of the Geologists' Association*, 129 (3), 255–263.

APPENDIX
for "The Origin of the Nitrogen Revolution"
by Matteo Ruzzante and Christopher W. A. Sims

A Data: Details **ii**

A.1 Additional Historical Data Sources ii

A.2 Data Collection and Digitization iii

A.3 Variable Construction and Sample Selection vi

B Additional Results and Robustness **viii**

C Model Calculations and Robustness **xxiii**

A Data: Details

A.1 Additional Historical Data Sources

Trade Statistics. We digitize annual imports of guano from the UK Parliamentary Papers, in particular *An account of all guano imported into the United Kingdom in each of the years 1841 to 1850, inclusive, distinguishing the quantities imported from each country respectively*, PP 1851 (204) LIII, 309 and the annual *Accounts relating to trade and navigation, customs duties and tonnage of vessels* cf. PP 1851 (21) LIII, 1.

Agricultural Periodicals. To track the early diffusion of guano across space, we digitize all mentions of fertilizer in *The Farmer's Magazine* (accessed via Hathi Trust) between 1840-44 and manually geolocate locations where possible. To account in part for the selection into being mentioned in the magazine at all, we geolocate *all* location mentions in the 1839 issue, before the introduction of guano fertilizer, using the Claude.ai API with the prompt "Provide a list of the English towns, villages, and estates mentioned in the text along with their latitude and longitude." Based on verifying several cases of the LLM automatic geolocating, the exercise was quite accurate. The raw data is plotted in Figure A1, with locations mentioning the use of guano in blue and locations mentioned in the 1839 issue in brown, both plotted against a C:N ratio choropleth. We define a parish as being "mentioned" if there is at least one mention based on the relevant variable; it is possible for a parish to both have a recorded use of guano and a mention in 1839 and as such we cannot run a conventional balance test.




Figure A1. Guano vs. general mentions in *The Farmer's Magazine*

Rateable Values. As part of assessing the goodness-of-fit of our structural trade model, we rely on data from the UK Parliamentary Papers which reports the rateable or annual value of parishes for tax purposes in various years during the 19th century. Specifically, we digitize *Poor rates, &c. Return to an address of the Honourable the House of Commons, dated 21 February 1854*, PP 1854 (509) LVI, 1, which reports each parish's Annual Value

of Real Property Assessed to the Property Tax in April 1815 and April 1843; and each parish's Rateable Value of Property Assessed to the Poor's Rate for the Year ended 25 March 1852. Overall, we match around 90% of the sample of parishes we use in the structural model estimation to their data on land values.

According to Stamp (1927), annual values outside the Metropolis (i.e. London) were defined as follows:

> The annual value of lands, tenements, hereditaments or heritages charged under Schedule A shall be understood to be the rent by the year at which the same are let at rackrent ... fixed by agreement withint ... seven years, or if not let at rackrent, then at the rackrent at which the same are worth to be let by the year.

That is, the annual value of a property represents the rackrent (market rent without any special dispensations) if the property was leased within the past seven years, or an imputed value otherwise.


To derive the variable we use in the goodness-of-fit regression, we divide the annual value in 1843 by the area in acres listed as part of the return in the Parliamentary Papers.

A.2 Data Collection and Digitization

Handwritten Data. We systematically collect and digitize three agricultural census from the UK National Archives (series MAF 68). These data come in wide, consistently formatted tables, as the ones shown in Figures A2 and A3. The table entries are handwritten: therefore, we use a new software developed for automated recognition of such data, `Transkribus`. Our workflow proceeds in three steps: (i) table recognition, (ii) layout analysis, (iii) and text recognition. We trained the software with ground-truth data that we manually digitized until we reach a Character Error Rate of 5%. For 1866, we compile a large amount of effective "ground truth" data due to the use of antiquated ARP system for recording crop levels, which turned difficult to fully automate. For 1884, water damage for some counties (e.g., Figure A3) meant that we hand-corrected data at the National Archives.

Typewritten Data. We use `Amazon Textract`, a commonly-used machine learning service that automatically extracts text and layout elements. While training for particular use case is not available, Amazon Textract is very effective when tables are well formatted.

Figure A2. Sample 1866 Crops Return for Bedfordshire



Bedford County.
~~Biggleswade~~ Collection.
~~No. 6~~ District.

ABSTRACT of Schedules for returns of Acreage of Crops.


No. 3.

Parish	Occupier's Name	Address	Number of Statute Acres and Parts of Statute Acres under— Wheat	Barley or Bere	Oats	Rye	Beans	Peas	Potatoes	Turnips and Swedes	Mangold	Carrots	Cabbage, Kohl Rabi, and Rape	Hops	Vetches, Lucerne and any other Crop (except Clover or Grass)	Clover and Artificial, and other Grasses under rotation	Bare Fallow or Uncropped Arable Land	Permanent Pasture, Meadow, or Grass not broken up in rotation (exclusive of Hill Pastures)
Biggleswade			372	170	125¾	—	14 3	12½	3	88	29	—	20	—	84	96	49	811¼
Dunleigh			647½	265½	86½	—	299½	94¾	2¾	890	394	14	4	—	107	139½	261½	9092
Shambrook			305	123¼	64	—	152¾	31½	3	774	17¾	4	2	—	18¾	64	114	7032
Southdale			180	72	57¾	—	62	21	—	19	2	—	—	—	60	50	17	231½
Cardington			223	100	88¾	—	95¾	32½	—	55	18	—	—	—	17	65	119	734
Wymington			289	119	98½	—	97	77	1¼	57	3½	4	—	—	29	71	144	4302
Keysoe			798¼	355	115	—	311½	139	44	151	36½	—	11	—	712	173	242	793
Pertenhall			390	292	112	—	216	15	2½	83½	24	4	2	—	75	167½	174½	6206
Swineshead			103¾	114	10	—	60¾	12	1¾	74½	12¼	2¾	2	—	16	43	23	150
Knotting			450½	222¾	74½	—	253¾	88	6¼	162½	11½	1½	1½	—	83	1424	229¼	2362
Colmworth			523½	165¼	119¾	—	214¼	70¼	5¼	31¼	48¼	—	22	—	74	64¾	172¾	599
Eaton			498½	215	86	—	188½	64¼	4	41	23½	—	7	—	68	114	210	685
Shelton			160	142	43	—	80	37	—	47	6	3	1	—	3	45	83	343
Tilbrook			369¾	154½	62	—	193½	72	—	124	6½	¾	14	—	34½	88	212½	4032
Yielden			315	90	76	—	111	29	—	20	9	1	—	—	56	5	223	3964
Pertenhouse			420	156	148	—	118	25	—	63	10	—	—	—	—	50	140	1124
Cranfield			787¾	299½	101	2	487	93	34½	111	57¾	34	½	—	148½	242½	148¼	908
Stagsden			169¼	125	16	8¼	56¼	31½	19¼	40	4	8¼	4½	—	37	155	41	1055½
Everton			210¼	170	30½	2	33½	46½	6½	120½	30½	22	—	—	3	115½	32½	6423
Kempston			338¼	248	56½	2	58	55½	29¾	219¼	48¼	14	9½	—	44½	167½	½	3372
Harrington			265¼	119	31	—	134½	18	2	89½	33	¾	—	—	12	91	21½	665½
Haughton Conquest			628½	407½	108½	—	340	14	5¼	169½	40½	6	8½	—	78½	211¼	43	5740
Aldenham			445¾	219¼	57¼	—	242	23	3	114	26¼	—	25	—	38½	113	59½	645
			8590	4834½	1768½	15¾	3916½	1102½	151	1981	628½	110	129½	—	1165¾	2493¾	2811½	13962½

I. No 4 sheet

G [103/6] 2500 9/66

Figure A3. Sample 1884 Census Return for Bedfordshire



No. 2.

Bedford County.

ABSTRACT of PARISH RETURNS of ACREAGE of CROPS, and of LIVE STOCK—1884.

Progressive No. 1

HERTFORD Collection.

Notes: This is an example of a return that has been water-damaged; we supplement with additional close-up photos in these cases.

A.3 Variable Construction and Sample Selection

Variables based on geographic data.

Variables based on agricultural censuses.

- *Nitrogen-intensive crop acreage*: sum of acreage under wheat, barley, turnips, and potatoes
- *Nitrogen-fixing crop acreage*: sum of acreage under oats, peas, and beans
- *Total acreage*: sum of acreage under wheat, barley, turnips, and potatoes
- *Cows*: sum of cows and cattle of all ages
- *Horses*: sum of all types of horses (mares, foals, etc.)
- *Sheep*: sum of sheep and lambs


The overlap between crop and livestock data in 1866 is not perfect, because they were reported in separate sheets in the archival source. We drop parishes that only reported grass in 1836 as we do not consistently use grassland as part of our acreage variable as it is missing in 1801. We cap total acreage using the area of the I-CeM consistent parish.

Variables based on gain market data.

- *Sales Volumes of Nitrogen-Intensive Crops*: sum of sales of wheat, barley, and rye

We define the C:N ratio at the market town level as the average C:N ratio of cells within a Voronoi polygon around the city, which is capped at 5km, as shown in Figure A4.


Figure A4. Voronoi Polygons for Market Towns



Notes: This map shows the Voronoi polygon corresponding to each market town, which is then clipped at 5km of distance. The average C:N ratio of the town's catchment area is represented by the shaded colour, with darker colours indicating higher values.

B Additional Results and Robustness

Figure B1. Frequency of "Guano" Mentions Since 1800



Notes: The brown line plots the number of times the word "guano" appeared in a given year relative to the entire body of words in the corpus of books (in English) published in that year, as available in *Google Books*. Data extracted from *Google Books Ngram Viewer* (generated in February 2020 – version 3).


Table B1. Linear relationship between *median* nitrogen deficiency and crop acreage prior to the introduction of guano

	(1)	(2)	(3)	(4)	(5)
Log-acreage under nitrogen-intensive crops					
Carbon:**N**itrogen ratio (%)	-0.073***	-0.085***	-0.089***	-0.071***	
	(0.015)	(0.016)	(0.016)	(0.016)	
Carbon:**N**itrogen ratio above the sample median (0/1)					-0.143***
					(0.030)
Number of observations	7,305	7,304	7,304	7,304	7,304
Number of parishes	6,330	6,329	6,329	6,329	6,329
Adjusted *R*-squared	0.009	0.173	0.179	0.198	0.195
Log-acreage under nitrogen-light crops					
Carbon:**N**itrogen ratio (%)	0.137***	0.019	0.029*	0.020	
	(0.016)	(0.016)	(0.016)	(0.017)	
Carbon:**N**itrogen ratio above the sample median (0/1)					0.157***
					(0.046)
Number of observations	7,320	7,319	7,319	7,319	7,319
Number of parishes	6,347	6,346	6,346	6,346	6,346
Adjusted *R*-squared	0.192	0.295	0.301	0.305	0.305
County fixed effects		✓	✓	✓	✓
Soil heaviness fixed effects			✓	✓	✓
Crop suitability controls				✓	✓


Notes: *Significant at 10%. **Significant at 5%. ***Significant at 1%. Unit of observation: parish × year. Sample: 1801 and 1836. All regressions are least squares with fixed effects and controls (indicated in the last three rows of the table) and standard errors clustered at the parish level (in parentheses).

Figure B2. Non-parametric relationship between crop acreage and *at-centroid* nitrogen deficiency prior to the introduction of guano

(a) Nitrogen-intensive crops




(b) Nitrogen-light crops




Notes: Binned scatterplots are obtained by grouping log-acreage (on the y-axis) and carbon-to-nitrogen ratio (on the x-axis) into twenty equal-sized bins. Binning is performed after residualizing both variables for county and soil heaviness fixed effects as well as potential yields of wheat, barley, peas and beans. The orange line plots a linear fit, i.e., the prediction for log-acreage on carbon-to-nitrogen ratio, estimated from a linear regression controlling for fixed effects and covariates.

Figure B3. Non-parametric relationship between crop acreage and *median* nitrogen deficiency prior to the introduction of guano

(a) Nitrogen-intensive crops




(b) Nitrogen-light crops




Notes: Binned scatterplots are obtained by grouping log-acreage (on the y-axis) and carbon-to-nitrogen ratio (on the x-axis) into twenty equal-sized bins. Binning is performed after residualizing both variables for county and soil heaviness fixed effects as well as potential yields of wheat, barley, peas and beans. The orange line plots a linear fit, i.e., the prediction for log-acreage on carbon-to-nitrogen ratio, estimated from a linear regression controlling for fixed effects and covariates.

Figure B4. Dynamic Effects on Nitrogen-Intensive Crop Acreage – Robustness to Exposure Measure



Notes: Event-study estimates with 90 percent confidence interval based on least squares regressions as in Equation 2 with year and parish fixed effects. Standard errors clustered at the parish level. Unit of observation: parish × year. The outcomes are expressed in natural logarithm so that coefficients can be interpreted in terms of percentage change.

Figure B5. Dynamic Effects on Nitrogen-Intensive Crop Acreage – Robustness to Explicit Calibration of Extensive Margin



Notes: Event-study estimates with 90 percent confidence interval based on least squares regressions as in Equation 2 with year and parish fixed effects. Standard errors clustered at the parish level. Unit of observation: parish × year. The outcomes are expressed in natural logarithm so that coefficients can be interpreted in terms of percentage change.

Table B2. Effect on crop allocation – Alternative estimation samples and spatial correlation

	(1)	(2)	(3)	(4)
Outcome:	*Total acreage*	*Nitrogen-intensive crops*	*Nitrogen-light crops*	*Fallow land*
Whole sample (at least 3 waves)				
High **C**arbon:**N**itrogen ratio × Post-1840	0.010	0.061***	-0.117***	-0.332***
	(0.022)	(0.023)	(0.042)	(0.093)
p-values corrected for spatial correlation within				
25 km	0.745	0.032	0.049	0.003
50 km	0.811	0.126	0.109	0.005
100 km	0.838	0.126	0.152	0.003
200 km	0.079	0.000	.	0.000
400 km	0.000	0.000	0.000	0.000
Sample mean of the outcome variable	18,600	18,600	18,600	15,121
Sample mean of the explanatory variable	4,927	4,927	4,927	4,889
Number of observations	0.679	0.705	0.540	0.525
Almost-balanced panel (at least 4 waves)				
High **C**arbon:**N**itrogen ratio × Post-1840	0.047**	0.087***	-0.076*	-0.389***
	(0.021)	(0.023)	(0.046)	(0.101)
p-values corrected for spatial correlation within				
25 km	0.072	0.002	0.226	0.001
50 km	0.179	0.029	0.307	0.001
100 km	0.174	0.012	0.310	0.000
200 km	0.000	0.000	0.000	0.000
400 km	0.000	0.000	0.000	0.000
Sample mean of the outcome variable	15,250	15,250	15,250	12,566
Sample mean of the explanatory variable	3,780	3,780	3,780	3,774
Number of observations	0.699	0.710	0.558	0.534
Fully-balanced panel (5 waves)				
High **C**arbon:**N**itrogen ratio × Post-1840	0.082*	0.137***	-0.052	-0.319
	(0.046)	(0.050)	(0.092)	(0.194)
p-values corrected for spatial correlation within				
25 km	0.025	0.001	0.620	0.054
50 km	0.071	0.008	0.587	0.035
100 km	0.136	0.022	0.539	0.000
200 km	0.000	0.000	0.097	0.000
400 km	0.000	0.000	0.000	0.000
Sample mean of the outcome variable	2,529	2,529	2,529	2,020
Sample mean of the explanatory variable	514	514	514	514
Number of observations	0.707	0.698	0.468	0.486

Notes: *Significant at 10%. **Significant at 5%. ***Significant at 1%. Unit of observation: parish × year. Estimation sample specified in the panel header. 'Fully-balanced panel' contains all parishes that are consistently observed in all the five waves of data. All regressions are Poisson pseudo maximum likelihood as in Equation 3 with year and county fixed effects. Standard errors (in parentheses) are clustered at the parish level. 'High carbon-to-nitrogen ratio' is a binary variable equal to one if the carbon-to-nitrogen ratio of the parish is above the sample median. The coefficients approximate the percentage change in the count of the outcome variable.

Table B3. Effect on crop allocation – Median exposure

	(1)	(2)	(3)	(4)
Outcome:	*Total acreage*	*Nitrogen-intensive crops*	*Nitrogen-light crops*	*Fallow land*
Whole sample (at least 3 waves)				
High **C**arbon:**N**itrogen ratio × Post-1840	0.016	0.083***	-0.125***	-0.334***
	(0.022)	(0.023)	(0.042)	(0.092)
Number of observations	18,600	18,600	18,600	15,121
Number of parishes	4,927	4,927	4,927	4,889
Adjusted R-squared	0.679	0.705	0.540	0.525
Almost-balanced panel (at least 4 waves)				
High **C**arbon:**N**itrogen ratio × Post-1840	0.058***	0.107***	-0.070	-0.344***
	(0.021)	(0.023)	(0.046)	(0.101)
Number of observations	15,250	15,250	15,250	12,566
Number of parishes	3,780	3,780	3,780	3,774
Adjusted R-squared	0.699	0.710	0.558	0.534
Fully-balanced panel (5 waves)				
High **C**arbon:**N**itrogen ratio × Post-1840	0.083*	0.130***	-0.144	-0.260
	(0.046)	(0.050)	(0.091)	(0.194)
Number of observations	2,529	2,529	2,529	2,020
Number of parishes	514	514	514	514
Adjusted R-squared	0.707	0.697	0.468	0.485

Notes: *Significant at 10%. **Significant at 5%. ***Significant at 1%. Unit of observation: parish × year. Estimation sample specified in the panel header. 'Fully-balanced panel' contains all parishes that are consistently observed in all the five waves of data. All regressions are Poisson pseudo maximum likelihood as in Equation 3 with year and county fixed effects. Standard errors (in parentheses) are clustered at the parish level. 'High carbon-to-nitrogen ratio' is a binary variable equal to one if the carbon-to-nitrogen ratio of the parish is above the sample median. The coefficients approximate the percentage change in the count of the outcome variable.

Table B4. Effect on crop allocation – Poisson pseudo maximum likelihood regression

	(1)	(2)	(3)	(4)
Outcome:	*Total acreage*	*Nitrogen-intensive crops*	*Nitrogen-light crops*	*Fallow land*
Whole sample (at least 3 waves)				
High **C**arbon:**N**itrogen ratio × Post-1840	0.052**	0.117***	-0.066*	-0.156*
	(0.023)	(0.022)	(0.035)	(0.090)
Number of observations	18,600	18,597	18,592	14,194
Number of parishes	4,927	4,926	4,924	4,587
Pseudo *R*-squared	0.817	0.828	0.737	0.703
Almost-balanced panel (at least 4 waves)				
High **C**arbon:**N**itrogen ratio × Post-1840	0.060**	0.125***	-0.073*	-0.252***
	(0.024)	(0.024)	(0.038)	(0.088)
Number of observations	15,250	15,250	15,250	11,871
Number of parishes	3,780	3,780	3,780	3,570
Pseudo *R*-squared	0.825	0.830	0.745	0.694
Fully-balanced panel (5 waves)				
High **C**arbon:**N**itrogen ratio × Post-1840	0.060	0.133***	-0.101	-0.043
	(0.041)	(0.043)	(0.070)	(0.107)
Number of observations	2,529	2,529	2,529	1,950
Number of parishes	514	514	514	496
Pseudo *R*-squared	0.829	0.827	0.723	0.681

Notes: *Significant at 10%. **Significant at 5%. ***Significant at 1%. Unit of observation: parish × year. Estimation sample specified in the panel header. 'Fully-balanced panel' contains all parishes that are consistently observed in all the five waves of data. All regressions are Poisson pseudo maximum likelihood as in Equation 3 with year and county fixed effects. Standard errors (in parentheses) are clustered at the parish level. 'High carbon-to-nitrogen ratio' is a binary variable equal to one if the carbon-to-nitrogen ratio of the parish is above the sample median. The coefficients approximate the percentage change in the count of the outcome variable.

Table B5. Effect on crop allocation – Controlling for region × year dummies

	(1)	(2)	(3)	(4)
Outcome:	*Total acreage*	*Nitrogen-intensive crops*	*Nitrogen-light crops*	*Fallow land*
Whole sample (at least 3 waves)				
High **C**arbon:**N**itrogen ratio × Post-1840	0.027	0.051**	-0.131***	-0.285***
	(0.021)	(0.023)	(0.041)	(0.093)
Number of observations	18,600	18,600	18,600	15,121
Number of parishes	4,927	4,927	4,927	4,889
Adjusted *R*-squared	0.700	0.722	0.569	0.559
Almost-balanced panel (at least 4 waves)				
High **C**arbon:**N**itrogen ratio × Post-1840	0.042**	0.056**	-0.114**	-0.348***
	(0.021)	(0.023)	(0.046)	(0.106)
Number of observations	15,250	15,250	15,250	12,566
Number of parishes	3,780	3,780	3,780	3,774
Adjusted *R*-squared	0.714	0.726	0.580	0.559
Fully-balanced panel (5 waves)				
High **C**arbon:**N**itrogen ratio × Post-1840	0.049	0.088*	-0.005	-0.275
	(0.047)	(0.050)	(0.096)	(0.202)
Number of observations	2,529	2,529	2,529	2,020
Number of parishes	514	514	514	514
Adjusted *R*-squared	0.732	0.725	0.475	0.499

Notes: *Significant at 10%. **Significant at 5%. ***Significant at 1%. Unit of observation: parish × year. Estimation sample specified in the panel header. 'Fully-balanced panel' contains all parishes that are consistently observed in all the five waves of data. All regressions are least squares as in Equation 3 with year and county fixed effects as well as controlling for wheat suitability interacted with year dummies. Standard errors (in parentheses) are clustered at the parish level. 'High carbon-to-nitrogen ratio' is a binary variable equal to one if the carbon-to-nitrogen ratio of the parish is above the sample median. The outcomes are expressed in natural logarithm so that coefficients can be interpreted in terms of percentage change.

Table B6. Effect on crop allocation – Controlling for wheat suitability × year dummies

	(1)	(2)	(3)	(4)
Outcome:	*Total acreage*	*Nitrogen-intensive crops*	*Nitrogen-light crops*	*Fallow land*
Whole sample (at least 3 waves)				
High **C**arbon:**N**itrogen ratio × Post-1840	0.020	0.064***	-0.097**	-0.329***
	(0.021)	(0.022)	(0.041)	(0.091)
Number of observations	18,600	18,600	18,600	15,121
Number of parishes	4,927	4,927	4,927	4,889
Adjusted *R*-squared	0.681	0.706	0.548	0.533
Almost-balanced panel (at least 4 waves)				
High **C**arbon:**N**itrogen ratio × Post-1840	0.048**	0.084***	-0.069	-0.395***
	(0.021)	(0.023)	(0.046)	(0.100)
Number of observations	15,250	15,250	15,250	12,566
Number of parishes	3,780	3,780	3,780	3,774
Adjusted *R*-squared	0.701	0.712	0.562	0.539
Fully-balanced panel (5 waves)				
High **C**arbon:**N**itrogen ratio × Post-1840	0.077*	0.127***	-0.046	-0.285
	(0.046)	(0.049)	(0.092)	(0.193)
Number of observations	2,529	2,529	2,529	2,020
Number of parishes	514	514	514	514
Adjusted *R*-squared	0.709	0.702	0.468	0.494

Notes: *Significant at 10%. **Significant at 5%. ***Significant at 1%. Unit of observation: parish × year. Estimation sample specified in the panel header. 'Fully-balanced panel' contains all parishes that are consistently observed in all the five waves of data. All regressions are least squares as in Equation 3 with year and county fixed effects as well as controlling for wheat suitability interacted with year dummies. Standard errors (in parentheses) are clustered at the parish level. 'High carbon-to-nitrogen ratio' is a binary variable equal to one if the carbon-to-nitrogen ratio of the parish is above the sample median. The outcomes are expressed in natural logarithm so that coefficients can be interpreted in terms of percentage change.

Table B7. Effect on livestock – Median exposure

	(1)	(2)	(3)
Outcome:	*Cows*	*Horses*	*Sheep*
Almost-balanced panel			
High **C**arbon:**N**itrogen ratio × Post-1840	0.217**	0.404***	0.101
	(0.096)	(0.149)	(0.149)
Number of observations	19,615	15,549	19,615
Number of parishes	6,391	7,501	6,391
Adjusted R-squared	0.632	0.566	0.489
Fully-balanced panel			
High **C**arbon:**N**itrogen ratio × Post-1840	0.170	0.395***	-0.056
	(0.113)	(0.153)	(0.175)
Number of observations	1,768	13,329	1,768
Number of parishes	442	6,391	442
Adjusted R-squared	0.599	0.559	0.416

Notes: *Significant at 10%. **Significant at 5%. ***Significant at 1%. Unit of observation: parish × year. Estimation sample specified in the panel header. 'Fully-balanced panel' contains all parishes that are consistently observed in all the five waves of data. All regressions are least squares as in Equation 3 with fixed effects (indicated in the last three rows of the table) as well as All regressions are least squares as in Equation 3 with year and county fixed effects, controlling for wheat suitability interacted with year dummies, and standard errors clustered at the parish level (in parentheses). 'High carbon-to-nitrogen ratio' is a binary variable equal to one if the carbon-to-nitrogen ratio of the parish is above the sample median. The outcomes are expressed in natural logarithm so that coefficients can be interpreted in terms of percentage change.

Table B8. Effect on livestock – Alternative estimation samples

	(1)	(2)	(3)
Outcome:	*Cows*	*Horses*	*Sheep*
Almost-balanced panel			
High **C**arbon:**N**itrogen ratio × Post-1840	0.169*	0.289**	0.023
	(0.089)	(0.131)	(0.132)
Number of observations	19,615	15,549	19,615
Number of parishes	6,391	7,501	6,391
Adjusted R-squared	0.632	0.565	0.489
Fully-balanced panel			
High **C**arbon:**N**itrogen ratio × Post-1840	0.187*	0.284**	0.041
	(0.107)	(0.133)	(0.157)
Number of observations	1,768	13,329	1,768
Number of parishes	442	6,391	442
Adjusted R-squared	0.599	0.558	0.416

Notes: *Significant at 10%. **Significant at 5%. ***Significant at 1%. Unit of observation: parish × year. Estimation sample specified in the panel header. 'Fully-balanced panel' contains all parishes that are consistently observed in all the five waves of data. All regressions are least squares as in Equation 3 with fixed effects (indicated in the last three rows of the table) as well as All regressions are least squares as in Equation 3 with year and county fixed effects, controlling for wheat suitability interacted with year dummies, and standard errors clustered at the parish level (in parentheses). 'High carbon-to-nitrogen ratio' is a binary variable equal to one if the carbon-to-nitrogen ratio of the parish is above the sample median. The outcomes are expressed in natural logarithm so that coefficients can be interpreted in terms of percentage change.


Table B9. Effect on livestock – Controlling for wheat suitability × year dummies

	(1)	(2)	(3)
Outcome:	*Cows*	*Horses*	*Sheep*
Whole sample			
High **C**arbon:**N**itrogen ratio × Post-1840	0.170**	0.291**	0.092
	(0.086)	(0.131)	(0.131)
Number of observations	24,911	15,549	24,911
Number of parishes	9,039	7,501	9,039
Adjusted R-squared	0.624	0.567	0.529
Whole sample			
High **C**arbon:**N**itrogen ratio × Post-1840	0.169*	0.291**	0.021
	(0.088)	(0.131)	(0.132)
Number of observations	19,615	15,549	19,615
Number of parishes	6,391	7,501	6,391
Adjusted R-squared	0.634	0.567	0.492
Balanced panel			
High **C**arbon:**N**itrogen ratio × Post-1840	0.196*	0.284**	0.038
	(0.106)	(0.133)	(0.159)
Number of observations	1,768	13,329	1,768
Number of parishes	442	6,391	442
Adjusted R-squared	0.600	0.560	0.416


Notes: *Significant at 10%. **Significant at 5%. ***Significant at 1%. Unit of observation: parish × year. Estimation sample specified in the panel header. 'Fully-balanced panel' contains all parishes that are consistently observed in all the five waves of data. All regressions are least squares as in Equation 3 with fixed effects (indicated in the last three rows of the table) as well as All regressions are least squares as in Equation 3 with year and county fixed effects, controlling for wheat suitability interacted with year dummies, and standard errors clustered at the parish level (in parentheses). 'High carbon-to-nitrogen ratio' is a binary variable equal to one if the carbon-to-nitrogen ratio of the parish is above the sample median. The outcomes are expressed in natural logarithm so that coefficients can be interpreted in terms of percentage change.

Figure B6. Heterogeneous Dynamic Effects on Nitrogen-Intensive Crop Acreage

(a) By North-South Separation



(b) By Wheat Suitability



Notes: Event-study estimates with 90 percent confidence interval based on least squares regressions as in Equation 2 with year and parish fixed effects. Standard errors clustered at the parish level. Unit of observation: parish × year. The outcomes are expressed in natural logarithm so that coefficients can be interpreted in terms of percentage change.

C Model Calculations and Robustness

Consumption Shares. The structure of the Eaton-Kortum model makes it such that consumption shares do not have a large impact on the model solution, as in the aggregate equal land is devoted to each crop in equilibrium (i.e., in a model with six crops, each parish will on average devote 1/6 of its land to each crop, regardless of the consumption weight). For example, the consumption share has no impact on any model fundamentals in a symmetric 2×2 economy with frictionless trade, which is solved with the single market clearing equation:

$$rL_o = (\pi^1_{oo}\mu_1 + \pi^2_{oo}\mu_2)rL_o + (\pi^1_{od}\mu_1 + \pi^2_{od}\mu_2)L_d$$

Noting that $\pi^k_{oo} = \pi^k_{od} = \pi$ due to frictionless trade and symmetry, μ_k is completely eliminated from the expression. One corollary of this is that it is impossible to generate *aggregate specialization* in the EK model; if one location specializes in a certain crop, then that means the other location must specialize in a different crop–they cannot both "specialize" in a crop that is in relatively high demand. Consumption shares have a much more direct impact on welfare, however, as they determine the relative weight that is placed on the different crops in the real income calculation.

We estimate consumption shares from the data as follows. For the crops of wheat, barley, oats, and peas/beans, we are able to use data from the *London Gazette*. Using a random sample of consumption shares for London in the pre-period (i.e. before 1840), we obtain that out of the four crops the average consumption share is: wheat=0.335, barley=0.154, oats=0.426, beans=0.083. It remains to estimate the consumption shares of turnips and potatoes, the two other major crops we consistently include in our analysis. In 1841, the mayor of Manchester, William Neild, read a paper to the Statistical Section of the British Association which shows the household expenditures of a set of 19 families living in Manchester and its suburb of Dukinfield (Neild, 1842). On average, the expenditure shares on food items (out of total expenditure) were as follows:

Variable	Obs	Mean	Std. Dev.	Min	Max
Flour & bread	19	25.19	8.51	12.4	39.1
Meat	19	12.61	6.60	0	31.2
Bacon	19	2.77	3.11	0	10
Ham	19	0.09	0.39	0	1.7
Oatmeal	19	4.37	10.20	0	45.3
Butter	19	7.51	2.75	0	11.4
Eggs	19	0.69	1.03	0	3
Milk	19	6.18	3.41	1.1	15.2
Potatoes	19	5.71	3.11	1.7	13
Cheese	19	2.12	1.75	0	5.3

Table B10. Summary statistics on expenditure shares

Taking the flour & bread line item as roughly correlating to wheat and barley consumption, we obtain that the potato expenditure share should be around 22.7% of the expenditure share of wheat and barley from the *London Gazette*. We assume that turnips were used as an input into the production of dairy and beef products, as they were primarily fed to cattle but not other livestock (Trow-Smith, 2013). However, the challenge

in this case is that cattle could also be raised on grassland; turnips were not the only crop they could be fed on. The consumption of dairy and beef products is given by the sum of Meat, Butter, Milk, and Cheese, which totals 28.4% (and thus is slightly more than the amount spent on Flour & bread). Our baseline assumption is that half of this total reflects the effective consumption share on turnips (and half on grass), although we show robustness to different assumptions.

The vector μ for our primary specification therefore is: Wheat (0.242), Barley (0.111), Oats (0.308), Beans (0.060), Potatoes (0.080), Turnips (0.199).