Regime-Switching Perturbation for Non-Linear Equilibrium Models*

Nelson Lind†

UC San Diego

May 17, 2014

[PRELIMINARY]

Abstract

Salient macroeconomic problems often lead to highly non-linear models – for instance models incorporating endogenous crises or the zero-lower-bound on interest. Unfortunately, these models are hard to solve since typical perturbation methods struggle to capture essential non-linearities, and the curse of dimensionality plagues global solution methods.

This paper generalizes perturbation to handle the class of piecewise smooth rational expectations models, enabling a local approach to solving highly non-linear models. I formalize the notion of an endogenous regime by introducing a novel regime-switching equilibrium (RSE) concept. Using this framework, an economist can use non-linear model features to explain macroeconomic regime changes instead of imposing an external regime-switching structure. I then show how to use perturbation to approximate RSE's relative to a stochastic reference point instead of a deterministic steady state.

This approach (1) generalizes solution methods for Markov-switching rational expectations models; (2) provides a framework for modeling regime-switching from first principles; and (3) connects macroeconomic theory to regime-switching econometric models.

*I thank Davide Debortoli, James Hamilton, Marc Muendler, Irina Telyukova, Johannes Wieland, and seminar participants at UCSD for helpful comments and suggestions.

†*nrlind@ucsd.com*, `econweb.ucsd.edu/~nrlind`, Dept. of Economics, University of California, San Diego, 9500 Gilman Dr MC 0508, La Jolla, CA 92093-0508.

[A needed] avenue of research concerns the development of numerical methods that combine the strengths of global solution methods in describing non-linear dynamics with the power of perturbation methods in dealing with a large number of variables so as to analyze sudden stops in even richer macroeconomic models.

Korinek and Mendoza (2013)

1 Introduction

Many salient macroeconomic problems are inherently non-linear[1]. Unfortunately, the curse of dimensionality limits global solution techniques that solve non-linear dynamic stochastic general equilibrium (DSGE) models. Complex and large models are often beyond the scope of global methods, since computation time increases exponentially in the number of included state variables. Instead, macroeconomists tend to rely on perturbation methods to study medium and large scale general equilibrium models since they are fast and simple to apply[2]. But since these methods linearize equilibrium conditions, they are invalid for studying highly non-linear models[3]. As stated by Korinek and Mendoza (2013) in the context of international macro, a new methodology is needed which doesn't suffer from the curse of dimensionality but can easily handle strong non-linearity.

Focusing on the class of piecewise smooth dynamic stochastic general equilibrium models, I introduce a generalized perturbation technique to approximate regime-switching representations of rational expectations equilibria. By overcoming the high cost of global methods and the limited applicability of perturbation methods, this regime-switching perturbation method enables the study of general equilibrium models that were previously considered intractable.

This method solves any dynamic general equilibrium model whose structural equations are piece-wise smooth[4]. This class includes business cycle models incorporating policy constraints like the zero-lower-bound (Fernandez-Villaverde et al. (2012); Aruoba and Schorfheide (2012); Nakata (2012); Gavin et al. (2013)), models of crises based on collateral constraints (Mendoza and Smith (2006); Mendoza (2010); Korinek and Mendoza (2013)), and models of crises due to market breakdown (Boissay et al. (2013)). The solution method only relies on the piecewise smooth structure of the model – which is known directly from its equations – and does not rely on any information about how this non-linearity is reflected in equilibria.

A novel regime-switching characterization of rational expectations equilibrium underlies the solution method. This alternative regime-switching equilibrium (RSE) concept uses regime-conditional solution functions and an endogenously determined regime variable. It is equivalent to rational expectations equilibrium (REE) because both definitions of equilibrium make identical in-equilibrium predictions. This result justifies

[1]For instance, highly non-linear features arise in models of sovereign default (Arellano (2008), Mendoza and Yue (2012), Adam and Grill (2013)), the zero lower bound on interest rates (Fernandez-Villaverde et al. (2012), Aruoba and Schorfheide (2012), and Nakata (2012)), sudden stops (Mendoza (2010),Bianchi and Mendoza (2013),Korinek and Mendoza (2013)), and financial crises (Sannikov and Brunnermeier (2012),He and Krishnamurthy (2013),Gertler and Kiyotaki (2013), and Boissay et al. (2013)).

[2]See Jin and Judd (2002) and Schmitt-Grohe and Uribe (2004) for standard perturbation methods. Also see Brzoza-Brzezina et al. (2013) for a penalty function based perturbation approach to solve models with occasionally binding constraints.

[3]Braun et al. (2012) show that economic conclusions can be very incorrect if log-linearization techniques are used inappropriately in models incorporating the zero lower bound.

[4]Throughout I describe a real analytic function as a smooth function.

focusing solely on regime-switching representations of equilibrium and provides a theoretical underpinning for regime-switching perturbation. I also show how the model equations become entirely smooth once the regime variable is defined using the known non-linear structure of the model. In effect, the regime variable absorbs all of a model's non-smooth features and enables a perturbation based solution method.

Prior regime-switching approaches specify the regime distribution externally either as an exogenous Markov-switching process (as in Farmer et al. (2009); Bianchi (2012, 2013); Foerster (2013); Foerster et al. (2013)) or as a switching process that depends on the economy's state in a known way (as in Davig and Leeper (2006) or Barthélemy and Marx (2013)). These external-switching models can explain how an economy behaves in the presence of regime changes, but cannot explain the underlying reason for regime change.

I show how to incorporate a regime as an equilibrium outcome based on the non-linearity built into theoretical models. This approach nests previous regime-switching specifications[5]. Instead of taking an externally imposed regime structure as given, the method allows for models which explain sudden shifts in an economic environment as resulting from non-linear model features derived from first principles. In this approach, the endogenous regime depends on economic fundamentals, and the distribution governing the evolution of the regime conditional on the economy's state is an equilibrium object. This conditional distribution must be solved for in addition to solving for regime-conditional solution functions. This approach provides a theoretical foundation for the concept of an economic regime.

Using this formalization, I can re-interpret the class of piecewise smooth models as the class of endogenous-regime models. This interpretation connects the method to recent advances in solving rational expectations models. In particular, the Markov-switching and endogenous-switching special cases arise when the evolution of the regime variable can be determined prior to solution. I show that solving for a first order RSE can be accomplished by adapting techniques for Markov-switching rational expectations models such as those in Farmer et al. (2011), Bianchi and Melosi (2012), Barthélemy and Marx (2013), Cho (2013), and Foerster et al. (2013).

Incorporating the regime variable as an equilibrium object requires modifying typical perturbation procedures. Calculating derivatives at a single steady state is no longer sufficient. Instead I show how to approximate RSE's relative to references points which change with the regime. The procedure is built upon an augmented model which nests the original model and a slack model. The reference points solve the slack model, enabling an application of the implicit function theorem to approximate solutions to the original model. The resulting approximate solution functions depend on the conditional distribution governing the evolution of the regime. A simple backward induction procedure solves for the equilibrium evolution of the regime.

Beyond solving models that were previously considered intractable, this technique also improves on standard perturbation by freeing solutions from remaining in a neighborhood of steady state. Solving relative to a steady state limits the accuracy of solutions. Regime-switching perturbation allows for multiple reference points, increasing the *number of locations* where the solution is accurate. Better still, these reference points

[5]See appendix E.

may be chosen a-priori, giving a researcher control over *precisely where* the solution is accurate. Because of this freedom, regime-switching perturbation enables the study of equilibrium dynamics and large shocks which carry the economy to extreme regions of the state-space, possibly far from the deterministic steady state.

The equilibrium representation and solution method also provides a connection to linear regime-switching models used routinely in time-series econometrics. In particular, an n-th order approximation of a regime-switching equilibrium implies a non-linear state-space system for observable data (or a latent linear representation as in Lombardo (2010) and Lan and Meyer-Gohde (2013)). Macroeconomic processes which are well characterized by Markov-switching models can be modeled as resulting from regime-switching equilibria of non-linear DSGE models. Due to this connection, the method provides a first step towards empirical studies based on highly non-linear models – which are typically infeasible since estimation exacerbates the computational burden of solving for equilibria[6].

Section 2 provides intuition for the technique by presenting a univariate model. I solve a special case of the model directly, and show how the solution can be re-cast within a regime-switching structure. Finally, regime-switching perturbation is applied to solve the model exactly. Section 3 presents the general case. I introduce the class of piecewise smooth rational expectations models, the notion of regime-switching equilibrium, and the general solution procedure. This section also contains equivalence results justifying the method. Section 4 returns to the example model and compares global solutions with the solutions calculated using regime-switching perturbation. Section 5 concludes.

2 Example: A ZLB Model

This section works through a motivating example to fix ideas and illustrate the regime-switching perturbation method. The model incorporates the zero-lower-bound (ZLB) on interest rates into a simple Fisherian model of inflation determination. A special case of the model has closed form solutions which take a piecewise linear form. I show how to re-express these equilibria in a regime-switching linear form. In this representation, the regime variable indicates whether or not the ZLB binds and the conditional distribution of the regime is an equilibrium object. Finally, I show how to arrive at the exact solution using regime-switching perturbation.

The model consists of the Fisher equation relating nominal and real interest rates, and a ZLB-constrained Taylor rule with interest rate persistence. This basic structure can be derived from a standard neoclassical

[6]For instance, Aruoba and Schorfheide (2012) must ignore the ZLB and restrict the sample used for estimation.

growth model with money and nominal bonds[7].

$$\begin{aligned} r_t &= i_t - \mathbb{E}_t \pi_{t+1} \\ r_t &= (1-\rho_r)\bar{r} + \rho_r r_{t-1} + \varepsilon_t,\ \varepsilon_t \overset{iid}{\sim} \mathcal{N}(0,\sigma^2) \\ i_t^* &= (1-\rho_i)\bar{r} + \rho_i i_{t-1}^* + \theta \pi_t \\ i_t &= \max\{0, i_t^*\} \end{aligned} \tag{1}$$

The fisher equation defines the real interest rate r_t as the nominal interest rate i_t net of expected inflation $\mathbb{E}_t \pi_{t+1}$. The real rate evolves as an exogenous AR(1) process with persistence of ρ_r. Monetary policy has a desired nominal interest rate i_t^* and sets the nominal interest rate i_t equal to this target whenever feasible. Due to the zero lower bound, the central bank is constrained to setting the nominal rate at zero whenever the desired rate is negative.

The desired rate is determined by a weighted average of all past deviations of inflation from the central bank's zero inflation target. As a result, i_t^* can be interpreted as the central bank's accumulated commitment to make up for past deviations of inflation from this target. For example, if inflation has been below target historically and the ZLB is binding, i_t^* represents commitments to keep the interest rate low for an extended period.

I assume that a Taylor-type principle holds and the reaction coefficient θ is positive and greater than $1-\rho_i$. Under this assumption, the model has two steady states. The first corresponds to when policy achieves its zero inflation target. The second is the Friedman steady state where the rate of deflation is equal to the average real interest rate. Linear approximations based around either steady state are only valid if the process for r_t is sufficiently bounded to never push equilibrium outcomes across the kink generated by the ZLB. Since the interesting case is precisely when the ZLB may occasionally bind, standard perturbation is an inappropriate solution method.

2.1 Closed Form Solution With $\rho_r = 0$

For the remainder of this section, I assume that the real interest rate has no persistence: $\rho_r = 0$. Under this assumption, the model has a closed form solution.


To solve the model, first reduce to a single equation in the desired rate by eliminating the real rate, the realized nominal rate, and inflation. This reduction gives a single non-linear expectational difference equation in the desired rate:

$$\mathbb{E}_t i_{t+1}^* = (1-\rho_i)\bar{r} + \max\{\rho_i i_t^*, (\rho_i + \theta) i_t^*\} - \theta r_t \tag{2}$$

The max operator arises from the ZLB constraint. When the desired rate is below zero, the ZLB binds, and the right hand side has a slope of $\rho_i < 1$. When policy is not constrained by the ZLB, the slope is $\rho_i + \theta > 1$. Figure 1 depicts this equation and shows the two steady states of the model for comparison.

[7] See appendix F.

Figure 1: **Depiction of The Fisherian Model: Equation** (2)



The only fundamental state variable in equation (2) is the exogenous shock, r_t. A (recursive minimum-state-variable) equilibrium is a map $r_t \mapsto g(r_t) = i^*_t$ to determine the desired rate. Since r_t is iid and the future desired rate is determined by the same function in-equilibrium, the expected desired rate is constant over time: $\mathbb{E}_t\left[g(r_{t+1})\right] \equiv i^{*e}$. Inverting the right hand side of (2) gives a piecewise linear expression for the desired rate:

$$i^*_t = g(r_t) = \min\left\{\frac{i^{*e} - (1-\rho_i)\bar{r} + \theta r_t}{\rho_i}, \frac{i^{*e} - (1-\rho_i)\bar{r} + \theta r_t}{\rho_i + \theta}\right\} \tag{3}$$

For any given level of i^{*e}, today's desired rate is determined by one of two linear functions. The first corresponds to when policy is constrained by the ZLB, and the second corresponds to when policy is unconstrained. Regime-switching, whether or not the ZLB binds, is then just between one or the other entry.


In turn, since $i^{*e} = \mathbb{E}_t\left[g(r_{t+1})\right]$, rational expectations requires that the expected desired rate must satisfy the fixed point condition:

$$i^{*e} = \int \min\left\{\frac{i^{*e} - (1-\rho_i)\bar{r} + \theta r_{t+1}}{\rho_i}, \frac{i^{*e} - (1-\rho_i)\bar{r} + \theta r_{t+1}}{\rho_i + \theta}\right\} \frac{1}{\sigma}\phi\left(\frac{r_{t+1} - \bar{r}}{\sigma}\right) dr_{t+1} \tag{4}$$

where ϕ denotes the standard normal pdf. Figure 2 illustrates this fixed point condition.

This equation has two solutions given the strict concavity of the min function and the fact that the right hand side limits to a linear functional form as $i^{*e} \to \pm\infty$. These two solutions are represented by the intersection of the right hand side of equation (4) with the 45-degree line in figure 2. There are then precisely

Figure 2: **Fixed Point Condition For Rational Expectations: Equation** (4)



two equilibria corresponding to each of the two values for i^{*e} which solve equation (4). Since the expected desired rate converges to a steady state of the model as the volatility of the real rate shock is shutdown, these two equilibria can be associated with the two steady states of the model.

2.2 A Regime-Switching Characterization of Equilibrium

Structural equation (2) and the solution function (3) both suggest organizing our solution approach based on whether or not the desired rate is above or below zero. To formalize this idea, I define a regime-switching equilibrium concept where the solution is conditioned on whether or not the ZLB binds. Instead of representing equilibrium with a single solution function, I use two. One function determines outcomes when policy is constrained by the ZLB and the other determines outcomes when policy is not constrained by the ZLB. Note that distinguishing between these cases does not require any knowledge of the equilibria of the model and only uses the information contained in the model's structural equations.

Define a regime variable s_t which either takes a value of c when policy is *constrained* or u when policy is *unconstrained*. Condition outcomes on this regime variable by defining two function g_c and g_u which determine the desired rate depending on the prevailing regime. Since the regime is an endogenous outcome, its probability law is an equilibrium object. Denote the distribution of s_t conditional on r_t by $\Pi_s(r) \equiv \mathbb{P}[s_t = s \mid r_t = r]$.

To ensure that the regime variable correctly indicates when the ZLB binds, this conditional distribution

must be consistent with the equilibrium process for the desired rate. In particular, $s_t = c$ can only occur when the desired rate is below zero and $s_t = u$ can only occur when the desired rate is above zero. This means that the events $\{s_t = c \text{ and } i_t^* > 0\}$ and $\{s_t = u \text{ and } i_t^* \leq 0\}$ must occur with probability zero. These conditions place equilibrium restrictions on Π.

These equilibrium restrictions require consistency between the solutions functions and the regime distribution. For each draw of the fundamental shock $r_t = r$ if the regime $s_t = s$ occurs with positive probability, then the solution function g_s must satisfy:

$$\begin{aligned} \text{if } s = c \text{ then } g_s(r) &\leq 0 \\ \text{if } s = u \text{ then } g_s(r) &> 0 \\ \int \textstyle\sum_{s'=1,2} g_{s'}(r')\Pi_{s'}(r')\sigma^{-1}\phi(r'/\sigma)\mathrm{d}r' &= (1-\rho_i)\bar{r} + \mathbf{1}\{s_t = c\}\rho_i g_s(r) + \mathbf{1}\{s_t = u\}(\rho_i + \theta)g_s(r) - \theta r \end{aligned} \tag{5}$$

The first two conditions impose consistency of the regime with the solution functions. The constrained regime cannot occur if its solution function maps the desired rate above zero, and the unconstrained regime cannot occur if its solution function maps the desired rate below zero. These two requirements imply that the events $\{s_t = c, g_{s_t}(r_t) > 0\}$ and $\{s_t = u, g_{s_t}(r_t) \leq 0\}$ are off-equilibrium path. The final condition is a restatement of the model equation (2) and requires that the regime-conditional solution functions solve the model.

The regions of these functions which never occur in-equilibrium are unrestricted in principle. However, re-writing the model as the system (5) has implicitly pinned down the solution functions:

$$\begin{aligned} g_c(r) &= \tfrac{\theta}{\rho_i}(r - r^*) \\ g_u(r) &= \tfrac{\theta}{\rho_i + \theta}(r - r^*) \end{aligned} \tag{6}$$

where


$$r^* \equiv \frac{(1-\rho_i)\bar{r}}{\theta} - \int \sum_{s'=1,2} \frac{g_{s'}(r')}{\theta}\Pi_{s'}(r')\frac{1}{\sigma}\phi\left(\frac{r' - \bar{r}}{\sigma}\right)\mathrm{d}r' \tag{7}$$

These solution functions and the threshold r^* are depicted in figure 3. In effect, off-equilibrium path outcomes are pinned down via the linear extension of the entries of the max operator in the solution given in equation (3).

The distribution of the regime must be consistent with these functions. Given the form of g_c and g_u, the constrained regime can only occur when the real rate is below the threshold r^* and the unconstrained regime can only occur when the real rate is above r^*. Therefore, this switching threshold is a summary statistic for the equilibrium regime distribution:

$$\Pi_s(r) = \begin{cases} \mathbf{1}\{r \leq r^*\} & \text{if } s = c \\ \mathbf{1}\{r > r^*\} & \text{if } s = u \end{cases} \tag{8}$$

Figure 3: **Regime-Switching Equilibrium: Functions in** (6) **and Threshold in** (7)



Using (8) in (7), implies that the switching threshold must be a fixed point of:

$$r^* = \frac{(1-\rho_i)r}{\theta} - \int \max\left\{\frac{1}{\rho_i}(r-r^*), \frac{1}{\rho_i+\theta}(r-r^*)\right\} \frac{1}{\sigma}\phi\left(\frac{r'-\bar{r}}{\sigma}\right) \mathrm{d}r' \tag{9}$$

This condition is equivalent to the fixed point condition (4) with $r^* = \theta^{-1}[(1-\rho_i)r - i^{*e}]$.

The regime-switching equilibrium concept represents the model solution using a regime-switching linear structure. Instead of solving for a kinked function (equation (3)), it is sufficient to solve for two linear functions (equation (6)). Given these functions, we then find a fixed point in the distribution Π via the summary statistic r^*.

Although this regime-switching equilibrium concept is a change of perspective, it is equivalent to the usual notion of a rational expectations equilibrium. By construction, it generates identical outcomes. The regime variable effectively absorbs all of the non-differentiability in the model, enabling the use of linear solution functions. As the next section shows, a perturbation method can solve for these well behaved functions.

2.3 Solution Using Regime-Switching Perturbation

The regime-switching perturbation method finds solution functions associated with any given conditional distribution for the regime, and searches for a fixed point in the conditional distribution.

At each iteration, the solution algorithm calculates solution functions using perturbation and constructs

the conditional distribution consistent with these functions. The algorithm begins with a guess of the regime distribution: $\Pi = \hat{\Pi}^{(0)}$. At iteration n, perturbation delivers the solution functions $\hat{g}_c^{(n)}$ and $\hat{g}_u^{(n)}$ associated with the distribution $\hat{\Pi}^{(n-1)}$. The collection $\{\hat{g}_c^{(n)}, \hat{g}_u^{(n)}, \hat{\Pi}^{(n-1)}\}$ implies conditional probabilities for the events $\{i_t^* \leq 0\}$ and $\{i_t^* > 0\}$. These conditional probabilities imply a new estimate $\hat{\Pi}^{(n)}$. Proposition 2.2 shows that this backward induction procedure solves the model since the sequence $\{\hat{\Pi}^{(n)}\}$ converges to an equilibrium regime distribution.

The central step to this procedure is the calculation of the solution function estimates, $\hat{g}_c$ and $\hat{h}_u$. In standard perturbation, solution functions are approximated by applying the implicit function theorem at a steady state of the model. The steady state provides a reference point central to solving the model.

In the current example, regime changes force the desired rate to switch between lying above and below zero. The use of a single steady state as a reference point is impossible. To resolve this issue, I use the support points of a stochastic process driven by the regime variable as the necessary regime-specific reference points.

Choose points $\tilde{i}_c^* < 0$ and $\tilde{i}_u^* > 0$ to serve as regime conditional reference points for the desired rate. Importantly these points must lie on either side of zero so that local information is obtained from both sides of the kink arising from the ZLB. Also, choose two reference points for the real rate: $\bar{r}_c$ and $\bar{r}_u$[8]. Given these points and a fixed regime distribution, define a slackness term as:

$$\Delta_{s,s'} = \tilde{i}_{s'}^* - (1-\rho_i)\bar{r} - \max\left\{\rho_i \tilde{i}_s^*, (\rho_i + \theta)\tilde{i}_s^*\right\} + \theta \bar{r}_s$$

The expected value of this slackness term is the residual in the model equation under the assumption that outcomes are determined as $(i_t^*, r_t) = (\tilde{i}_{s_t}^*, \bar{r}_{s_t})$ and $s_t \sim \int \Pi_s(\bar{r} + \varepsilon')\mathrm{d}F(\varepsilon')$.

Next, augment the model with this slackness term using a nesting parameter $\eta \in [0, 1]$:

$$\begin{aligned} 0 &= \mathbb{E}_t\left[i_{t+1}^* - (1-\rho_i)\bar{r} - \max\left\{\rho_i i_t^*, (\rho_i+\theta)i_t^*\right\} + \theta r_t - (1-\eta)\Delta_{s_t, s_{t+1}}\right] \\ r_{t+1} &= (1-\eta)\bar{r}_{s_{t+1}} + \eta(\bar{r} + \varepsilon_{t+1}),\ \varepsilon_{t+1} \sim \mathcal{N}(0, \sigma^2) \\ s_{t+1} \mid \varepsilon_{t+1} &\sim \Pi_s(\bar{r} + \varepsilon_{t+1}) \end{aligned} \tag{10}$$

The first equation arises from appending the slack term $(1-\eta)\Delta_{s,s'}$ to equation (2). The second equation specifies a distorted version of the real rate process. The evolution of the real rate is now a convex combination of the reference point $\bar{r}_s$ and the true process of the shock. Now both the regime variable and the Gaussian innovation directly drive the real rate. Finally, the last line specifies that the regime is driven by the true real rate process and not the modified real rate process.

This augmented model reduces to our original model when $\eta = 1$ because the residual term drops out and the future real rate shock is no longer distorted towards the reference point $\bar{r}_{s'}$. In the opposite case with $\eta = 0$, the continuous shock does not impact the future value of the real rate which takes values of $\bar{r}_c$ and $\bar{r}_u$. In this slack model, the residual term enters fully and ensures that the reference points $\tilde{i}_c^*$ and $\tilde{i}_c^*$

[8] In this example, these points can be arbitrary. Generally, it is helpful to choose them based on estimates of the regime-conditional means of the state variables of the model

solve the model at the state-space points $\bar{r}_c$ and $\bar{r}_u$.

Given fixed values for $\{\Pi, \tilde{i}^*_c, \tilde{i}^*_u, \bar{r}_c, \bar{r}_u\}$, a solution to this augmented model is a pair of functions $g_c(r,\eta)$ and $g_u(r,\eta)$ such that model equation (10) is satisfied when $i^*_t = g_{s_t}(r_t,\eta)$ and $i^*_{t+1} = g_{s_{t+1}}(r_{t+1},\eta)$. Note that these solutions now depend on the nesting parameter η.

Since the augmented model nests the original model, evaluating the solution functions $g_c(r,\eta)$ and $g_u(r,\eta)$ at $\eta = 1$ gives the solution functions of the original model for a given conditional distribution Π. On the other extreme, when $\eta = 0$ the augmented model reduces to the slack model, which has a known regime-conditional solution by construction. Specifically, the presence of the residual term ensures that the solution functions for the augmented model satisfy:

$$\begin{aligned} \tilde{i}^*_c &= g_c(\bar{r}_c, 0) \\ \tilde{i}^*_u &= g_u(\bar{r}_u, 0) \end{aligned}$$

Just as a deterministic steady state is the reference point for standard perturbation, the stochastic process $(\tilde{i}^*_{s_t}, \bar{r}_{s_t})$ serves as a reference process. Now, an application of the implicit function theorem based on the state-space points $\bar{r}_c$ and $\bar{r}_u$ (see appendix A) delivers the partial derivatives of the augmented model's solution functions.

Calculating these derivatives leads to a first order approximation:

$$g_s(r,\eta) \approx \tilde{i}^*_s + \frac{\partial}{\partial r} g(\bar{r}_s, 0)(r - \bar{r}_s) + \frac{\partial}{\partial \eta} g(\bar{r}_s, 0)\eta$$

Setting $\eta = 1$ gives an approximate solution to the original model:

$$g_s(r,1) \approx \left[\bar{i}^*_s - \frac{\partial}{\partial r} g(\bar{r}_s, 0)\bar{r}_s + \frac{\partial}{\partial \eta} g_s(\bar{r}_s, 0)\right] + \frac{\partial}{\partial r} g_s(\bar{r}_s, 0) r \equiv \hat{g}_s(r) \tag{11}$$

The derivative with respect to η adjusts the constant of this linear approximation to account for the specification of the slack model.

In this example, the solution is linear so this approximation is in fact exact when Π is an equilibrium conditional distribution. To arrive at this result, I use the following lemma which specifies the constants in this approximation associated with any arbitrary choice of Π.

Lemma 2.1 *For a given conditional distribution* Π*, not necessarily an equilibrium distribution, the constants in the linear approximation* (11) *associated with* Π *are* $(s = u, c)$

$$\begin{aligned} \left[\tilde{i}^*_s - \frac{\partial}{\partial r} g(\bar{r}_s, 0)\bar{r}_s + \frac{\partial}{\partial \eta} g_s(\bar{r}_s, 0)\right] &= a_s(\Pi) = -b_s r^*(\Pi) \\ \frac{\partial}{\partial r} g_s(\bar{r}_s, 0) &= b_s = \begin{cases} \frac{\theta}{\rho_i} & s = c \\ \frac{\theta}{\rho_i + \theta} & s = u \end{cases} \end{aligned}$$

where

$$r^*(\Pi) = \frac{\frac{1-\rho_i}{\theta}\bar{r} - \mathbb{E}_{r'\sim\mathcal{N}(\bar{r},\sigma^2)}\left[\Pi_c(r')\frac{1}{\rho_i}r' + \Pi_u(r')\frac{1}{\rho_i+\theta}r'\right]}{1 - \mathbb{E}_{r'\sim\mathcal{N}(\bar{r},\sigma^2)}\left[\Pi_c(r')\frac{1}{\rho_i} + \Pi_u(r')\frac{1}{\rho_i+\theta}\right]}$$

Proof. See appendix A. ■

The slope constant b_s is the same slope constant in the true solution function given by equation (6). The constant term depends on the regime distribution through the threshold $r^*(\Pi)$. This threshold is the point in the state-space where both $\hat{g}_c$ and $\hat{g}_u$ equal zero[9].

This lemma characterizes the solution delivered by using perturbation to approximate g_c and g_u holding Π fixed. However, if Π is an equilibrium regime distribution, then the threshold $r^*(\Pi)$ must be a threshold which satisfies the fixed point condition (9). It immediately follows that this perturbation method delivers the exact solution, as summarized in the following proposition:

Proposition 2.1 *If* Π *is an equilibrium distribution in an RSE of model* (1) *(so that it takes the form given in equation* (8)*), then for each regime the first order approximation* (11) *is equal to the unique linear regime-conditional solution function associated with* Π*.*

Proof. See appendix B. ■

This result implies that if we can solve for Π, we can solve the model. It begs the question, using perturbation to calculate solution functions, can backwards induction solve for an equilibrium value for Π? The answer to this question is yes.

To see this result, consider an update of the regime distribution to Π' given a previous guess of Π. If the regime is drawn according to Π and the desired rate is determined by the associated approximation $\hat{g}_{s_t}(r_t)$, then the desired rate is below zero if and only if $r_t \leq -a_{s_t}(\Pi)/b_{s_t} = r^*(\Pi)$. This implies that the conditional probability of the desired rate ending up below zero is $\sum_{s=u,c}\Pi_s(r_t)\mathbf{1}\{r_t \leq r^*(\Pi)\} = \mathbf{1}\{r_t \leq r^*(\Pi)\}$. This probability is the true chance that policy is constrained. Similarly, the desired rate is above zero if and only if $r_t > r^*(\Pi)$ so the probability of being unconstrained is $\sum_{s=u,c}\Pi_s(r_t)\mathbf{1}\{r_t > r^*(\Pi)\} = \mathbf{1}\{r_t > r^*(\Pi)\}$. Therefore, the only consistent belief is

$$\Pi'_s(r) = \begin{cases} \mathbf{1}\{r \leq r^*(\Pi)\} & \text{if } s = c \\ \mathbf{1}\{r > r^*(\Pi)\} & \text{if } s = u \end{cases} \tag{12}$$

This equation specifies an updating equation for beliefs which takes as input a conditional distribution Π and returns an updated conditional distribution Π'.

Backward induction based on this updating rule is guaranteed to generate a sequence of conditional distributions which converges to an equilibrium conditional distribution:

[9]It is also a sufficient statistic for the conditional regime distribution implied by these functions

Proposition 2.2 *For sufficiently small $\sigma > 0$ and for almost every initialization of the conditional distribution $\Pi^{(1)}$, the sequence $\{\Pi^{(n)}\}_{n=1}^{\infty}$ generated by recursion on the backward induction rule* (12) *converges to a conditional distribution Π^* associated with a regime-switching equilibrium of model* (1).

Proof. See appendix C. ■

This backwards induction procedure solves the model to arbitrary precision. The regime-switching perturbation method combines backwards induction with perturbation to calculate regime-conditional solution functions and the equilibrium distribution governing the evolution of the regime.

This example demonstrates how regime-switching perturbation works within a simple model. In fact, regime-switching perturbation solves the model exactly because the true solution has a linear regime-switching representation.

3 The General Case

This section examines the concept of regime-switching equilibrium, and explains regime-switching perturbation. The first sub-section specifies the general framework and the central assumption defining the class of piecewise smooth rational expectations models. The second sub-section provides equilibrium definitions and an equivalence result that justifies the general use of regime-switching perturbation. This result also provides intuition for why regime-switching perturbation is an efficient and parsimonious approximation technique. The third sub-section examines the details of the method, and the fourth sub-section summarizes the algorithm.

3.1 General Framework

Suppose a macroeconomic theory implies a model for a control variable vector $Y_t \in \mathbb{Y} \subset \mathbb{R}^{n_Y}$ and state variable vector $X_t \in \mathbb{X} \subset \mathbb{R}^{n_X}$ which takes the form

$$\begin{aligned} 0 &= \mathbb{E}_t f(Y_{t+1}, Y_t, \tilde{X}_t, X_t) \\ X_{t+1} &= \tilde{X}_t + \Sigma\varepsilon_{t+1},\ \varepsilon_{t+1} \overset{iid}{\sim} F \end{aligned} \tag{13}$$

The vector $\tilde{X}_t$ represents the pre-determined part of the state variables. The *iid* innovation, ϵ_{t+1}, introduces a stochastic component to the state vector via the impact matrix Σ. Note that Σ may be singular so that some state-variables are entirely pre-determined. I will refer to $\mathbb{X}$ as the state-space, $\mathbb{Y}$ as the control-space, and $\mathbb{Y} \times \mathbb{X}$ as the outcome-space of the model.

The following assumption defines the class of piecewise smooth models:

Assumption 3.1 *The function $y \mapsto f(y', y, x', x)$ is piece-wise real analytic for each value of $(y', x', x) \in \mathbb{Y} \times \mathbb{X} \times \mathbb{X}$.*

Specifically, there is a partition of the control space[10] *into* S *regions,* $\{\mathbb{Y}_s\}_{s=1}^S$*, and a collection of real analytic functions* $\{f_s\}_{s=1}^S$ *so that*

$$f(y', y, x', x) = \sum_{s=1}^{S} f_s(y', y, x', x)\mathbf{1}\{y \in \mathbb{Y}_s\} \tag{14}$$

Many highly non-linear general equilibrium models which arise in macroeconomic theory satisfy this assumption. For example, the assumption includes business cycle models incorporating the ZLB (Fernandez-Villaverde et al. (2012); Aruoba and Schorfheide (2012); Nakata (2012)), models of sudden stop crises (Mendoza and Smith (2006); Mendoza (2010); Korinek and Mendoza (2013))), and models of breakdown in financial intermediation (Boissay et al. (2013); Gertler and Kiyotaki (2013)). Discrete time versions of continuous time macro-finance models (He and Krishnamurthy (2012); Sannikov and Brunnermeier (2012); He and Krishnamurthy (2013); Sannikov and Brunnermeier (2013)) also have a piecewise smooth structure and satisfy this assumption.

Note that typical everywhere differentiable DSGE models arise as the case when $S = 1$. Additionally, the class of piecewise smooth models includes Markov-switching rational expectations models, as in Foerster et al. (2013), and endogenous-switching rational expectations models, as in Davig and Leeper (2006). Both these types of models arise as special cases, and appendix E shows this connection in detail. The class of piecewise smooth models encompasses many discrete time macroeconomic models.

3.2 A Regime-Switching Characterization of Equilibrium

Regime-switching perturbation solves for regime-switching representations of rational expectations equilibria. These regime-switching equilibria use the partition $\{\mathbb{Y}_s\}_{s=1}^S$ in assumption 3.1 to define regimes such that the active piece of the partition identifies the present regime. This construction re-interprets the class of piece-wise smooth models as the class of endogenous-regime models. The regime-conditional representation effectively absorbs all non-smooth model features into the regime variable.

Regime-switching equilibrium and the standard concept of a rational expectations equilibrium are equivalent since they make identical predictions. Regime-switching perturbation computes an approximation to this representation by taking advantage of the known model structure to define the regime variable.

To formalize these ideas, I first fix equilibrium concepts:

Definition 3.1 A (recursive, minimum-state-variable) *rational expectations equilibrium* (REE) is a pair of measurable functions g and h such that from any initial point $X_1 \in \mathbb{X}$ the stochastic process generated

[10] Restricting to a piecewise smooth structure in the contemporaneous control variables is without loss of generality because any non-differentiabilities in terms of state variables can be absorbed into the control variables by augmentation. The augmentation requires a new control variable which replaces the state or shock variable. Then an additional equation is introduced which imposes that the new control variable equals the state or shock which it replaced.

recursively according to

$$Y_t = g(X_t), \tilde{X}_t = h(X_t)$$
$$X_{t+1} = \tilde{X}_t + \Sigma\varepsilon_{t+1},\ \varepsilon_{t+1} \overset{iid}{\sim} F$$

satisfies model (13). Namely, for each $x \in \mathbb{X}$

$$0 = \int f(g(h(x) + \Sigma\varepsilon'), g(x), h(x), x)\mathrm{d}F(\varepsilon')$$

This definition of equilibrium is commonly used as the basis of global solution methods for non-linear rational expectations models. The success of global methods in approximating equilibrium functions depends both on the dimension of the state space and how well the chosen numerical scheme can handle the non-linear structure of the model[11].

Next, I need an equilibrium concept that incorporates the notion of an endogenous regime. Generally, I allow for an arbitrary regime variable r_t which takes values of $1, \ldots, R$ and is not identified with the partition $\{\mathbb{Y}_s\}_{s=1}^S$:

Definition 3.2 A (fundamental, recursive, minimum-state-variable) *order-R regime-switching equilibrium* (RSE) is a collection of measurable functions $\{g_r, h_r\}_{r=1}^R$ and a conditional distribution function Π such that

1. *Rational Expectations*: For any initial point $X_1 \in \mathbb{X}$ the outcomes generated recursively according to

$$r_t \mid X_t \sim \Pi_r(X_t)$$
$$Y_t = g_{r_t}(X_t), \tilde{X}_t = h_{r_t}(X_t)$$
$$X_{t+1} = \tilde{X}_t + \Sigma\varepsilon_{t+1},\ \varepsilon_{t+1} \overset{iid}{\sim} F$$

   satisfy model (13). Specifically, for each point $(r, x) \in \{1, \ldots, R\} \times \mathbb{X}$, if $\Pi_r(x) > 0$ then

$$0 = \int \sum_{r'=1}^{R} f(g_{r'}(h_r(x) + \Sigma\varepsilon'), g_r(x), h_r(x), x)\Pi_{r'}(h_r(x) + \Sigma\varepsilon')\mathrm{d}F(\varepsilon')$$

2. *Fundamental Volatility*: Either $\Pi_r(x) = 0$ or $\Pi_r(x) = 1$.

The first requirement states that the self-fulfilling beliefs of agents in the model can only put positive support on regimes which also satisfy the model equations. Regimes whose solution functions do not satisfy the model at the value of the state variables must occur with probability zero. The second condition requires that these self-fulfilling beliefs only place support on a single regime at each point of the state space. This

[11] The first consideration limits the number of pre-determined and shock variables which can be incorporated into the model. Leveraging Taylor approximations reduces this computational bottle neck. The second often requires clever partitioning of the model state-space to account for kinks and discontinuities. In contrast, I use the known partition of the control-space.

imposes that the only source of volatility comes from fundamental shocks[12].

The REE concept and the RSE concept are closely related because they make identical predictions. This idea can be stated precisely by defining a notion of equivalence:

Definition 3.3 A REE (g, h) and an order-R RSE are *equivalent equilibria* if for each $x \in \mathbb{X}$ and each $r \in \{1, \ldots, R\}$ if $\Pi_r(x) > 0$ then $g_r(x) = g(x)$ and $h_r(x) = h(x)$.

An REE and an RSE are equivalent when they agree on contemporaneous outcomes across all points of the state space.

The formal link between these equilibrium concepts is summarized in the following proposition:

Proposition 3.1 *The collection* $(\{g_r, h_r\}_{r=1}^R, \Pi)$ *is an order-R RSE if and only there exists an equivalent REE.*

The proof of this proposition is constructive and shows precisely how the two concepts are related.

Proof. ($\Rightarrow$): We can construct an REE from a given RSE by splicing its solution functions together. Given $(\{g_r, h_r\}_{r=1}^R, \Pi)$ choose $g(x) = \sum_{r=1}^R g_r(x)\Pi_r(x)$ and $h(x) = \sum_{r=1}^R h_r(x)\Pi_r(x)$. By construction, (g, h) is equivalent, provided that it is an REE. Due to the fundamental volatility requirement, Π is a degenerate distribution and so

$$\begin{aligned}
&\int f(g(h(x) + \Sigma\varepsilon'), g(x), h(x), x)\mathrm{d}F(\varepsilon') \\
&= \int f(g_{r'}(h_r(x) + \Sigma\varepsilon'), g_r(x), h_r(x), x)\Pi_{r'}(h_r(x) + \Sigma\varepsilon')\Pi_r(x)\mathrm{d}F(\varepsilon')
\end{aligned}$$

When $\Pi_r(x) = 0$ the last term must equal zero. However, if $\Pi_r(x) > 0$ this term will also equal zero due to the rational expectations requirement of an order-R RSE. Therefore (f, g) is an REE.

($\Leftarrow$): Necessity follows from realizing that for a given REE, (g, h), there are many equivalent RSE, and they differ according to their specification for out-of-equilibrium outcomes. Let Π be any conditional distribution over $\{1, \ldots, R\}$ which is degenerate (satisfies the fundamental volatility requirement). For each $x \in \mathbb{X}$, if $\Pi_r(x) > 0$ set $g_r(x) = g(x)$ and $h_r(x) = h(x)$. If $\Pi_r(x) = 0$, arbitrarily choose values for $g_r(x)$ and $h_r(x)$. These values are the out-of-equilibrium segments of the solution functions and may be chosen in any way without influencing equilibrium predictions. If the collection $(\{g_r, h_r\}_{r=1}^R, \Pi)$ is an RSE, it is equivalent to (g, h) by construction.

Now, check the rational expectations requirement. For each in-equilibrium state-regime pair (so that

[12]More generally, I could consider equilibria where sunspot shocks select between regimes so that multiple outcomes can occur in-equilibrium for a given point of the state-space. From a solution strategy point of view, sunspot equilibria simply condition on an additional state variable, which can be appended to the model. For an example of this approach see Lubik and Schorfheide (2003) and Farmer and Khramov (2013).

$\Pi_r(x) > 0$) we have:

$$\begin{aligned}
&\int \sum_{r'=1}^{R} f(g_{r'}(h_r(x) + \Sigma\varepsilon'), g_r(x), h_r(x), x)\Pi_{r'}(h_r(x) + \Sigma\varepsilon')\mathrm{d}F(\varepsilon') \\
&= \int \sum_{r'=1}^{R} f(g(h(x) + \Sigma\varepsilon'), g(x), h(x), x)\Pi_{r'}(h_r(x) + \Sigma\varepsilon')\mathrm{d}F(\varepsilon') \\
&= \int f(g(h(x) + \Sigma\varepsilon'), g(x), h(x), x)\mathrm{d}F(\varepsilon')
\end{aligned}$$

Since (g, h) is an REE, the last term is equal to zero, and so $(\{g_r, h_r\}_{r=1}^{R}, \Pi)$ is an order-R RSE. ■

This remark shows the relationship between the two equilibrium concepts. The in-equilibrium parts of an RSE's solution functions always match with the solution functions of some REE. The out-of-equilibrium parts of the functions g_r and h_r can never occur and do not influence equilibrium predictions. They are completely unrestricted by the definition of an RSE, and we have many possible RSE's simply by varying out-of-equilibrium outcomes.

Since out-of-equilibrium events are unrestricted, we can focus attention on sub-classes of RSE's by placing restrictions on out-of-equilibrium outcomes. In the previous section, we used this idea to work exclusively with linear solution functions. In the general case, we can focus on smooth solution functions due to assumption 3.1.

This is accomplished by identifying each of the R regimes with a segment of the piece-wise smooth model. This choice allows the regime variable to absorb all of the non-differentiable features in the model, effectively converting it into a smooth model with an endogenous regime variable.

This idea can be formalized by defining a concept of partition consistency:

Definition 3.4 Given a control-space partition $\{\mathbb{Y}_s\}_{s=1}^{S}$, an order-$R$ RSE is *partition consistent* if for each $r \in \{1, \ldots, R\}$ there exists some $s \in \{1, \ldots, S\}$ so that for every $x \in \mathbb{X}$ if $\Pi_r(x) > 0$ then $g_r(x) \in \mathbb{Y}_s$.

Partition consistency implies that each regime is tied to a unique piece of the natural partition arising from the model's structural equations. The outcomes generated by each regime must lie in a single piece of the model's partition, and so knowing the current regime implies knowing which piece of the model partition is currently active.

But since the model is smooth on the interior of each piece $\mathbb{Y}_s$, this implies that each solution function can be smoothly pinned down by the model structure while the regime stays fixed. To see this, fix the regime

at r and use 3.1 and partition consistency of the RSE to write:

$$\begin{aligned}\Pi_r(x) > 0 \implies 0 &= \int \sum_{r'=1}^{R} f(g_{r'}(h_r(x) + \Sigma\varepsilon'), g_r(x), h_r(x), x)\Pi_{r'}(h_r(x) + \Sigma\varepsilon')\mathrm{d}F(\varepsilon') \\ &= \int \sum_{r'=1}^{R}\sum_{s=1}^{S} f_s(g_{r'}(h_r(x) + \Sigma\varepsilon'), g_r(x), h_r(x), x)\mathbf{1}\{g_r(x) \in \mathbb{Y}_s\}\Pi_{r'}(h_r(x) + \Sigma\varepsilon')\mathrm{d}F(\varepsilon') \\ &= \int \sum_{r'=1}^{R} f_{s(r)}(g_{r'}(h_r(x) + \Sigma\varepsilon'), g_r(x), h_r(x), x)\Pi_{r'}(h_r(x) + \Sigma\varepsilon')\mathrm{d}F(\varepsilon')\end{aligned}$$

where $s : \{1, \ldots, r\} \to \{1, \ldots, S\}$ is the map from the current regime to the currently active partition. This mapping is well-defined because of partition consistency. The model is now entirely smooth, apart from any non-smoothness arising from a perfectly forecastable jump in the future regime that could be enduced by varying x. Provided that future regime changes are not extremely sensitive to current choices which determine the state, the model is completely smooth, and it is reasonable to look for smooth regime-conditional solution functions.

Remark 3.1 *A partition consistent RSE implies a completely smooth regime-switching model of the form*

$$0 = \int \sum_{r'=1}^{R} f_{s(r)}(g_{r'}(h_r(x) + \Sigma\varepsilon'), g_r(x), h_r(x), x)\Pi_{r'}(h_r(x) + \Sigma\varepsilon')dF(\varepsilon')$$

Intuitively, if regimes are based on the pieces of the partition $\{\mathbb{Y}_s\}_{s=1}^{S}$, then the model equations are completely smooth once cast into a regime-switching form. Focusing on smooth solution functions amounts to using analytic continuation to extend how the smooth structure of the model determines in-equilibrium outcomes to pin down out-of-equilibrium outcomes.

Because any RSE implies a unique equivalent REE, solving for RSE is without loss of generality and completely equivalent to solving for REE. This result suggests that we focus on solving for smooth solution functions in a regime-switching equilibrium, provided the regime variable is consistent with the partition $\{\mathbb{Y}_s\}_{s=1}^{S}$.

3.3 Regime-Switching Perturbation

The perturbation method approximates each regime specific solution function with a polynomial generated by a Taylor expansion. This procedure requires points for calculating derivatives of the structural equations. Traditionally, the deterministic steady state is used, but here reference points must move with the regime variable.

Instead of using the steady state, the method chooses reference points a-priori. It performs perturbation within an augmented model which nests model (13) and a slack model whose solution involves the chosen points. This procedure breaks perturbation's dependence on the model's steady state and generates approximate solution functions that are consistent with a given regime distribution function Π.

Given that perturbation delivers the collection of approximate solution functions $\{\hat{g}_s, \hat{h}_s\}_{s=1}^S$ associated with Π, solving for an approximate equilibrium reduces to finding a regime distribution Π such that the outcomes generated by the system

$$\begin{aligned} Y_t &= \hat{g}_{s_t}(X_t) \\ X_{t+1} &= \hat{h}_{s_t}(X_t) + \Sigma\varepsilon_{t+1} \\ \varepsilon_{t+1} &\overset{iid}{\sim} F,\ s_{t+1} \mid X_{t+1} \sim \Pi_s(X_{t+1}) \end{aligned}$$

satisfy $\mathbb{P}[Y_t \in \mathbb{Y}_s \mid X_t = x] = \Pi_s(x)$. This requirement is a fixed point condition which imposes rational expectations and implies that $(\{\hat{g}_s, \hat{h}_s\}_{s=1}^S, \Pi)$ is an approximate RSE.

By using the known partition $\{\mathbb{Y}_s\}_{s=1}^S$, I update the conditional distribution to make it consistent with the hypothesis that equilibrium outcomes are generated by $(\{\hat{g}_s, h_s\}_{s=1}^S, \Pi)$. Using this distribution update step after each perturbation step, gives a complete iteration of the solution algorithm.

This procedure amounts to performing backward induction on the conditional distribution of the regime. Let an exponent of (n) denote an equilibrium object associated with the n-th iteration of the algorithm. Then each iteration n consists of a perturbation step to find estimates $\{\hat{g}_s^{(n)}, \hat{h}_s^{(n)}\}_{s=1}^S$ given $\Pi^{(n-1)}$, and then a distribution update step which calculates $\Pi^{(n)}$ given $(\{\hat{g}_s^{(n)}, \hat{h}_s^{(n)}\}_{s=1}^S, \Pi^{(n-1)})$. This generates a sequence $\{\Pi^{(n)}\}$. If this sequence converges, then the limit is an approximate equilibrium distribution.

3.3.1 The Perturbation Step

The augmented model which facilitates the perturbation step uses a nesting parameter $\eta \in [0, 1]$ to combine model (13) with a slack model:

$$\begin{aligned} 0 &= \mathbb{E}_t\left[f(Y_{t+1}, Y_t, \tilde{X}_t, X_t) - (1-\eta)\Delta_{s_{t+1}, s_t}\right] \\ X_{t+1} &= \tilde{X}_t + (1-\eta)(\bar{x}_{s_{t+1}} - \tilde{x}_{s_t}) + \eta\Sigma\varepsilon_{t+1} \\ \varepsilon_{t+1} &\overset{iid}{\sim} F, \text{ and } s_{t+1} \mid \tilde{X}_t, \varepsilon_{t+1} \sim \Pi_s(\tilde{X}_t + \Sigma\varepsilon_{t+1}) \end{aligned} \tag{15}$$

where the residual term $\Delta_{s,s'}$ is given by:

$$\Delta_{s,s'} = f(\tilde{y}_{s'}, \tilde{y}_s, \tilde{x}_s, \bar{x}_s)$$

and the points $\{\tilde{y}_s, \tilde{x}_s, \bar{x}_s\}_{s=1}^S$ are any points such that each $\tilde{y}_s$ is in the interior of $\mathbb{Y}_s$. The region of the outcome space which is well approximated via perturbation is controlled by this collection of points.

The additive slack terms incorporated into this augmented model relax the original model (13). Including these slack terms modifies the evolution of state variables and adds a residual to the model equations. The residual term ensures that the slack model (the case when $\eta = 0$) always has the outcome $(\tilde{y}_s, \tilde{x}_s)$ as a solution when the state is $\bar{x}_s$. Setting $\eta = 1$ reduces this augmented model to the original model given in system (13).

An approximation of the underlying REE arises from using perturbation to solve for an approximate

RSE. Since the solution functions of the RSE must solve (15) when $\eta = 1$, approximating a solution to the augmented model delivers a solution to the original model.

Holding the collection $\{\Pi_s, \tilde{y}_s, \tilde{x}_s, \bar{x}_s\}_{s=1}^S$ fixed, consider finding functions $\{g_s, h_s\}_{s=1}^S$ with domain of $\mathbb{X} \times [0,1]$ which solve (15). Then for every point $(s, x, \eta) \in \{1, \ldots, S\} \times \mathbb{X} \times [0,1]$ these solution functions must satisfy:

$$0 = \int \sum_{s'=1}^{S} \left[\begin{array}{r} f(g_{s'}(h_s(x,\eta) + (1-\eta)(\bar{x}_{s'} - \tilde{x}_s) + \eta\Sigma\varepsilon', \eta), g_s(x,\eta), h_s(x,\eta), x) \\ -(1-\eta)\Delta_{s,s'} \end{array} \right] \Pi_{s'}(h_s(x) + \Sigma\varepsilon') \mathrm{d}F(\varepsilon') \quad (16)$$

Due to the residual term $\Delta_{s,s'}$, the solution functions associated with regime s must map the point $(x, \eta) = (\bar{x}_s, 0)$ to the outcome $(\tilde{y}_s, \tilde{x}_s)$:

$$\begin{aligned} \tilde{y}_s &= g_s(\bar{x}_s, 0) \\ \tilde{x}_s &= h_s(\bar{x}_s, 0) \end{aligned}$$

Given this known solution point, we can use the implicit function theorem to calculate the derivatives in the Taylor approximation:

$$\begin{aligned} g_s(x,\eta) &\approx \tilde{y}_s + \frac{\partial}{\partial x'} g_s(\bar{x}_s, 0)(x - \bar{x}_s) + \frac{\partial}{\partial \eta} g_s(\bar{x}_s, 0)\eta \\ h_s(x,\eta) &\approx \tilde{x}_s + \frac{\partial}{\partial x'} h_s(\bar{x}_s, 0)(x - \bar{x}_s) + \frac{\partial}{\partial \eta} h_s(\bar{x}_s, 0)\eta \end{aligned}$$

Implicitly differentiate equation (16) in x and evaluate at $(x, \eta) = (\bar{x}_s, 0)$ to get

$$0 = \sum_{s'=1}^{S} \left[F_{s,s'}^{(1,0,0,0)} G_{s'}^{(1,0)} H_s^{(1,0)} + F_{s,s'}^{(0,1,0,0)} G_s^{(1,0)} + F_{s,s'}^{(0,0,1,0)} H_s^{(1,0)} + F_{s,s'}^{(0,0,0,1)} \right] \bar{\Pi}_{s,s'}$$

with the compact notation:

$$\begin{aligned} F_{s,s'}^{(i,j,k,l)} &\equiv \left. \frac{\partial f(y', y, x', x)}{\partial y'^i \partial y^j \partial x'^k \partial x^l} \right|_{(y', y, x', x) = (\tilde{y}'_s, \tilde{y}_s, \tilde{x}_s, \bar{x}_s)} \\ G_s^{(i,j)} &\equiv \left. \frac{\partial g_s(x,\eta)}{\partial x^i \partial \eta^j} \right|_{(x,\eta) = (\bar{x}_s, 0)} \\ H_s^{(i,j)} &\equiv \left. \frac{\partial h_s(x,\eta)}{\partial x^i \partial \eta^j} \right|_{(x,\eta) = (\bar{x}_s, 0)} \\ \bar{\Pi}_{s,s'} &\equiv \int \Pi_{s'}(\tilde{x}_s + \Sigma\varepsilon') \mathrm{d}F(\varepsilon') \end{aligned}$$

to denote evaluated derivatives and average transition probabilities.

This second order matrix equation implicitly defines the collection of partial derivative matrices $\{G_s^{(1,0)}, H_s^{(1,0)}\}_{s=1}^S$. Foerster et al. (2013) arrive at an analogous second order system when working with Markov-switching models and use Groebner basis methods to calculate solutions to this problem. In this way, the first order approximation of the model can be calculated using any algorithm designed to solve Markov-switching rational

expectations models[13]. Since calculating symbolic Groebner bases can be slow, I apply the numerical linear algebra techniques in Dreesen et al. (2012) to solve this quadratic system as a high dimensional generalized eigenvalue problem[14].

Given the matrices $\{G_s^{(1,0)}, H_s^{(1,0)}\}_{s=1}^S$, next implicitly differentiate in η and evaluate at $(x,\eta) = (\bar{x}_s, 0)$ to get

$$0 = \sum_{s'=1}^{S} \left\{ \begin{array}{r} F_{s,s'}^{(1,0,0,0)} \left[G_{s'}^{(1,0)} (H_s^{(0,1)} + \mu_{s,s'}) + G_{s'}^{(0,1)} \right] \\ + F_{s,s'}^{(0,1,0,0)} G_s^{(0,1)} + F_{s,s'}^{(0,0,1,0)} H_s^{(0,1)} \end{array} \right\} \bar{\Pi}_{s,s'}$$

where $\mu_{s,s'} \equiv \frac{\int (\Sigma\varepsilon' - \bar{x}_{s'} + \tilde{x}_s) \Pi_{s'}(\tilde{x}_s + \Sigma\epsilon') \mathrm{d}F(\varepsilon')}{\int \Pi_{s'}(\tilde{x}_s + \Sigma\epsilon') \mathrm{d}F(\varepsilon')}$ is a correction term to account for how the slack model was constructed. Note that the solution is not certainty equivalent due to this the correction term[15], unlike in standard perturbation[16].

This equation is linear in the collection of matrices $\{G_s^{(0,1)}, H_s^{(0,1)}\}_{s=1}^S$ and is straightforward to solve. As is the case in standard perturbation, from this point onwards, any n-th order approximation ($n \geq 2$) can be calculated using the $(n-1)$-th order approximation by implicit differentiation in x and η and evaluation at $(x,\eta) = (\bar{x}_s, 0)$ to get additional linear systems of equations[17].

Focusing on the first order approximation for simplicity, set $\eta = 1$ to get an approximation to the original model's solution functions:

$$\begin{array}{rcl} \hat{g}_s(x) & \equiv & \left[\tilde{y}_s + G_s^{(0,1)} \right] + G_s^{(1,0)} (\bar{x}_s, 0)(x - \bar{x}_s) \\ \hat{h}_s(x) & \equiv & \left[\tilde{x}_s + H_s^{(0,1)} \right] + H_s^{(1,0)} (\bar{x}_s, 0)(x - \bar{x}_s) \end{array} \tag{17}$$

Notice that the derivative in the nesting parameter η adjusts the constant term of the solution to correct for the additive slack terms used to specify the augmented model (15). Provided that Π is an equilibrium distribution, these functions provide approximations to the smooth and minimal-order RSE associated with a REE of model (13).

This procedure takes a choice of $\{\Pi_s, \tilde{y}_s, \tilde{x}_s, \bar{x}_s\}_{s=1}^S$ and returns the approximate solution functions $\{\hat{g}_s, \hat{h}_s\}_{s=1}^S$. This perturbation step is used at each iteration of the solution method to find approximate solution functions consistent with a given regime distribution.

[13]Other linear or local approximation based solution approach include Farmer et al. (2011), Bianchi and Melosi (2012) Barthélemy and Marx (2013), and Cho (2013)

[14]The details of this procedure are excluded for brevity and are available upon request.

[15]Foerster et al. (2013) show that certainty equivalence also breaks down when model parameters follow a Markov-switching process.

[16]In standard perturbation this term is exactly zero since there is a single regime so that $\Pi_1 = 1$ and $\bar{x}_1 = \tilde{x}_1$ (the model is solved relative to the deterministic steady state).

[17]For instance, see Schmitt-Grohe and Uribe (2004) and Kim et al. (2008)

3.3.2 Updating the Regime Distribution

Together, the conditional distribution and its implied solution function approximations define a regime-switching state-space system:

$$\begin{aligned} Y_t &= \hat{g}_{s_t}(X_t) \\ X_{t+1} &= \hat{h}_{s_t}(X_t) + \Sigma\varepsilon_{t+1} \\ \varepsilon_{t+1} &\overset{iid}{\sim} F,\ s_{t+1} \mid X_{t+1} \sim \Pi_s(X_{t+1}) \end{aligned} \tag{18}$$

Solving for an equilibrium requires finding a regime distribution that is self-fulfilling. Specifically, $\Pi_s(x)$ must be the conditional law $\mathbb{P}[Y_t \in \mathbb{Y}_s \mid X_t = x]$ of the process $\{Y_t, X_t, s_t\}$ that is generated by the state-space system (18).

I propose using backwards induction to solve for an equilibrium regime distribution, where perturbation is used to solve for $\{\hat{g}_s, \hat{h}_s\}_{s=1}^S$ given Π. To update the conditional distribution, I use the control-space partition. In particular, the probability that Y_t lies in the region $\mathbb{Y}_s$ given that $X_t = x$ is precisely[18]

$$\Pi'_s(x) = \sum_{\tilde{s}=1}^{S} \mathbf{1}\{\hat{g}_{\tilde{s}}(x) \in \mathbb{Y}_s\}\Pi_{\tilde{s}}(x) \tag{19}$$

This updating equation can be calculated exactly at any point of the state space for given $(\{\hat{g}_s, \hat{h}_s\}_{s=1}^S, \Pi)$. In addition, if Π is a degenerate distribution, then Π' must be a degenerate distribution. Therefore, by initializing the algorithm with a guess which is degenerate, we can always ensure that the fundamental volatility requirement of the definition of an RSE is satisfied.

The Taylor approximation of the true solution functions is accurate only if regime-conditional outcomes tend to be close to the associated regime-conditional reference point. Therefore, updating the reference points $\{\tilde{y}_s, \tilde{x}_s, \bar{x}_s\}_{s=1}^S$ improves accuracy. However, to estimate the regime-conditional means generally requires simulation of the model, which is costly. I propose simulating the model only occasionally to update these reference points. I simulate data from system (18) to update the reference points with sample averages:

$$\begin{aligned} \tilde{y}'_s &= \frac{\sum_{t=1}^T Y_t \mathbf{1}\{Y_t \in \mathbb{Y}_s\}}{\sum_{t=1}^T \mathbf{1}\{Y_t \in \mathbb{Y}_s\}} \\ \tilde{x}'_s &= \frac{\sum_{t=1}^T (X_{t+1} - \Sigma\varepsilon_{t+1}) \mathbf{1}\{Y_t \in \mathbb{Y}_s\}}{\sum_{t=1}^T \mathbf{1}\{Y_t \in \mathbb{Y}_s\}} \\ \bar{x}'_s &= \frac{\sum_{t=1}^T X_t \mathbf{1}\{Y_t \in \mathbb{Y}_s\}}{\sum_{t=1}^T \mathbf{1}\{Y_t \in \mathbb{Y}_s\}} \end{aligned} \tag{20}$$

The simulated data can also be used to define the collection of points in the state space at which the distribution update is calculated.

[18] Alternatively, I could use a Nadaraya-Watson estimator on simulated data from the system (18) to estimate the function $x \mapsto \mathbb{P}[Y_t \in \mathbb{Y}_S \mid X_t = x]$. Given data $\{Y_t, X_t\}$, this estimate is:

$$\hat{\Pi}_s(x) = \frac{\sum_{t=1}^T \mathbf{1}\{Y_t \in \mathbb{Y}_s\} K_\lambda(x, X_t)}{\sum_{t=1}^T K_\lambda(x, X_t)}$$

where K_λ is a kernel on the state space with bandwidth parameter vector λ. To choose the bandwidth parameter, break the simulated data into training and validation sub-samples and perform cross-validation, or use a rule-of-thumb bandwidth choice.

3.4 The Algorithm

The most general statement of the proposed solution approach is given as algorithm 3.1. The initialization is purposefully vague. In practice, it is useful to initialize based on a first order solution based on linear approximation at a locally determinate steady state.

This is accomplished by solving for the steady state, solving for the first order approximation, simulating the model based on this initial guess, and then using the cloud of simulated data to form approximation nodes by averaging according to (20) and to choose state space points at which to track the regime distribution. The initial guess for the regime distribution then follows from an initial updating step ((19)) based on the linear approximation.

Algorithm 3.1

1. *Choose initial* $(\{\tilde{y}^{(0)}, \tilde{x}^{(0)}, \bar{x}^{(0)}\}_{s=1}^{S}, \hat{\Pi}^{(0)})$. *And set* $n = 1$.

2. *Use implicit differentiation of the augmented model* (15) *with*

$$(\{\tilde{y}_s, \tilde{x}_s, \bar{x}_s\}_{s=1}^{S}, \Pi) = (\{\tilde{y}_s^{(n-1)}, \tilde{x}_s^{(n-1)}, \bar{x}_s^{(n-1)}\}_{s=1}^{S}, \hat{\Pi}^{(n-1)})$$

   to calculate the solution function approximations $\{\hat{g}_s^{(n)}, \hat{h}_s^{(n)}\}_{s=1}^{S}$ *according to equation* (17).

3. *Update to* $\Pi^{(n)}$ *using equation* (19).

4. *If updating reference points at this iteration, then simulate the state-space system* (18) *to generate data* $\{Y_t, X_t, \varepsilon_t\}_{t=1}^{T}$. *Then update to* $\{\tilde{y}_s^{(n)}, \tilde{x}_s^{(n)}, \bar{x}_s^{(n)}\}_{s=1}^{S}$ *according to system* (20). *Otherwise, set* $\{\tilde{y}_s^{(n)}, \tilde{x}_s^{(n)}, \bar{x}_s^{(n)}\}_{s=1}^{S} = \{\tilde{y}_s^{(n-1)}, \tilde{x}_s^{(n-1)}, \bar{x}_s^{(n-1)}\}_{s=1}^{S}$.

5. *If* $\hat{\Pi}^{(n)} \approx \hat{\Pi}^{(n-1)}$ *stop, else set* $n = n + 1$ *and return to step 2.*

4 Preliminary Numerical Results

This section presents preliminary numerical results for the simple Fisherian model of inflation determination presented in section 2. Instead of assuming that the real interest rate is *iid* in each period, I allow for persistence in the real interest rate. In this case, the non-linearity introduced by the ZLB implies equilibria are no longer piece-wise linear.

Although the model has no closed form solution in this case, policy function iteration solves the model arbitrarily well. Using this global solution as a benchmark, I examine the accuracy of regime-switching perturbation based solutions of the model. I show that a second order regime-switching perturbation solution of the model matches the global solution very well.

For this exercise, I calibrate the model so that persistence enters both through the monetary policy rule and the real rate shock. I set the mean of the real rate shock to $\bar{r} = 0.03$, its persistence to $\rho_r = 0.5$, and

its standard deviation to $\sigma = 0.01$. The persistence of the desired rate is set to $\rho_i = 0.5$ and the policy reaction coefficient is set to $\theta = 0.75$. These policy parameters correspond to an inflation reaction coefficient of $\phi = 1.5$ in a rule of the form

$$i_t^* = \rho_i i_{t-1}^* + (1 - \rho_i)(r + \phi \pi_t)$$

Figure (4) compares a first order regime-switching perturbation based solution to the model with a solution using policy function iteration. The two solutions are very close to each other apart for very negative values of the real rate. They differ for $r_t < -0.02$. Since the mean of the shock of the real rate is 0.03 and the standard deviation of its innovation is 0.01 and persistence is 0.5, this region is visited very infrequently. In particular the standard deviation of the real rate is approximately 0.012 so this region is about 5 standard deviations away from the real rate's mean.

Figure 4: **First Order Regime-Switching Perturbation Vs. Policy Function Iteration**





Figure (5) shows the second order regime-switching perturbation solution of the model. Going to second order very slightly changes the solution by adding a small amount of curvature to the solution functions. This shows how the non-linearity in the true solution of the model is almost entirely absorbed into the regime variable. Higher orders of perturbation will do little to improve the accuracy of the solution.

This example model is not sufficiently complicated to demonstrate the computational gains from using perturbation. The model is solved in milliseconds. Further numerical work will demonstrate the computational scaling properties of the method.

Figure 5: **Second Order Regime-Switching Perturbation Vs. Policy Function Iteration**



5 Conclusion

This paper introduces a generalization of perturbation which can be applied to highly non-linear equilibrium models. Using this method, economists can easily and systematically solve DSGE models that incorporate highly non-linear structural features – such as occasionally binding constraints and discontinuous equilibrium conditions. Because previous solution methods struggle to capture strong non-linearities without sacrificing model size, this framework makes it possible to analyze general equilibrium models which were previously considered intractable.

By generalizing solution methods for Markov-switching rational expectations models, macroeconomists can now directly model underlying determinants of sudden and large macroeconomic regime changes. Markov-switching frameworks rely on assuming that major shifts in the economy occur exogenously or assuming a reduced form relationship between macroeconomic factors and the regime. The regime-switching equilibrium concept allows the concept of an endogenous regime to be defined rigorously, and provides a framework for building theoretical models to explain crises, policy changes, and other significant breaks in economic structure.

In addition, casting equilibria into a regime-switching form that arises directly from theory allows regime-switching econometric models to have a direct link to economic theories. In particular, the class of piecewise smooth rational expectations models can be identified equivalently as the class of endogenous regime models. The equilibria in these models can be represented using linear regime switching state-space systems, and

this connects theory to common empirical models.

Because the method uses reference points for perturbation that can be chosen ex-ante, the framework provides a tool for studying extreme equilibrium dynamics and large shocks. No longer must perturbation techniques be wedded to the deterministic steady state.

Future work will demonstrate how the method scales with state-space dimension by solving an N-country global economy model of sudden stops based on Korinek and Mendoza (2013). In the model, each country has two continuous state variables and a subset of countries have occasionally binding collateral constraints. In this extension of the canonical sudden stop framework, the global risk-free rate is endogenously determined from global financial conditions. The model has $2N$ state variables so increasing the number of countries will reveal the scaling properties of the technique. This numerical exercise will directly show how leveraging perturbation breaks the curse of dimensionality and allows the study of very large and very non-linear models.

In addition, to show how regime-switching perturbation enables structural estimation of non-linear DSGE models, future work will develop and apply a joint solution and estimation procedure in the spirit of Imai et al. (2009). This contribution leads directly to a number of empirical applications. I intend to apply these methods to study unconventional monetary policy at the zero-lower-bound, to model international capital markets in the presence of endogenous global financial crises, to model trade specialization dynamics, and to model asymmetric business cycles.

References

K. Adam and M. Grill. Optimal sovereign default. Discussion Papers 09/2013, Deutsche Bundesbank, Research Centre, 2013. URL http://ideas.repec.org/p/zbw/bubdps/092013.html.

C. Arellano. Default risk and income fluctuations in emerging economies. *American Economic Review*, 98(3): 690–712, 2008. doi: 10.1257/aer.98.3.690. URL http://www.aeaweb.org/articles.php?doi=10.1257/aer.98.3.690.

S. B. Aruoba and F. Schorfheide. Macroeconomic dynamics near the zlb: A tale of two equilibria. Technical report, 2012.

J. Barthélemy and M. Marx. State-Dependent Probability Distributions in Non Linear Rational Expectations Models. Technical report, 2013.

F. Bianchi. Evolving monetary/fiscal policy mix in the united states. *The American Economic Review*, 102 (3):167–172, 2012.

F. Bianchi. Regime switches, agents' beliefs, and post-world war ii us macroeconomic dynamics. *The Review of Economic Studies*, 80(2):463–490, 2013.

F. Bianchi and L. Melosi. Modeling the evolution of expectations and uncertainty in general equilibrium. Technical report, Penn Institute for Economic Research, Department of Economics, University of Pennsylvania, 2012.

J. Bianchi and E. G. Mendoza. Optimal time-consistent macroprudential policy. NBER Working Papers 19704, National Bureau of Economic Research, Inc, Dec 2013. URL http://ideas.repec.org/p/nbr/nberwo/19704.html.

F. Boissay, F. Collard, and F. Smets. Booms and banking crises. Technical report, Working Paper, 2013.

R. A. Braun, L. M. Körber, and Y. Waki. Some unpleasant properties of log-linearized solutions when the nominal rate is zero. Technical report, 2012.

M. Brzoza-Brzezina, M. Kolasa, and K. Makarski. A penalty function approach to occasionally binding credit constraints. Dynare Working Papers 27, CEPREMAP, June 2013. URL http://ideas.repec.org/p/cpm/dynare/027.html.

S. Cho. Characterizing markov-switching rational expectations models. Technical report, 2013. URL F.

T. Davig and E. M. Leeper. Endogenous monetary policy regime change. NBER Working Papers 12405, National Bureau of Economic Research, Inc, Aug. 2006. URL http://ideas.repec.org/p/nbr/nberwo/12405.html.

P. Dreesen, K. Batselier, and B. De Moor. Back to the roots: Polynomial system solving, linear algebra, systems theory. *Proc 16th IFAC Symposium on System Identification (SYSID 2012)*, pages 1203–1208, 2012.

R. Farmer and V. Khramov. Solving and Estimating Indeterminate DSGE Models. IMF Working Papers 13/200, International Monetary Fund, Oct. 2013. URL `http://ideas.repec.org/p/imf/imfwpa/13-200.html`.

R. E. Farmer, D. F. Waggoner, and T. Zha. Understanding markov-switching rational expectations models. *Journal of Economic Theory*, 144(5):1849–1867, 2009.

R. E. Farmer, D. F. Waggoner, and T. Zha. Minimal state variable solutions to markov-switching rational expectations models. *Journal of Economic Dynamics and Control*, 35(12):2150–2166, 2011.

J. Fernandez-Villaverde, G. Gordon, P. A. Guerron-Quintana, and J. Rubio-Ramirez. Nonlinear adventures at the zero lower bound. Working Paper 18058, National Bureau of Economic Research, May 2012. URL `http://www.nber.org/papers/w18058`.

A. Foerster, J. Rubio-Ramirez, D. Waggoner, and T. Zha. Perturbation methods for markov-switching dsge model. Technical report, 2013.

A. T. Foerster. Monetary policy regime switches and macroeconomic dynamic. Technical report, 2013.

W. T. Gavin, B. D. Keen, A. Richter, and N. Throckmorton. Global dynamics at the zero lower bound. *Federal Reserve Bank of St. Louis Working Paper Series*, (2013-007), 2013.

M. Gertler and N. Kiyotaki. Banking, liquidity and bank runs in an infinite horizon economy. 2013 Meeting Papers 59, Society for Economic Dynamics, 2013. URL `http://ideas.repec.org/p/red/sed013/59.html`.

Z. He and A. Krishnamurthy. A macroeconomic framework for quantifying systemic risk. Working Paper Research 233, National Bank of Belgium, Oct 2012. URL `http://ideas.repec.org/p/nbb/reswpp/201210-233.html`.

Z. He and A. Krishnamurthy. Intermediary asset pricing. *American Economic Review*, 103(2):732–70, 2013. doi: 10.1257/aer.103.2.732. URL `http://www.aeaweb.org/articles.php?doi=10.1257/aer.103.2.732`.

S. Imai, N. Jain, and A. Ching. Bayesian estimation of dynamic discrete choice models. *Econometrica*, 77 (6):pp. 1865–1899, 2009. ISSN 00129682. URL `http://www.jstor.org/stable/25621385`.

H. Jin and K. L. Judd. Perturbation methods for general dynamic stochastic models. *Manuscript, Stanford University*, 2002.

J. Kim, S. Kim, E. Schaumburg, and C. A. Sims. Calculating and using second-order accurate solutions of discrete time dynamic equilibrium models. *Journal of Economic Dynamics and Control*, 32(11):3397 – 3414, 2008. ISSN 0165-1889. doi: http://dx.doi.org/10.1016/j.jedc.2008.02.003. URL http://www.sciencedirect.com/science/article/pii/S0165188908000316.

A. Korinek and E. G. Mendoza. From sudden stops to fisherian deflation: Quantitative theory and policy implications. NBER Working Papers 19362, National Bureau of Economic Research, Inc, Aug. 2013. URL http://ideas.repec.org/p/nbr/nberwo/19362.html.

H. Lan and A. Meyer-Gohde. Solving dsge models with a nonlinear moving average. *Journal of Economic Dynamics and Control*, 37(12):2643–2667, 2013. URL http://ideas.repec.org/a/eee/dyncon/v37y2013i12p2643-2667.html.

G. Lombardo. On approximating dsge models by series expansions. Working Paper Series 1264, European Central Bank, Nov. 2010. URL http://ideas.repec.org/p/ecb/ecbwps/20101264.html.

T. A. Lubik and F. Schorfheide. Computing sunspot equilibria in linear rational expectations models. *Journal of Economic Dynamics and Control*, 28(2):273–285, November 2003. URL http://ideas.repec.org/a/eee/dyncon/v28y2003i2p273-285.html.

E. G. Mendoza. Sudden stops, financial crises, and leverage. *American Economic Review*, 100(5):1941–66, 2010. doi: 10.1257/aer.100.5.1941. URL http://www.aeaweb.org/articles.php?doi=10.1257/aer.100.5.1941.

E. G. Mendoza and K. A. Smith. Quantitative implications of a debt-deflation theory of sudden stops and asset prices. *Journal of International Economics*, 70(1):82 – 114, 2006. ISSN 0022-1996. doi: http://dx.doi.org/10.1016/j.jinteco.2005.06.016. URL http://www.sciencedirect.com/science/article/pii/S002219960500098X.

E. G. Mendoza and V. Z. Yue. A general equilibrium model of sovereign default and business cycles. *The Quarterly Journal of Economics*, 127(2):889–946, 2012. URL http://ideas.repec.org/a/oup/qjecon/v127y2012i2p889-946.html.

T. Nakata. Optimal fiscal and monetary policy with occasionally binding zero bound constraints. Technical report, 2012.

Y. Sannikov and M. Brunnermeier. A macroeconomic model with a financial sector. 2012 Meeting Papers 507, Society for Economic Dynamics, 2012. URL http://ideas.repec.org/p/red/sed012/507.html.

Y. Sannikov and M. Brunnermeier. The i-theory of money. 2013 Meeting Papers 620, Society for Economic Dynamics, 2013. URL http://ideas.repec.org/p/red/sed013/620.html.

S. Schmitt-Grohe and M. Uribe. Solving dynamic general equilibrium models using a second-order approximation to the policy function. *Journal of Economic Dynamics and Control*, 28(4):755–775, January 2004. URL `http://ideas.repec.org/a/eee/dyncon/v28y2004i4p755-775.html`.

A Proof of Lemma 2.1:

Substituting the hypothesized solution functions into the model gives (for each $s = u, c$):

$$\begin{aligned} 0 \quad = \quad & \mathbb{E}_{r' \sim \mathcal{N}(\bar{r}, \sigma^2)} \left\{ \begin{array}{c} \left[g_c((1-\eta)\bar{r}_c + \eta r', \eta) - (1-\eta)\Delta_{s,c} \right] \Pi_c(r') \\ + \left[g_u((1-\eta)\bar{r}_u + \eta r', \eta) - (1-\eta)\Delta_{s,u} \right] \Pi_u(r') \end{array} \right\} \\ & -(1-\rho_i)\bar{r} - \max\left\{ \rho_i g_s(r,\eta), (\rho_i + \theta) g_s(r,\eta) \right\} + \theta r \end{aligned}$$

Implicitly differentiate with respect to r at points (r, η) such that $g_s(r, \eta) \neq 0$ to get

$$0 = -[\rho_i + \mathbf{1}\{g_s(r,\eta) > 0\}\theta] \frac{\partial}{\partial r} g_s(r,\eta) + \theta$$

Note that the higher-order derivatives of this equation are all zero, and so there are no gains from higher order approximations. This is expected since the true solution is linear in r. Evaluate at $(r, \eta) = (\bar{r}_s, 0)$ to get

$$\frac{\partial}{\partial r} g_s(\bar{r}_s, 0) = \frac{\theta}{\rho_i + \mathbf{1}\{s = u\}\theta} \equiv b_s$$

In this calculation I replace the term $\mathbf{1}\{g_s(\bar{r}_s, 0) > 0\}$ with $\mathbf{1}\{s = u\}$ by using $g_s(\bar{r}_s, 0) = \bar{i}_s^*$, $\bar{i}_u^* > 0$, and $\bar{i}_c^* < 0$. This step reveals the importance of choosing the points $\bar{i}_s^*$ on both sides of the kink induced by the ZLB constraint. Choosing these points this way is necessary to get local information for both regimes from which to construct the regime-conditional solution functions.

The derivative with respect to η provides an adjustment term to the guess for the intercept of $\bar{i}_s^*$. Implicitly differentiating gives:

$$\begin{aligned} 0 \quad = \quad & \mathbb{E}_{r' \sim \mathcal{N}(\bar{r}, \sigma^2)} \left\{ \begin{array}{c} \left[\frac{\partial}{\partial r} g_c((1-\eta)\bar{r}_c + \eta r', \eta)(r' - \bar{r}_c) + \frac{\partial}{\partial \eta} g_c((1-\eta)\bar{r}_c + \eta r', \eta) + \Delta_{s,c} \right] \Pi_c(r') \\ + \left[\frac{\partial}{\partial r} g_u((1-\eta)\bar{r}_u + \eta r', \eta)(r' - \bar{r}_u) + \frac{\partial}{\partial \eta} g_u((1-\eta)\bar{r}_u + \eta r', \eta) + \Delta_{s,u} \right] \Pi_u(r') \end{array} \right\} \\ & -[\rho_i + \mathbf{1}\{g_s(r,\eta) > 0\}\theta] \frac{\partial}{\partial \eta} g_s(r,\eta) \end{aligned}$$

Note that any higher order derivatives in η must be zero because $\frac{\partial^2}{\partial \eta \partial r} g_s(r, \eta) = 0$. Evaluate at $(r, \eta) = (\bar{r}_s, 0)$ to get

$$\begin{aligned} 0 \quad = \quad & \mathbb{E}_{r' \sim \mathcal{N}(\bar{r}, \sigma^2)} \left[\left(b_c(r' - \bar{r}_c) + \frac{\partial}{\partial \eta} g_c(\bar{r}_c, 0) + \Delta_{s,c} \right) \Pi_c(r') \right] \\ & + \mathbb{E}_{r' \sim \mathcal{N}(\bar{r}, \sigma^2)} \left[\left(b_u(r' - \bar{r}_u) + \frac{\partial}{\partial \eta} g_u(\bar{r}_u, 0) + \Delta_{s,u} \right) \Pi_u(r') \right] \\ & -[\rho_i + \mathbf{1}\{s = u\}\theta] \frac{\partial}{\partial \eta} g_s(\bar{r}_s, 0) \end{aligned}$$

where I have used $\mathbf{1}\{g_s(\bar{r}_s, 0) > 0\} = \mathbf{1}\{s = u\}$ and $\frac{\partial}{\partial r} g_s(\bar{r}_s, 0) = b_s$. This expression defines a system of two linear equations in the two unknown derivatives $\frac{\partial}{\partial \eta} g_c(\bar{r}_c, 0)$ and $\frac{\partial}{\partial \eta} g_u(\bar{r}_u, 0)$.

Rewrite the system as a linear system in the coefficient $a_s(\Pi) \equiv \left[\bar{i}_s^* + \frac{\partial}{\partial \eta} g_s(\bar{r}_s, 0) - b_s \bar{r}_s\right]$ by using the definition of the slackness variable $\Delta_{s,s'}$ and the fact that $\theta \bar{r}_s = [\rho_i + \mathbf{1}\{s = u\}\theta] b_s \bar{r}_s$:

$$[\rho_i + \mathbf{1}\{s = u\}\theta] a_s(\Pi) = \mathbb{E}_{r' \sim \mathcal{N}(\bar{r}, \sigma^2)} \left[(a_c(\Pi) + b_c r') \Pi_c(r') + (a_u(\Pi) + b_u r') \Pi_u(r') \right] - (1 - \rho_i)\bar{r}$$

The right hand side of this equation does not depend on s and so $\rho_i a_c(\Pi) = (\rho_i + \theta) a_u(\Pi)$. Now, re-write this equation for $s = c$ as:

$$\rho_i a_c(\Pi) = \mathbb{E}_{r' \sim \mathcal{N}(\bar{r}, \sigma^2)} \left[\frac{\rho_i a_c(\Pi) + \theta r'}{\rho_i} \Pi_c(r') + \frac{\rho_i a_c(\Pi) + \theta r'}{\rho_i + \theta} \Pi_u(r') \right] - (1 - \rho_i)\bar{r}$$

which leads to

$$\rho_i a_c(\Pi) = \frac{\mathbb{E}_{r' \sim \mathcal{N}(\bar{r}, \sigma^2)} \left[\frac{\theta}{\rho_i} r' \Pi_c(r') + \frac{\theta}{\rho_i + \theta} r' \Pi_u(r') \right] - (1 - \rho_i) r}{1 - \mathbb{E}_{r' \sim \mathcal{N}(\bar{r}, \sigma^2)} \left[\frac{1}{\rho_i} \Pi_c(r') + \frac{1}{\rho_i + \theta} \Pi_u(r') \right]} \equiv -\theta r^*(\Pi)$$

and

$$a_c(\Pi) = -b_c r^*(\Pi) \qquad a_u(\Pi) = -b_u r^*(\Pi)$$

B Proof of Proposition 2.1:

Suppose that Π is an equilibrium distribution. Using lemma 2.1, the equilibrium restrictions on Π are that $a_c(\Pi) + b_c r > 0 \Rightarrow \Pi_c(r) = 0$ and $a_u(\Pi) + b_u r \leq 0 \Rightarrow \Pi_u(r) = 0$. But $a_c(\Pi) + b_c r \leq 0 \Leftrightarrow r \leq r^*(\Pi)$ and $a_u(\Pi) + b_u r > 0 \Leftrightarrow r > r^*(\Pi)$, so these conditions imply that

$$\Pi_s(r) = \begin{cases} \mathbf{1}\{r \leq r^*(\Pi)\} & \text{if } s_t = c \\ \mathbf{1}\{r > r^*(\Pi)\} & \text{if } s_t = u \end{cases} \tag{21}$$

The threshold $r^*(\Pi)$ is a summary statistic for the equilibrium distribution since it is the threshold in the state-space at which regime change occurs.

Define the quantity $i^{*E}(\Pi)$ (not necessarily equal to i^{*e}) as

$$i^{*E}(\Pi) \quad \equiv \quad \mathbb{E}_{r' \sim \mathcal{N}(\bar{r}, \sigma^2)} \left[(a_c(\Pi) + b_c r') \Pi_c(r') + (a_u(\Pi) + b_u r') \Pi_u(r') \right]$$

Then from the definition of $r^*(\Pi)$, the constant term in the approximation is:

$$a_s(\Pi) = \frac{i^{*E}(\Pi) - (1 - \rho_i) r}{\rho_i + \mathbf{1}\{s = u\}\theta}$$

Substitute the terms $a_c(\Pi)$ and $a_u(\Pi)$ into the definition of $i^{*E}(\Pi)$ to get:

$$\begin{aligned} i^{*E}(\Pi) &= \int \left[(a_c(\Pi) + b_c r') \, \Pi_c(r') + (a_u(\Pi) + b_u r') \, \Pi_u(r') \right] \frac{1}{\sigma} \phi \left(\frac{r' - \bar{r}}{\sigma} \right) \mathrm{d}r' \\ &= \int \left[\frac{i^{*E}(\Pi) - (1-\rho_i)\bar{r} + \theta r'}{\rho_i} \Pi_c(r') + \frac{i^{*E}(\Pi) - (1-\rho_i)\bar{r} + \theta r'}{\rho_i + \theta} \Pi_u(r') \right] \frac{1}{\sigma} \phi \left(\frac{r' - \bar{r}}{\sigma} \right) \mathrm{d}r' \\ &= \int \max \left\{ \frac{i^{*E}(\Pi) - (1-\rho_i)\bar{r} + \theta r'}{\rho_i}, \frac{i^{*E}(\Pi) - (1-\rho_i)\bar{r} + \theta r'}{\rho_i + \theta} \right\} \frac{1}{\sigma} \phi \left(\frac{r' - \bar{r}}{\sigma} \right) \mathrm{d}r' \end{aligned}$$

where the last line follows since Π is an equilibrium distribution and must be of the form (21). This condition is the same fixed point condition in (4). Therefore $i^{*E}(\Pi) = i^{*e}$ where i^{*e} is some solution of condition (4). Therefore, the constant terms must be identical to the constant terms in the true solution.

C Proof of Proposition 2.2:

The update equation (12) implies that after a single iteration of the algorithm, the threshold $r^*(\hat{\Pi}^{(n-1)})$ is a sufficient statistic for the distribution $\hat{\Pi}^{(n)}$. In particular:

$$\hat{\Pi}_s^{(n)}(r) = \begin{cases} \mathbf{1}\left\{ r \leq r^*(\hat{\Pi}^{(n-1)}) \right\} & \text{if } s = c \\ \mathbf{1}\left\{ r > r^*(\hat{\Pi}^{(n-1)}) \right\} & \text{if } s = u \end{cases}$$

This recursion can be re-expressed as a recursive condition on the threshold using the definition of r^*:

$$\begin{aligned} r^*(\hat{\Pi}^{(n)}) &= \frac{(1-\rho_i)\bar{r} - \int \left[\hat{\Pi}_c^{(n)} \frac{\theta}{\rho_i} (r' - r^*(\hat{\Pi}^{(n)})) + \hat{\Pi}_u^{(n)} \frac{\theta}{\rho_i + \theta} (r' - r^*(\hat{\Pi}^{(n)})) \right] \frac{1}{\sigma} \phi \left(\frac{r' - \bar{r}}{\sigma} \right) \mathrm{d}r'}{\theta} \\ &= \frac{(1-\rho_i)\bar{r}}{\theta} - \int \max \left\{ \frac{1}{\rho_i} (r' - r^*(\hat{\Pi}^{(n-1)})), \frac{1}{\rho_i + \theta} (r' - r^*(\hat{\Pi}^{(n-1)})) \right\} \frac{1}{\sigma} \phi \left(\frac{r' - \bar{r}}{\sigma} \right) \mathrm{d}r' \\ &\quad - \Phi \left(\frac{r^*(\hat{\Pi}^{(n-1)}) - \bar{r}}{\sigma} \right) \frac{1}{\rho_i} [r^*(\hat{\Pi}^{(n-1)}) - r^*(\hat{\Pi}^{(n)})] \\ &\quad - \left[1 - \Phi \left(\frac{r^*(\hat{\Pi}^{(n-1)}) - \bar{r}}{\sigma} \right) \right] \frac{1}{\rho_i + \theta} [r^*(\hat{\Pi}^{(n-1)}) - r^*(\hat{\Pi}^{(n)})] \end{aligned}$$

where Φ is the cdf of the standard normal distribution. Let $r_n^* \equiv r^*(\Pi^{(n)})$. This threshold update equation can be written as:

$$r_n^* = r_{n-1}^* + \frac{\frac{(1-\rho_i)\bar{r}}{\theta} + \int \max \left\{ \frac{1-\rho_i}{\rho_i} r_{n-1}^* - \frac{1}{\rho_i} r', \frac{1-\rho_i-\theta}{\rho_i+\theta} r_{n-1}^* - \frac{1}{\rho_i+\theta} r' \right\} \frac{1}{\sigma} \phi \left(\frac{r' - \bar{r}}{\sigma} \right) \mathrm{d}r'}{1 - \left\{ \Phi \left(\frac{r_{n-1}^* - \bar{r}}{\sigma} \right) \frac{1}{\rho_i} + \left[1 - \Phi \left(\frac{r_{n-1}^* - \bar{r}}{\sigma} \right) \right] \frac{1}{\rho_i + \theta} \right\}} \equiv m(r_{n-1}^*) \qquad (22)$$

The map m is continuously differentiable everywhere except for a single singularity at the point $\sigma \Phi^{-1} \left(\frac{\rho_i(1-\rho_i-\theta)}{\theta} \right)$. Moreover, it is strictly decreasing every except at this singularity. There are then precisely two points r^* such that $r^* = m(r^*)$. For sufficiently small σ, both of these points are dynamically stable. Therefore $r_n^* \to r^*$ for one of these two points.

It remains to show that any point r^* such that $r^* = m(r^*)$ must be associated with an equilibrium distribution. However, this result follows directly from the definition of the map m. Indeed, the above equalities can be reversed to conclude that

$$\Pi_s(r) = \begin{cases} \mathbf{1}\{r \leq r^*\} & \text{if } s = c \\ \mathbf{1}\{r > r^*\} & \text{if } s = u \end{cases}$$

is an equilibrium distribution for either solution r^*.

D RSP Solution of Model (1) with $\rho_r > 0$

With solution functions substituted in, the model reads:

$$0 = \int \sum_{s'=c,u} \left\{ \begin{bmatrix} g_{s'}((1-\rho_r)\bar{r} + \rho_r r + (1-\eta)(\bar{r}_{s'} - \tilde{r}_s) + \eta\varepsilon', \eta) \\ -(1-\rho_i)\bar{r} - \max\{\rho_i g_s(r,\eta), (\rho_i+\theta)g_s(r,\eta)\} + \theta r \\ -(1-\eta)\Delta_{s,s'} \end{bmatrix} \Pi_{s'}((1-\rho_r)\bar{r} + \rho_r r + \varepsilon') \right\} \frac{1}{\sigma}\phi\left(\frac{\varepsilon'}{\sigma}\right) \mathrm{d}\varepsilon' \tag{23}$$

where $\tilde{r}_s = (1-\rho_r)\bar{r} + \rho_r \bar{r}_s$. Note that

$$\Delta_{s,s'} \equiv \tilde{i}_{s'} - (1-\rho_i)\bar{r} - \max\left\{\rho_i \tilde{i}_s, (\rho_i+\theta)\tilde{i}_s\right\} + \theta \bar{r}_s$$

Differentiate with respect to r and η to get (suppressing function arguments):

$$\partial r: \quad 0 = \int \sum_{s'=c,u} \left\{ \begin{bmatrix} \left[\frac{\partial g_{s'}}{\partial r'}\rho_r - (\rho_i + \mathbf{1}\{g_s > 0\}\theta)\frac{\partial g_s}{\partial r} + \theta\right]\Pi_{s'} \\ + \left[g_{s'} - (1-\rho_i)\bar{r} - \max\{\rho_i g_s, (\rho_i+\theta)g_s\} + \theta r - (1-\eta)\Delta_{s,s'}\right]\frac{\partial \Pi_{s'}}{\partial r'}\rho_r \end{bmatrix} \right\} \frac{1}{\sigma}\phi\left(\frac{\varepsilon'}{\sigma}\right) \mathrm{d}\varepsilon'$$

$$\partial \eta: \quad 0 = \int \sum_{s'=c,u} \left\{ \left[\frac{\partial g_{s'}}{\partial r'}(\varepsilon' - \bar{r}_{s'} + \tilde{r}_s) + \frac{\partial g_{s'}}{\partial \eta} - (\rho_i + \mathbf{1}\{g_s > 0\}\theta)\frac{\partial g_s}{\partial \eta} + \Delta_{s,s'}\right]\Pi_{s'} \right\} \frac{1}{\sigma}\phi\left(\frac{\varepsilon'}{\sigma}\right) \mathrm{d}\varepsilon'$$

In this short hand notation:

$$\begin{aligned} g_s &= g_s(r,\eta) \\ g_{s'} &= g_{s'}((1-\rho_r)\bar{r} + \rho_r r + (1-\eta)(\bar{r}_{s'} - \tilde{r}_s) + \eta\varepsilon', \eta) \\ \Pi_{s'} &= \Pi_{s'}((1-\rho_r)\bar{r} + \rho_r r + \varepsilon') \end{aligned}$$

Note that the derivative of the distribution is the weak derivative.

Evaluate these equations at $(r,\eta) = (\bar{r}_s, 0)$ using the fact that $\tilde{i}_s = g_s(\bar{r}_s, 0)$ and $\tilde{i}_c < 0 < \tilde{i}_u$ to get a

system of linear equations in the unknown derivatives:

$$\begin{aligned} 0 &= \sum_{s'=c,u} G_{s'}^{(1,0)} \rho_r \bar{\Pi}_{s,s'} + \theta - (\rho_i + \mathbf{1}\{s=u\}\theta) G_s^{(1,0)} \\ 0 &= \int \sum_{s'=c,u} \left[G_{s'}^{(1,0)} \mu_{s,s'}^{(1)} + G_{s'}^{(0,1)} + \Delta_{s,s'} \right] \bar{\Pi}_{s,s'} - (\rho_i + \mathbf{1}\{s=u\}\theta) G_s^{(0,1)} \end{aligned}$$

with the notation:

$$\begin{aligned} G_s^{(i,j)} &\equiv \left. \frac{\partial^{i+j} g_s(r,\eta)}{\partial r^i \partial \eta^j} \right|_{(r,\eta)=(\bar{r}_s,0)} \\ \mu_{s,s'}^{(i)} &\equiv \frac{\int (\varepsilon' - \bar{r}_{s'} + \tilde{r}_s)^i \Pi_{s'}(\tilde{r}_s + \varepsilon') \sigma^{-1} \phi(\varepsilon'/\sigma) \mathrm{d}\varepsilon'}{\int \Pi_{s'}(\tilde{r}_s + \varepsilon') \sigma^{-1} \phi(\varepsilon'/\sigma) \mathrm{d}\varepsilon'} \\ \bar{\Pi}_{s,s'} &\equiv \int \Pi_{s'}(\tilde{r}_s + \varepsilon') \sigma^{-1} \phi(\varepsilon'/\sigma) \mathrm{d}\varepsilon' \end{aligned}$$

To get this expression, note that the term $g_{s'} - (1-\rho_i)\bar{r} - \max\{\rho_i g_s, (\rho_i+\theta) g_s\} + \theta r - (1-\eta)\Delta_{s,s'}$ evaluates to zero by the construction of $\Delta_{s,s'}$. The solution of this system gives the first order approximation:

$$g_s(r,\eta) \approx \tilde{i}_s + G_s^{(1,0)}(r - \bar{r}_s) + G_s^{(0,1)} \eta$$

Next, take the second order derivatives of (23):

$$\partial r^2 : \quad 0 = \int \sum_{s'=c,u} \left\{ \begin{array}{r} \left[\frac{\partial^2 g_{s'}}{\partial r'^2} \rho_r^2 - (\rho_i + \mathbf{1}\{g_s > 0\}\theta) \frac{\partial^2 g_s}{\partial r^2} \right] \Pi_{s'} \\ +2 \left[\frac{\partial g_{s'}}{\partial r'} \rho_r - (\rho_i + \mathbf{1}\{g_s > 0\}\theta) \frac{\partial g_s}{\partial r} + \theta \right] \frac{\partial \Pi_{s'}}{\partial r'} \rho_r \\ + \left[g_{s'} - (1-\rho_i)\bar{r} - \max\{\rho_i g_s, (\rho_i+\theta) g_s\} + \theta r - (1-\eta)\Delta_{s,s'} \right] \frac{\partial^2 \Pi_{s'}}{\partial r'^2} \rho_r^2 \end{array} \right\} \frac{1}{\sigma} \phi\left(\frac{\varepsilon'}{\sigma}\right) \mathrm{d}\varepsilon'$$

$$\partial \eta^2 : \quad 0 = \int \sum_{s'=c,u} \left\{ \left[\begin{array}{r} \frac{\partial^2 g_{s'}}{\partial r'^2} (\varepsilon' - \bar{r}_{s'} + \tilde{r}_s)^2 + 2 \frac{\partial g_{s'}}{\partial r' \partial \eta} (\varepsilon' - \bar{r}_{s'} + \tilde{r}_s) + \frac{\partial^2 g_{s'}}{\partial \eta^2} \\ - (\rho_i + \mathbf{1}\{g_s > 0\}\theta) \frac{\partial^2 g_s}{\partial \eta^2} \end{array} \right] \Pi_{s'} \right\} \frac{1}{\sigma} \phi\left(\frac{\varepsilon'}{\sigma}\right) \mathrm{d}\varepsilon'$$

$$\partial r \partial \eta : \quad 0 = \int \sum_{s'=c,u} \left\{ \begin{array}{r} \left[\frac{\partial^2 g_{s'}}{\partial r'^2} \rho_r (\varepsilon' - \bar{r}_{s'} + \tilde{r}_s) + \frac{\partial^2 g_{s'}}{\partial r' \partial \eta} \rho_r - (\rho_i + \mathbf{1}\{g_s > 0\}\theta) \frac{\partial^2 g_s}{\partial r \partial \eta} \right] \Pi_{s'} \\ + \left[\frac{\partial g_{s'}}{\partial r'} (\varepsilon' - \bar{r}_{s'} + \tilde{r}_s) + \frac{\partial g_{s'}}{\partial \eta} - (\rho_i + \mathbf{1}\{g_s > 0\}\theta) \frac{\partial g_s}{\partial \eta} + \Delta_{s,s'} \right] \frac{\partial \Pi_{s'}}{\partial r'} \rho_r \end{array} \right\} \frac{1}{\sigma} \phi\left(\frac{\varepsilon'}{\sigma}\right) \mathrm{d}\varepsilon'$$

Evaluate at $(r,\eta) = (\bar{r}_s, 0)$ to get a another linear system of equations in the second order derivatives given

the first order derivatives

$$\begin{aligned}
0 &= \sum_{s'=c,u} \left\{ \begin{array}{c} \left[G_{s'}^{(2,0)} \rho_r^2 - (\rho_i + \mathbf{1}\{g_s > 0\}\theta) G_s^{(2,0)} \right] \bar{\Pi}_{s,s'} \\ +2 \left[G_{s'}^{(1,0)} \rho_r - (\rho_i + \mathbf{1}\{g_s > 0\}\theta) G_s^{(1,0)} + \theta \right] \bar{\Pi}_{s,s'}^{(1)} \rho_r \end{array} \right\} \\
0 &= \int \sum_{s'=c,u} \left\{ \left[\begin{array}{c} G_{s'}^{(2,0)} \mu_{s,s'}^{(2)} + 2 G_{s'}^{(1,1)} \mu_{s,s'}^{(1)} + G_{s'}^{(0,2)} \\ - (\rho_i + \mathbf{1}\{g_s > 0\}\theta) G_s^{(0,2)} \end{array} \right] \bar{\Pi}_{s,s'} \right\} \\
0 &= \int \sum_{s'=c,u} \left\{ \begin{array}{c} \left[G_{s'}^{(2,0)} \rho_r \mu_{s,s'}^{(1)} + G_{s'}^{(1,1)} \rho_r - (\rho_i + \mathbf{1}\{g_s > 0\}\theta) G_s^{(1,1)} \right] \bar{\Pi}_{s,s'} \\ + \left[G_{s'}^{(1,0)} \mu_{s,s'}^{(1/1)} + G_{s'}^{(0,1)} - (\rho_i + \mathbf{1}\{g_s > 0\}\theta) G_s^{(0,1)} + \Delta_{s,s'} \right] \bar{\Pi}_{s,s'}^{(1)} \rho_r \end{array} \right\}
\end{aligned}$$

where now

$$\begin{aligned}
\mu_{s,s'}^{(i/j)} &\equiv \frac{\int (\varepsilon' - \bar{r}_{s'} + \tilde{r}_s)^i \frac{\partial^j \Pi_{s'}(\tilde{r}_s + \varepsilon')}{\partial r'^j} \sigma^{-1} \phi(\varepsilon'/\sigma) \mathrm{d}\varepsilon'}{\int \frac{\partial^j \Pi_{s'}(\tilde{r}_s + \varepsilon')}{\partial r'^j} \sigma^{-1} \phi(\varepsilon'/\sigma) \mathrm{d}\varepsilon'} = \frac{\int (\varepsilon' - \bar{r}_{s'} + \tilde{r}_s)^i \Pi_{s'}(\tilde{r}_s + \varepsilon') \sigma^{-1-j} \phi^{(j)}(\varepsilon'/\sigma) \mathrm{d}\varepsilon'}{\int \Pi_{s'}(\tilde{r}_s + \varepsilon') \sigma^{-1-j} \phi^{(j)}(\varepsilon'/\sigma) \mathrm{d}\varepsilon'} \\
\bar{\Pi}_{s,s'}^{(i)} &\equiv \int \Pi_{s'}(\tilde{r}_s + \varepsilon') \sigma^{-1-j} \phi^{(j)}(\varepsilon'/\sigma) \mathrm{d}\varepsilon'
\end{aligned}$$

where $\phi^{(j)}$ denotes the j-th derivative of the standard normal pdf and the second equality in both lines follows from the definition of the weak derivative.

Solving for these second order derivatives leads to the second order Taylor approximation:

$$\begin{aligned}
g_s(r, \eta) \approx\ & \tilde{i}_s + G_s^{(1,0)}(r - \bar{r}_s) + G_s^{(0,1)} \eta \\
& + \frac{1}{2} G_s^{(2,0)} (r - \bar{r}_s)^2 + G_s^{(1,1)} (r - \bar{r}_s) \eta + \frac{1}{2} G_s^{(0,2)} \eta^2
\end{aligned}$$

E Exogenous and Threshold Regime-Switching as a Special Case

To construct a Markov-switching model, factor the control vector as $Y_t = (Y_t^0, Y_t^s)$ where $Y_t^s = s_t$ denotes the present regime. Then let one of the state variables keep track of the past regime, so factor the state vector in a similar way as $X_t = (X_t^0, X_t^s)$ and include an equation which specifies that the next period value of this state variable is the current value of the regime: $X_{t+1}^s = Y_t^s$. Assume that there is a component of the exogenous shock vector υ_t which (in-equilibrium) governs the regime given the past regime (which is equal to the value of X_t^s). Partition the shocks as: $\varepsilon_t = (\varepsilon_t^0, \upsilon_t)$. Assume that $\upsilon_t = (\upsilon_t^1, \ldots, \upsilon_t^S)$ with υ_t^s an IID extreme value type 1 random variable. Let $\{\beta_{s,s'}\}_{s,s'=1}^S$ be coefficients which will control the switching probabilities and specify the present regime as:

$$X_{t+1}^s = Y_t^s = s_t = \sum_{r=1}^S s \mathbf{1} \left\{ s = \arg\max_s \left[\beta_{s_0,s} \mathbf{1} \left\{ X_t^s \in R_{s_0} \right\} + \upsilon_t^s \right] \right\} \tag{24}$$

Here $\{R_s\}_{s=1}^{N_S}$ defines a partition of $\mathbb{R}$ so that for each $s = 1, \ldots, S$ the integer s is in the interior of R_s. As a result, the equation is well defined on the entire real line for any $X_t^s \in \mathbb{R}$. Moreover, the equilibrium value

of the regime variable is $s_t \in \{1, \ldots, S\}$. Since this equation takes the form of a multinomial logit random utility model, the regime transition probabilities are:

$$\mathbb{P}\left[s_{t+1} = s' \mid s_t = s\right] = \mathbb{P}\left[s_{t+1} = s' \mid x_t^s \in R_s\right] = \frac{\exp\left[\beta_{s,s'}\right]}{\sum_{s'=1}^{S} \exp\left[\beta_{s,s'}\right]}$$

The matrix P with entries of $P_{s,s'} = \exp\left[\beta_{s,s'}\right] / \sum_{s'=1}^{S} \exp\left[\beta_{s,s'}\right]$ is the regime transition matrix. In this way, the present methodology generalizes Foerster et al. (2013). The generalization to threshold-switching (called endogenous switching in Davig and Leeper (2006)) arises from letting the coefficients in specification (24) depend on the state vector (X_t^0). Then the transition probabilities become

$$\mathbb{P}\left[s_{t+1} = s' \mid X_{t+1} = (x^0, s)\right] = \frac{\exp\left[\beta_{s,s'}(x^0)\right]}{\sum_{s'=1}^{S} \exp\left[\beta_{s,s'}(x^0)\right]}$$

F Derivation of Model (1)

A representative consumer has a stochastic endowment of Y_t which follows an AR(1) process in logs: $\ln Y_t = \rho_y \ln Y_{t-1} + \varepsilon_t^y$ where $\varepsilon_t^y \overset{iid}{\sim} \mathcal{N}(\sigma^2/2, \sigma^2)$. This consumer has unlimited access to risk-free nominal bonds, and derives utility from consumption and real balances. Its inter-temporal optimization problem is:

$$\begin{array}{rl} \max_{\{C_t, B_{t+1}, M_{t+1}\}_{t=0}^{\infty}} & \mathbb{E}_0 \sum_{t=0}^{\infty} \beta^t [\ln C_t + v(M_{t+1}/P_t)] \\ \text{s.t.} & P_t C_t + Q_t B_{t+1} + M_{t+1} \leq P_t Y_t + B_t + M_t + T_t \end{array}$$

where P_t is the nominal price of the consumption good, Q_t denotes the price of a one period risk-less nominal bond, B_{t+1} denotes bond holds, M_{t+1} denotes end of period cash-on-hand, and T_t denotes monetary transfers to the representative household conducted by the central bank. The function v is differentiable, concave, increasing, and has a satiation point μ such that $v'(m) = 0$ for all levels of real balances greater than μ.

Since output has no alternative use to consumption, the goods market clearing condition states that $C_t = Y_t$. Using this condition in the first order conditions of this problem gives:

$$\begin{array}{rcl} Q_t Y_t^{-1} & = & \beta \mathbb{E}_t Y_{t+1}^{-1} \frac{P_t}{P_{t+1}} = \beta Y_t^{-\rho_y} \mathbb{E}_t \Pi_{t+1}^{-1} \\ v'(M_{t+1}/P_t) & = & 1 - Q_t \end{array}$$

where $\Pi_{t+1} \equiv P_{t+1}/P_t$ is the gross inflation rate.

Due to the satiation point in the function v, any choice of money supply greater than $P_t \mu$ will imply that the bond price is 1. For levels of money supply below this satiation level, it must be the case that nominal bonds sell at a discount.

Assuming that monetary policy uses monetary transfers T_t to control the yield on the nominal bond, we can abstract from the level of money supply and assume that the bond price is set directly by the central bank, so long as the implied nominal interest rate $i_t \equiv \ln Q_t^{-1}$ satisfies $i_t \geq 0$. That is, policy must respect the zero-lower-bound on interest implied by to coexistence of cash and nominal bonds.

The policy rule used by the central bank is assumed to take a shadow-rate Taylor-rule form with smoothing:

$$\begin{aligned} i_t &= \max\{0, i_t^*\} \\ i_t^* &= \rho_i i_{t-1}^* + (1-\rho_i)\bar{r} + \theta \pi_t \end{aligned}$$

where i_t^* denotes the central bank's desired (shadow) rate, $\pi_t \equiv \ln(P_t/P_{t-1})$ is the inflation rate, and $\bar{r} \equiv \ln(\beta^{-1} - \sigma^2/2)$. These two equations are identical to the final two equations of model (1). Note that this policy rule respects the zero-lower-bound by construction.

Finally, using the approximation that $\Pi_{t+1} \approx 1$, and defining the real interest rate as $r_t = \ln \beta^{-1} - (1 - \rho_y) \ln Y_t$ we can write the household's Euler equation and the law of motion for the real interest rate as:

$$\begin{aligned} r_t &= i_t - \mathbb{E}_t \pi_{t+1} \\ r_t &= \rho_r r_{t-1} + (1-\rho_r)\bar{r} + \varepsilon_{t+1},\ \varepsilon_{t+1} \overset{iid}{\sim} \mathcal{N}(\bar{r}, \sigma^2) \end{aligned}$$

These two equations are identical to the first two equations of model (1).